
AMERICAN THREAD STAR BOOK NO. 192 110 Creative Commons 4.0 NC SA BY FREE DISTRIBUTION ONLY - NOT FOR SALE

KNITTED and CROCHETE



FEATURING W. and quepade milibrary or 2021 do DOLLS

Creative Commons 4.0 NC SA BY FREE DISTRIBUTION ONLY - NOT FOR SALE

The Bride

illustrated in color on cover

Materials Required:

AMERICAN THREAD COMPANY
The Famous "PURITAN" MERCERIZED
CROCHET COTTON

2 - 250 Yd. Balls White Small White Beads

4 Small Snaps

Steel Crochet Hook No. 8 OR ANY SIZE HOOK WHICH WILL RESULT IN STITCH GAUGE BELOW

GAUGE: 8 sts = 1 inch

SKIRT: Ch 101, s c in 2nd st from hook. d c in next ch, * s c in next ch, d c in next ch, repeat from * across ch, ch 1 to turn all rows. 2nd ROW: * S c in d c. d c in s c, repeat from * across row. Repeat the 2nd row for pattern. Work even in pattern until skirt measures 61/2 inches from beg. WAISTLINE DEC ROW: * Insert hook in next st, pull loop through, repeat from * twice, thread over and pull through all loops (2 sts dec), repeat from 1st * across row (34 sts). NEXT ROW: Dec 6 sts evenly spaced (28 sts). Work even for 1 inch. NEXT ROW: SHAPE BUSTLINE: Work in pattern across 1st 9 sts, working in pattern work 5 sts in each of the next 3 sts, 1 st in each of the next 4 sts, 5 sts in each of the next 3 sts, work even across remaining 9 sts. NEXT 2 ROWS: Work even in pattern. NEXT ROW: Work across 1st 9 sts, dec 1 st in next 2 sts (to dec 1 st: * insert hook in next st, pull loop through, repeat from * once, thread over and pull through all loops), work even across next 13 sts, dec 2 sts in next 4 sts, work even across next 13 sts, dec 1 st in next 2 sts, work even across remaining sts. NEXT 2 ROWS: Work even in pattern, cut thread. Sew back seam leaving 23/4 inches free for back opening at top.

FINISHING: Attach thread at side of last row of right side and work a row of s c



all around back opening to opposite corner. Crochet a chain long enough to go from center front around neck to tie. Sew center of chain to center of front bodice. Sew 2 beads in each st of ch to within 8 sts of each end thus leaving 8 sts of ch free at ends for tieing. Sew snaps in position.

FLOWER: Make 21. Ch 4, join to form a ring, * ch 3, sl st in ring, repeat from * 5 times. NEXT ROUND: * Sl st in next ch 3 loop, 1 s c, 3 d c, 1 s c, sl st in same loop, repeat from * 5 times (6 petals). Sew 15 flowers around lower edge of skirt. Sew 2 beads in center of each petal of flower. Sew 6 flowers around waistline sewing 2 beads in each petal.



Che American Chread Company

90 Park Avenue, New York, N. Y. 10016

www.antiquepatternelibrary.org 2021,10 PRINTED IN U.S.A.



CROCHETED BRIDAL CAPE

Materials Required:

AMERICAN THREAD COMPANY The Famous "PURITAN" MERCERIZED CROCHET COTTON

2–250 Yd. Balls White Steel Crochet Hook No. 5 1 Yd. ¼ inch White Satin Ribbon ⅓ Yd. Nylon Tulle

Ch 68, 1 d c in 4th ch from hook and in each remaining st of ch, turn (65 d c). 2nd ROW: Ch 8, sl st in 4th ch from hook for picot, ch 1, skip 1 d c, 1 d c in next d c, * ch 5, sl st in 4th ch for picot, ch 1, skip 1 d c, d c in next d c, repeat from * across row, turn (32 picots). 3rd ROW: Ch 7, sl st in 4th ch, ch 1, 1 d c in 1st d c, * ch 5, sl st in 4th ch, ch 1, 1 d c in next d c, ch 5, sl st in 4th ch, ch 1, 1 d c in same d c, repeat from * across row, working last 2 d c in 3rd ch (counts as 1 d c), turn (65 picots). 4th ROW: Ch 8, sI st in 4th ch, ch 1, 1 d c in next d c, * ch 5, sl st in 4th ch, ch 1, 1 d c in next d c, repeat from * across row working last d c in 3rd ch, turn. Repeat 4th row 10 times, cut thread, turn. 15th ROW: SLEEVE SHAPING: Attach thread in 6th d c, ch 8, sl st in 4th ch from hook, ch 1, 1 d c in next d c, * ch 5, sl st in 4th ch, ch 1, 1 d c in next d c, repeat from * 53 times, cut thread, turn. NEXT ROW: Attach thread in 2nd d c, ch 8, sl st in 4th ch from hook, ch 1, 1 d c in next d c, * ch 5, sl st in 4th ch, ch 1, 1 d c in next d c, repeat from * across row to within last d c (2 picots dec in row), cut thread. Repeat the last row until one picot mesh remains.

SLEEVES: Pin 1st d c of 14th row to 6th d c of same row on each side. Sew seams from 14th to 6th row.

NECKEDGE: Attach thread to 1st st of 1st row, * skip 3 sts, 1 sl st in next st, repeat from * across row, cut thread. Attach thread in 5th picot row at armhole edge, ch 6, sl st in 4th ch, ch 1, s c in next d c space, * ch 5, sl st in 4th ch, ch 1, s c in next d c space, repeat from * 4 times, * ch 5, sl st in 4th ch, ch 1, skip ½ inch space, s c in next st, repeat from * across neckedge and complete armhole to correspond, cut thread.

* ch 4, holding last loop on hook 2 d c in 1st ch, thread over and pull through all loops on hook (cluster st), s c in ring, repeat from * 5 times, cut thread. Work 5 more flowers. Attach thread in space between petals, * ch 2, 1 sl st in space between petals of next flower, repeat from * once, cut thread. Make another cluster of flowers in same manner. Finish with beads same as dress.

BOUQUET: Cut 3 — 10 inch lengths ribbon, fold each length in half, draw each length through the center of flowers leaving about ¼ inch loop on right side. Attach to hand. HEAD PIECE: Cut a circle of tulle 11 inches in diameter. Fold the tulle back 5 inches. Work running sts from 3 inches on one side to within 3 inches of other side, draw tightly. Tack a 3 flower cluster to tulle for bridal veil.

All Good Sports

STRIPED SKIRT AND SHELL BLOUSE

Materials Required:
AMERICAN THREAD COMPANY
The Famous "PURITAN" MERCERIZED
CROCHET COTTON

1–250 Yd. Ball White 1–175 Yd. Ball National Blue Steel Crochet Hook No. 7 OR ANY SIZE HOOK WHICH WILL RESULT IN STITCH GAUGE BELOW

3 Small Snaps 1 Small Button

GAUGE: 11 sts = 1 inch (Blouse and skirt)

BLOUSE FRONT: With National Blue ch 28. 1 s c in 2nd st from hook and in each remaining st of ch, ch 1 to turn all rows. 2nd ROW: Working in front loop of st s c in next s c, * working in back loop of st, s c in next s c, working in front loop of st, s c in next s c, repeat from * across row (pattern). 3rd and 4th ROWS: Repeat 2nd row. 5th ROW: Dec 1 st at beg and end of row. (Note: to keep pattern uniform work as follows: if a st of previous row is worked in front loop of st work in front loop of same st in next row, if a st is worked in back loop of st work in back loop of st in next row). NEXT 3 ROWS: Work even. NEXT ROW: Inc 1 st at beg and end of row (to inc: insert hook in front (or back) loop of st, thread over, pull through, insert hook in back (or front) of same st, thread over, pull through all loops). NEXT ROW: Work even. Repeat last 2 rows twice. Place a marker in center st (16th st). NEXT ROW: Work to 6th st from center. inc 1 st in next st, then inc 1 st in next st, work 7 sts, then inc in corresponding manner on other side of center st. NEXT ROW: Work even. NEXT ROW: Inc 1 st in 6th st and 1 st in 5th st from each side of center st. NEXT ROW: Work even. NEXT ROW: Work to 9th st from center, dec 2 sts in next 4 sts, work across row dec 2 sts in corresponding manner on other side of center st. NEXT ROW: Work even. NEXT ROW: Work to within 8th st from center. dec 2 sts in next 4 sts, work across row dec 2 sts in corresponding manner on other side of center st. NEXT ROW: Work even, cut thread. NEXT ROW: Attach thread in 4th s c, 1 s c in each s c to within 4th s c at end of row. NEXT 2 ROWS: Dec 1 st at each end of each row. NEXT 3 ROWS: Work even. NEXT ROW: Work 1st 3 s c, dec 1 st, ch 1, turn. NEXT ROW: Dec 1 st at beg of row, work across row. **NEXT ROW:** Work across remaining 3 sts, cut thread (right shoulder). Work left shoulder in corresponding manner.

BACK: With National Blue ch 14, 1 s c in 2nd st from hook and in each remaining st of ch. 2nd, 3rd and 4th ROWS: Work even. 5th ROW: Dec 1 st at beg of row, work across row. NEXT 3 ROWS: Work even. NEXT ROW: Inc 1 st at beg of row. work across row. NEXT ROW: Work even. Repeat last 2 rows twice. Continue to work even until section measures same as front to armholes, cut thread. NEXT ROW: Attach thread in 4th st from side edge. work across. NEXT 2 ROWS: Dec 1 st at end of the 1st row worked and dec 1 st at beg of the 2nd row worked. NEXT 3 ROWS: Work even. NEXT ROW: Work 1st 3 s c, dec 1 st, ch 1, turn. NEXT ROW: Dec 1 st at beg of row, work across row. NEXT ROW: Work across remaining 3 sts, cut thread. Work a 2nd section to correspond reversing all shapings.

FINISHING: Sew shoulder and side seams. EDGE: Work 1 row of s c around each armhole. Attach thread at lower edge of center back, work 1 row of s c all around edge, cut thread. Sew snaps in position on back opening.

continued on page 22

for **HIS** trunks see page 19 for **HIS** bathrobe see page 22

Creative Commons 4.0 NC SA BY FREE DISTRIBUTION ONLY - NOT FOR SALE



www.antiquepatternlibrary.org 2021,10

The Bridesmaid

Materials Required:

AMERICAN THREAD COMPANY
The Famous "PURITAN" MERCERIZED
CROCHET COTTON

2–175 Yd. Balls Pink

1/3 Yd. 1/4 inch ribbon

2 Small Snaps

Steel Crochet Hook No. 7

ROSE: Ch 4, join to form a ring, * ch 4, s! st in ring, repeat from * 5 times. 2nd ROUND: 1 s c, 3 d c, 1 s c in each loop (petals). 3rd ROUND: Ch 3, holding petal

continued on page 21

Creative Commons 4.0 NC SA BY FREE DISTRIBUTION ONLY - NOT FOR SALE CONCRETED Squares for your Dolly

Materials Required:

AMERICAN THREAD COMPANY "DAWN" DE LUXE FINGERING YARN or "DAWN" NYLON

1 skein White

Steel Crochet Hook No. 00 OR ANY SIZE HOOK WHICH WILL RESULT IN STITCH GAUGE BELOW

GAUGE: Each motif measures 11/4 inches. Sleeve Motif: 3/4 inch.

MOTIF: Ch 4, join to form a ring, sl st in ring, * ch 3, sl st in ring, repeat from * 7 times, do not join this or following rounds. Place a marker at beg of each round. 2nd ROUND: * 3 s c in next loop, 1 s c in next loop, repeat from * all around. 3rd ROUND: Working in back loop of sts only work 1 s c in each s c working 3 s c in center s c at each corner, sl st to corner st, cut yarn. Work 15 motifs. Sew motifs tog in back loop of sts, sewing 3 x 3 for back. Sew 1 x 3 for each front.

SLEEVE MOTIF: Work 1 st 2 rounds same as motif, sl st to corner st, cut yarn. Work 12 motifs. Sew 3 x 2 for each sleeve.

FINISHING: Sew shoulder, side and sleeve seams leaving 1 motif free for armhole at back and fronts. Sew sleeves in position. EDGE: Attach yarn in corner at lower edge of right front and working in back loop of sts, 3 s c in same space, work 1 s c in each st all around to opposite corner, 3 s c in corner, 1 s c in each st across lower edge, join in 1st s c. NEXT ROUND: Work 1 s c in each s c, join, cut yarn. Work a row of s c around each sleeve edge.

> Directions for CROCHETED SLACKS on page 18



Crentive Commons 4.0 NC SA BY FREE DISTRIBUTION ONLY-NOT FOR SALE Outdoor Dress-Ups

KNITTED HAT AND COAT (at right)
Materials Required:
AMERICAN THREAD COMPANY
"DAWN" MOHSPUN

1 skein White

1 Pr. Knitting Needles No. 1 OR ANY SIZE NEEDLES WHICH WILL RESULT IN STITCH GAUGE BELOW

1 Small Pearl Button

GAUGE: 11 sts = 2 inches

COAT

Starting at lower edge cast on 58 sts. 1st ROW: K across row. 2nd, 3rd and 4th ROWS: NOTE: Always si the 1st st at front edge throughout. P across each row. NEXT 6 ROWS: Work in stockinette st (K 1, P 1 row). START SHAPING: 1st DEC ROW: K 17, sl 1 as if to K, K 1, p.s.s.o. (dec), K 20, K 2 tog (dec), K 17. NEXT 3 ROWS: Continue in stockinette st (NOTE: Always work 3 even stockinette rows between each of the following dec rows; this will not be referred to again). 2nd DEC ROW: K 16, dec 1 st. K 20, dec 1 st, K 16. 3rd DEC ROW: K 16, dec 1 st. K 18. dec 1 st. K 16. 4th DEC ROW: K 15, dec 1 st, K 18, dec 1 st, K 15. 5th DEC ROW: K 15, dec 1 st, K 16, dec 1 st, K 15. 6th DEC ROW: K 13, dec 1 st twice, K 14, dec 1 st twice, K 13. 7th DEC ROW: K 12, dec 1 st twice, K 12, dec 1 st twice, K 12. 8th DEC ROW: K 11, dec 1 st twice, K 10, dec 1 st twice, K 11. NEXT 3 ROWS: Work even in stockinette st. START BACK AND FRONT SEPARATION: NEXT ROW: K 9, dec 1 st, turn. (Right Front). NEXT 7 ROWS: Work in stockinette st. NEXT ROW: K 2, bind off 1 st (for buttonhole), K remaining sts. NEXT ROW: P across, cast on 1 st over bound off st. NEXT ROW: NECK SHAPING: Bind off 4 sts, work across remaining sts. NEXT ROW: Dec 1 st at end of row. NEXT ROW: Work even. NEXT ROW: SHAPE SHOULDER: Bind off 3 sts at beg of row. NEXT ROW: Work even, NEXT ROW: Bind off remaining sts.

BACK: Attach yarn, dec 1 st, K 10, dec 1 st, turn. NEXT 9 ROWS: Work even in stockinette st. NEXT 2 ROWS: SHAPE SHOULDERS: Bind off 3 sts at beg of each row. NEXT 2 ROWS: Bind off 2 sts at beg of each row. Draw yarn through remaining sts.

LEFT FRONT: Attach yarn and work same as right front reversing the shaping and omitting the buttonhole.

SLEEVES: Cast on 12 sts. 1st 3 ROWS: K across each row. 4th ROW: P across row. Work in stockinette st for 10 rows. NEXT ROW: Inc 1 st at beg and end of row. Work even until sleeve is desired length. SHAPE CAP: NEXT 4 ROWS: Bind off 1 st at beg of each row. Bind off remaining sts. COLLAR: Cast on 26 sts. 1st 5 ROWS: K across each row. 6th ROW: K 2, * K 2 tog, K 2, repeat from * across row. Bind off. FINISHING: Sew sleeve and shoulder seams. Turn hem back along ridge of sleeves and lower edge of coat. Tack in position. Sew collar in position easing in any fullness. Work a row of slip sts along each front edge and around collar. Sew button in position.

HAT

Cast on 24 sts, K 3 rows. NEXT ROW: K across row inc 6 sts evenly spaced (30 sts). NEXT 5 ROWS: Work in stockinette st starting with a P row. NEXT ROW: * K 1, K 2 tog, repeat from * across row. NEXT ROW: P across row. NEXT ROW: K 2 tog across row, cut yarn leaving a length for sewing. Draw yarn through sts and fasten securely. Sew seam.

POMPON: Wind yarn 20 times over 1 inch cardboard. Slip off cardboard, tie at center, cut both ends and trim into shape. Attach to top of Hat.

see page 20 for CROCHETED

HAT & COAT (at left)

see page 11 for RIPPLE DRESS





The Mother of the Bride

SEQUIN 2 PIECE DRESS

Materials Required:

AMERICAN THREAD COMPANY
"DAWN" ORLON

1 ounce Baby Green

1 Pr. Knitting Needles No. 1 OR ANY SIZE NEEDLES WHICH WILL RESULT IN STITCH GAUGE BELOW

1 strand Crystal Iris 5 M/M cup sequin 3 small snaps

GAUGE: 8 sts = 1 inch

TO WORK WITH SEQUINS: Sequins are strung on a double strand of thread. Untie strand, place yarn through loop and pull strand of sequins onto yarn.

SKIRT: BACK: Cast on 27 sts, K 1 row. START PATTERN: 1st ROW: K 2, * pull sequin close to st, K 1 pulling sequin through st, K 1, repeat from * across row ending last repeat with K 2. 2nd ROW: P across row. 3rd ROW: K 1, * K 1 pulling sequin through st, K 1, repeat from * across row. 4th ROW: P across row. Repeat these 4 rows for pattern throughout. Continue in pattern until there are 25 sequin rows ending with sequin row. NEXT ROW: P across row dec 1 st at beg and end of row. Work 4 more sequin rows. NEXT ROW: P across row dec 1 st at beg and end of row. Work 4 more sequin rows. Discontinue sequins. NEXT ROW: Dec 1 st at beg of row, P 3, * P 2 tog, P 2, repeat from * 3 times, P 2 tog. NEXT ROW: K across row. Bind off. FRONT: Work same as back but start with 3rd pattern row.

FINISHING: Sew side seams. Crochet a chain 10 inches long, cut yarn. Lace chain at waistline and draw tight.

SHELL

FRONT: Cast on 23 sts, K 1 row. Work in pattern same as front of skirt until there are 9 sequin rows ending with sequin row. START ARMHOLE AND NECK SHAPING. NEXT 2 ROWS: Bind off 2 sts at beg of row. NEXT ROW: Work across 9 sts, place remaining sts on st holder. NEXT ROW: Dec 1 st at beg and end of row. NEXT ROW: Work even in pattern. Repeat last 2 rows twice, 3 sts remain. Work even until there are 14 sequin rows from beg. Bind off. Attach yarn at center, bind off 1 st, then work other side to correspond.

LEFT BACK: Cast on 11 sts, work same as back of skirt. Work in pattern until there are 9 sequin rows ending with sequin row. NEXT ROW: START ARMHOLE AND NECK SHAPING: Dec 1 st at beg of row, work across remaining sts. NEXT ROW: Work even in pattern. NEXT ROW: Dec 1 st at beg and end of row. Repeat last 2 rows once. Work back and forth in pattern on these sts, always dec 1 st at neck edge on every P row until 3 sts remain, bind off. Work other side to correspond.

FINISHING: Sew side and shoulder seams. SI st around armholes and front edges. Sew snaps in position at back.

KNIT ABBREVIATIONS

Knit .					`					K
Purl .					. \					P
Stitch			`						,	St
Yarn Ov	er			`						YO
Decreas	е						•	/		Dec
Increase			\		.\				`	Inc
Togethe	r				•	./				Tog
Round						•	,		•	Rnd
Pass sli	p o	ver	K	st				\		P.s.s.o.
Remaini	ng		`.						\.	Rem
Beginni	_			`			١,	•		Beg
Double	Poi	nte	d I	Vee	dle				•	DPN

Ripple Shift

illustrated on page 9

Materials Required:

AMERICAN THREAD COMPANY
"DAWN" DE LUXE FINGERING YARN or
"DAWN" NYLON

1 skein Antique or Potter Gold Steel Crochet Hook No. 1 OR ANY SIZE HOOK WHICH WILL RESULT IN STITCH GAUGE BELOW

1 Small Button

GAUGE: 3 s c = $\frac{1}{2}$ inch

Starting at lower edge ch 48, join in 1st st of ch taking care not to twist ch. 1st ROUND: Ch 1, s c in same space, 1 s c in each of the next 2 sts, * 3 s c in next st, 1 s c in each of the next 3 sts, skip 1 st of ch, 1 s c in each of the next 3 sts, repeat from * 4 times, 3 s c in next st, 1 s c in each of the next 3 sts, join in 1st s c. 2nd ROUND: Ch 1, turn, working in back loop of sts throughout skip 1 s c, * 1 s c in each of the next 3 s c, 3 s c in next s c, 1 s c in each of the next 3 s c, skip 2 s c, repeat from * all around, join in 1st s c. Repeat last round 17 times (4 inches). NEXT ROW: Ch 1, turn, skip 1 s c, * dec 1 s c (to dec: insert hook in st, pull loop through, insert in next st, pull loop through, yarn over and work off all loops at one time), s c in next s c, 3 s c in next s c, s c in next s c, dec 1 s c, skip 2 s c, repeat from * all around ending to correspond, join in 1st st. NEXT 4 ROUNDS: Ch 1, turn, skip 1 st, * 1 s c in each of the next 2 s c, 3 s c in next s c, 1 s c in each of the next 2 s c, skip 2 sts, repeat from * all around ending to correspond, join in 1st s c. NEXT ROUND: Ch 1, turn, skip 1 s c, * 2 s c in next s c, s c in next s c, 3 s c in next s c, s c in next s c, 2 s c in next s c, skip next 2 s c, repeat from * all around ending to correspond, join in 1st s c. NEXT 3

continued on page 20

More Good Sports

"DAWN" DE LUXE FINGERING YARN or "DAWN" NYLON

1 skein Red or Scarlet

1 Pr. Aluminum Knitting Needles No. 3 OR ANY SIZE NEEDLES WHICH WILL RESULT IN STITCH GAUGE BELOW

GAUGE: 7 sts = 1 inch

BACK: Cast on 22 sts, work in K 1, P 1, ribbing for 3 rows, then work in stockinette st (K 1 row, P 1 row) until work measures 4 inches from beg. SHAPE SHOULDERS: Bind off 6 sts at beg of next 2 rows. COL-LAR: Work remaining sts in K 1, P 1 ribbing for 3 rows, bind off.

FRONT: Work same as back.

SLEEVES: Cast on 14 sts. Work in K 1, P 1, ribbing for 3 rows, then work in stockinette until work measures 1 inch from beg. NEXT ROW: Inc 1 st at beg and end of row. Work even for 1 inch. NEXT ROW: Inc 1 st at beg and end of row. Work even until sleeve measures 23/4 inches from beg. SHAPE SLEEVES: Bind off 3 sts at beg of next 2 rows, then dec 1 st at beg of each row until 4 sts remain. Bind off remaining sts 2 at a time.

FINISHING: Sew shoulder, side and sleeve seams. Sew sleeves in position. Sew sides of collar. Cut letter from felt and applique in place.

Directions for HIS SHORTS on page 19

SKATING DRESS AND TAM

Materials Required:

AMERICAN THREAD COMPANY The Famous "PURITAN" MERCERIZED **CROCHET COTTON**

1-250 yd. Ball White and

"Fruit of the Loom" Rick Rack

1 Package each Brt. Rose and Emerald. size 13

Steel Crochet Hook No. 7 OR ANY SIZE HOOK WHICH WILL RESULT IN STITCH GAUGE BELOW

3 Small snaps

GAUGE: 9 sts = 1 inch

BODICE: Ch 36, 1 d c in 4th st from hook and in each remaining st of ch, ch 3 to turn all rows. 2nd ROW: Ch 3 (counts as 1st d c), 1 d c in each remaining st. 3rd ROW: Ch 3, 1 d c in each of next 6 sts. 3 d c in next st, 1 d c in each of the next 18 sts, 3 d c in next st, 1 d c in each remaining st, 38 sts. NEXT 3 ROWS: Working in d c work 3 d c in center st at both inc points, 50 sts. NEXT ROW: Side Back of bodice, ch 3, 1 d c in each of the next 9 d c, ch 3, turn. NEXT ROW: Work even, ch 1, turn. NEXT ROW: 1 s c in each of the 1st 3 sts, 1 s d c in each of the next 3 d c, (s d c: thread over hook, insert in st, pull loop through, thread over and work off all loops at one time), 1 d c in each of the next 3 sts, cut thread.

FRONT: With wrong side of 1st long row toward you work as follows: skip 3 sts attach thread in next st, ch 3, 1 d c in each of the next 23 sts, ch 3, turn. NEXT 2 ROWS: Work even in d c. NEXT ROW: Ch 3, 1 d c in each of the next 2 d c (shoulder), 1 s d c in each of the next 4 sts, 1 s c in each of the next 10 sts, 1 s d c in each of the next 4 sts, 1 d c in each of the next 3 sts (shoulder), cut thread. Skip 3 sts of bodice and work other side of back to correspond. Sew the 3 d c of shoulders tog.

continued on page 23

Creative Commons 4.0 NC SA BY FREE DISTRIBUTION ONLY - NOT FOR SALE



www.antiquepatternlibrary.org 2021,10

His and Her Sweaters

STRIPED SWEATER

Materials Required:
AMERICAN THREAD COMPANY
"DAWN" DE LUXE FINGERING YARN or
"DAWN" NYLON

1 skein each any Color and White 1 Pr. Aluminum Knitting Needles No. 2 OR ANY SIZE NEEDLES WHICH WILL RESULT IN STITCH GAUGE BELOW GAUGE: 8sts = 1 inch

Directions are given for His sweater. Changes for Her sweater are given in parentheses.

BACK: With Color cast on 24 (20) sts. Work 3 rows in K 1, P 1 ribbing, drop Color. 4th ROW: Attach White, K across row. 5th, 6th and 7th ROWS: Work in K 1, P 1 ribbing, drop White. 8th ROW: Pick up Color, K across row. 9th, 10th and 11th ROWS: Work in K 1, P 1, ribbing, drop Color. Repeat from 4th row for stripe pattern until there are 6 Color stripes, cut White. SHAPE SHOULDERS: With Color bind off 7 (5) sts at beg of next 2 rows. NEXT 3 ROWS: Work in K 1, P 1 ribbing inc 1 st at each end of each row, bind off.

FRONT: Work same as back.

SLEEVES: With Color cast on 14 (10) sts. Work 3 rows in K 1, P 1 ribbing, then work in stockinette st (K 1 row, P 1 row) until work measures 1 inch from beg. NEXT ROW: Inc 1 st at beg and end of row. Work even for 1 inch. NEXT ROW: Inc 1 st at beg and end of row. Work even until sleeve measures 2¾ (2½) inches from beg. SHAPE ARMHOLES: Bind off 3 sts at beg of next 2 rows, then dec 1 st at beg of each row until 4 sts remain. Bind off remaining sts 2 at a time.

FINISHING: Sew side seams leaving 1½ inches open for armhole. Sew shoulder and sleeve seams. Sew sleeves in position. Sew both sides of 3 rows of ribbing at neckedge, fold under inside of sweater and tack in position.

HAT

Cast on 24 sts and work same as back until there are 5 color stripes, cut yarn leaving a length for sewing. Draw sts at top tog and sew seam.

TASSEL: Wind each color over a 1½ inch cardboard. Tie one end, cut other end, then tie again about ½ inch from 1st tying. With both colors ch 5, sl st in tassel, ch 5, cut yarn. Attach chs to top of hat.

Cable Sweater

Materials Required:

AMERICAN THREAD COMPANY
"DAWN" DE LUXE FINGERING YARN or
"DAWN" NYLON

1 skein National Blue

1 double pointed needle No. 1

1 Pr. Knitting needles No. 1 OR ANY SIZE NEEDLES WHICH WILL RESULT IN STITCH GAUGE BELOW

GAUGE: 11 sts = 1 inch

Note: Work His or Her sweater from same directions.

BACK: Cast on 32 sts. 1st ROW: P 1, * K 2, P 2, repeat from * across row ending last repeat with P 1. 2nd ROW: K 1, * P 2, K 2, repeat from * across row ending last repeat with K 1. 3rd and 4th ROWS: Repeat 1st and 2nd rows. 5th ROW: (Cable row) P 1, * sl next st on d p n, hold in back of work, K next st, then K the st from d p n (cable twist), P 2, repeat from * across row ending last repeat with P 1. 6th ROW: Repeat 2nd row, 7th and 8th ROWS: Repeat 1st and 2nd rows. Repeat from the 5th to the 8th rows for pattern. Work in pattern until back measures 21/2 inches from beg ending with a cable row. NEXT 2 ROWS: SHAPE ARMHOLES: Bind off 3 sts at beg of each row. NEXT ROW: Work even. NEXT ROW: Dec 1 st at beg and end of row. Work even in pattern until armholes measure 11/2 inches from 1st bind off ending with a cable row. NEXT 2 ROWS: SHAPE SHOULDERS:



Bind off 4 sts at beg of each row.

COLLAR: NEXT 9 ROWS: Work in K 1, P 1

ribbing. Bind off in ribbing. FRONT: Work same as back.

SLEEVES: Cast on 16 sts. Work in pattern same as back until there are 4 cable rows. NEXT ROW: Inc 1 st each side. Continue in pattern inc 1 st each side in row after the 6th and 7th cable rows. Work even for 1

more pattern (8 cable rows). **NEXT 2 ROWS: SHAPE CAP:** Bind off 3 sts at beg of each row, then dec 1 st each side every other row until 10 sts remain. Bind off remaining sts.

FINISHING: Sew side, shoulder and sleeve seams. Sew sleeves in position.

Directions for HIS AND HER SLACKS on page 19

Here comes the Groom

(and the breadwinner)

GROOM illustrated in color on cover page

TUXEDO OR BUSINESS SUIT

Materials Required:

AMERICAN THREAD COMPANY "DAWN" DE LUXE FINGERING YARN

1 skein Black for Tuxedo

1 skein Dk. Oxford for Business Suit

1 Pr. Knitting Needles No. 1 OR ANY SIZE NEEDLES WHICH WILL RESULT IN STITCH GAUGE BELOW

1 (3) Small Buttons

1 yd 3/8 inch Black Satin Ribbon

1 yd. 1/2 inch Black Satin Ribbon

2 Small Snaps

GAUGE: 8 sts = 1 inch

TROUSERS

BOTH SUITS work as follows: Cast on 20 sts, work in stockinette st (P 1 row, K 1 row) for 1½ inches. NEXT ROW: Inc 1 st at beg and end of row. Continue in stockinette st inc 1 st each side every inch twice, then ½ inch once. Work even until section measures 4¾ inches from beg. NEXT 2 ROWS: Bind off 2 sts at beg of each row. NEXT ROW: Work even. NEXT ROW: Dec 1 st at each side. Work even until section measures 2¾ inches from 1st bind off ending with a K row. NEXT 2 ROWS: K across each row. Bind off in P. Work another section in same manner.

FINISHING: Block both sections to measurements. Sew seams. Sew a strip of narrow ribbon on side of each trouser leg for tuxedo.

JACKET

Directions are given for Tuxedo. Changes for Business Suit are given in parentheses. BACK: Cast on 22 sts. Work in stockinette st for 13/4 inches. NEXT ROW: Inc 1 st each side. Continue in stockinette st for 1 inch. NEXT ROW: Inc 1 st each side. Work even for 3/4 inch. NEXT 2 ROWS: SHAPE ARMHOLES. Bind off 2 sts at beg of each row. NEXT ROW: Work even. NEXT ROW: Dec 1 st each side. Repeat last 2 rows twice. Work even until armholes measures 1 inch from 1st bind off. NEXT 4 ROWS: SHAPE SHOULDERS: Bind off 3 sts at beg of each row. Bind off remaining sts.

RIGHT FRONT: Cast on 8 sts, P across row. 2nd ROW: K across row inc 1 st at beg of row. 3rd ROW: P across row inc 1 st at end of row. Repeat last 2 rows until there are 14 sts on needles. Continue even in stockinette st until front measures 134 inches from beg. NEXT ROW: Inc 1 st at side edge. Work even until front measures 21/4 (23/4) inches from beg. NEXT ROW: START NECK SHAPING: Dec 1 st at front edge, then every 7th (5th) row 4 times. Shape remainder of side edge and armholes same as back, Bind off shoulders same as back. Mark position for button (buttons) placing marker 1½ (1) inches from lower edge for Tuxedo. For Business Suit mark position for 2 more buttons having top button below neck shaping and remaining button evenly spaced between buttons.

LEFT FRONT: Work same as Right Front reversing all shaping. Work to marker ending at front edge. NEXT ROW: Work 2 sts, bind off next st (buttonhole), work across remainder of row. In next row, cast on 2 sts over bound off sts. Work remainder of front same as right front reversing shaping and working 2 more buttonholes for business suit. SLEEVES: Cast on 12 sts. Work same as back until sleeve measures 1½ inches from beg *. NEXT ROW: Inc 1 st each side. Work even for ½ inch. Repeat from * once, then work even until sleeve

measures 2¾ inches from beg. SHAPE CAP: NEXT 2 ROWS: Bind off 2 sts at beg of each row, then dec 1 st each side every other row twice. Dec 1 st each side every row twice. Bind off remaining sts.

FINISHING: Block all sections to measurements. Sew side, shoulder and sleeve seams. Sew sleeves in position. Sew button (buttons) in position.

collar for tuxed: Cut a strip of ½ inch ribbon to fit around front and back of neck (about 9 inches long). Fold length in half. Sew edges of ribbon to edges of front and back of neck of jacket tapering to points at each end as illustrated. CUMMERBUND: Sew long edges of three 6 inch lengths of ½ inch ribbon tog. Pleat at seams. Make a small hem on each end. Finish with snaps. TIE: Make a bow tie of narrow ribbon.

BUSINESS SUIT COLLAR: Cast on 1 st. 1st ROW: K 1, P 1 in st. NEXT 3 ROWS: Starting with a K row work in stockinette st. NEXT ROW: Inc in 1st st, P across row. NEXT 5 ROWS: Work in stockinette st. NEXT ROW: Inc in 1st st, P across row (shaped side is outer edge). NEXT 7 ROWS: Work in stockinette st. NEXT ROW: Inc in 1st st. P across row. NEXT ROW: K across row. NEXT ROW: Bind off 3 sts at beg of row, P across remaining sts. NEXT ROW: K across, cast on 3 sts at end of row. NEXT 4 ROWS: Work even in stockinette st. NEXT ROW: Dec 1 st at end of row. NEXT ROW: Dec 1 st at beg of row. NEXT ROW: Shape center back. Work across 2 sts, turn. NEXT ROW: Work across 2 sts. NEXT 2 ROWS: Work across 3 sts. Repeat last 4 rows once. NEXT 6 ROWS: Work even in stockinette st ending at outer edge. NEXT ROW: Inc 1 st at end of row. NEXT ROW: Inc 1 st at beg of row. NEXT 4 ROWS: Work even. NEXT ROW: Bind off 3 sts at beg of row. NEXT ROW: Cast on 3 sts at end of row. NEXT 2 ROWS: Work even. NEXT ROW: Dec 1 st at beg of row, then complete shaping same as opposite side. Steam. Sew in position.



www.antiquepatternlibrary.org 2021.10

Just the thing for Club Luncheon

CROCHET OUTFIT

Materials Required:

AMERICAN THREAD COMPANY
"DAWN" DE LUXE FINGERING YARN or
"DAWN" NYLON

1 skein Antique or Potter Gold Steel Crochet Hook Size 00 OR ANY SIZE HOOK WHICH WILL RESULT IN STITCH GAUGE BELOW

Snap fastener

GAUGE: 6 sts = 1 inch

JACKET: Ch 40, work 1 s c in 2nd st from hook and in each remaining st of ch, ch 1 to turn all rows. 2nd ROW: 1 s c in each s c. Repeat 2nd row 13 times. 16th ROW: Start LEFT FRONT: Work across 9 sts, turn. NEXT 2 ROWS: Dec 1 st at armhole edge by working 2 sts tog. NEXT 4 ROWS: Work even. NEXT ROW: Work across 5 sts, turn. NEXT ROW: Work across 5 sts, cut yarn. BACK: Skip next 2 sts for underarm in 16th row, work across 17 sts. NEXT 2 ROWS: Dec 1 st at each underarm in each row. NEXT 4 ROWS: Work even. NEXT ROW: Work across 5 sts for shoulder, cut yarn; skip 3 sts, attach yarn and work across remaining 5 sts, cut yarn.

RIGHT FRONT: Skip 2 sts for underarm, attach yarn and work across 9 sts. Complete right front same as left front reversing shaping.

SLEEVES: Ch 10 and work 9 s c across ch. NEXT 3 ROWS: Work even. 5th ROW: Inc 1 st at beg and end of row. NEXT 4 ROWS: Work even. Repeat last 5 rows once, then repeat 5th row. NEXT 2 ROWS: Work even. 18th ROW: Dec 2 sts at beg and end of row. 19th ROW: Dec 1 st at beg and end of row, cut yarn. Sew shoulder and sleeve seams. Sew sleeves in position.

EDGE: Attach yarn at lower edge of right front * ch 1, sl st in next row, repeat from * all around jacket working into each st across back of neck and lower edge.

SKIRT: Ch 31, s c in 2nd st from hook and in each remaining st of ch, ch 1 to turn all rows. NEXT 19 ROWS: Work 1 s c in each s c. 21st ROW: 1 s c in each of the next 5 sts, dec 1 st in next 2 sts, work even across row to within last 7 sts, dec 1 st in next 2 sts, 1 s c in each of the remaining 5 sts. NEXT 2 ROWS: 1 s c in each s c. Repeat last 3 rows twice, cut yarn. Sew back

HAT: Ch 4, 11 d c in 1st st of ch (ch 3 at beg of row counts as 1st d c), join in 3rd st of ch, ch 1, turn. 2nd ROW: Working in back loop of sts only work 2 s c in each d c (24 s c), do not join this or following rows, ch 1 to turn each row. NEXT 3 ROWS: 1 s c in each s c, cut yarn. Sew back seam.

seam matching rows and leaving 1 inch

open at top. Finish top with hook and eye

or a snap fastener.

CROCHETED SLACKS

illustrated on page 7

Work 1st 17 rows same as sleeve of jacket for 1 leg. 18th ROW: Inc 1 st at beg and end of row. NEXT 4 ROWS: Work 1 s c in each s c, cut yarn. Work another leg section in same manner. NEXT ROW: Attach yarn in 1st s c of one section, working across both sections work 1 s c in each s c. NEXT 5 ROWS: Work even. NEXT ROW: Dec 1 st at each hip (center st of each section). NEXT 2 ROWS: Work even. Repeat last 3 rows once, cut yarn. Fold each leg section in half and sew leg seams. Sew back opening leaving 5 rows free at top. Sew snap or hook and eye at top.



Good Sports

Materials Required:

AMERICAN THREAD COMPANY
"DAWN" DE LUXE FINGERING YARN OF
"DAWN" NYLON

1 skein Color

1 Pr. Knitting Needles No. 2 OR ANY SIZE NEEDLES WHICH WILL RESULT IN STITCH GAUGE BELOW

GAUGE: 8 sts = 1 inch

TRUNKS

* Starting at waist cast on 40 sts, work 5 rows in K 1, P 1 ribbing, then work 10 rows in stockinette st (K 1 row, P 1 row). SHAPE LEGS: K 2 tog, work across 16 sts, K 2 tog, turn. * Working 1 leg at a time, work 2 sts tog at beg and end of each row until 4 sts remain. Bind off. Attach yarn, K 2 tog at beginning and end of row. Complete same as 1st leg.

FINISHING: Sew side and crotch seam.

SLACKS

illustrated on page 15
Work same as trunks between *, then work
1 leg at a time until leg measures 5 inches,
bind off. Complete other leg to correspond.
Sew leg and back seams.

SHORTS

illustrated on page 13
Cast on 24 sts, work in stockinette st
(P 1 row, K 1 row) for 3 rows. NEXT ROW
Inc 1 st at beg and end of row. NEXT
ROW: Work even. Repeat last 2 rows twice.
NEXT 2 ROWS: Bind off 2 sts at beg of
each row. NEXT ROW: Work even. NEXT
ROW: Dec 1 st at each end. Work even
until section measures 2¾ inches from
beg ending with a K row. NEXT 2 ROWS:
K across each row. NEXT 2 ROWS: P 1
row, K 1 row, bind off in P. Work a 2nd
section in same manner.

FINISHING: Block each section to measurements. Sew seams.

Ripple Shift

continued from page 11

ROUNDS: BACK OPENING: Repeat 2nd round but do not join rounds and ch 1 to turn each round. NEXT ROW: (Left back) skip 1 s c, 1 s c in each of the next 3 s c, 3 s c in next s c, 1 s c in each of the next 2 s c, skip 1 s c, s c in next s c, ch 1, turn. NEXT 3 ROWS: Skip 1 s c, 1 s c in each of the next 3 s c, 3 s c in next s c, 1 s c in each of the next 2 s c, skip 1 s c, 1 s c in each of the next 2 s c, skip 1 s c, 1 s c in next s c, ch 1 to turn each row, cut yarn at end of last row.

FRONT: With wrong side of last long row toward you skip 8 s c, attach yarn in next s c, s c in same space, skip 1 s c, 1 s c in each of the next 3 s c, 3 s c in next s c, 1 s c in each of the next 3 s c, skip 2 s c, 1 s c in each of the next 3 s c, 3 s c in next s c, 1 s c in each of the next 3 s c, skip 1 s c, skip 1 s c, sc in next s c, ch 1, turn.

NEXT 3 ROWS: S c in 1st s c, skip 1 s c, 1 s c in each of the next 3 s c, 3 s c in next s c, 1 s c in each of the next 3 s c, skip 2 s c, 1 s c in each of the next 3 s c, skip 2 s c, 1 s c in each of the next 3 s c, 3 s c in next s c, 1 s c in each of the next 3 s c, skip 1 s c, skip 1 s c, s c in next s c.

SHOULDER: S c in 1st s c, skip 1 s c, 1 s c in each of the next 3 s c, ch 1, turn. **NEXT 2 ROWS:** 1 s c in each of the 4 s c, cut yarn at end of last row. Attach yarn and work other shoulder to correspond reversing the shaping.

RIGHT BACK: Skip 8 s c of long row, attach yarn in next s c, s c in same space, skip 1 s c, 1 s c in each of the next 2 s c, 3 s c in next s c, 1 s c in each of the next 2 s c, skip 1 s c, s c in next s c, ch 1, turn. NEXT 3 ROWS: Skip 1 s c, 1 s c in each of the next 3 s c, 3 s c in next s c, 1 s c in each of the next 2 s c, skip 1 s c, s c in next s c, ch 1 to turn each row, cut yarn at end of last row.

FINISHING: Sew 4 sts at shoulders. LEFT ARMHOLE EDGE: Attach yarn in 4th st to right of center st of point at under-

arm, s c in same space, 1 s c in each of the next 3 s c, skip the st on opposite side of point and next 2 rows of front, then work 1 s c in each remaining row around armhole join. Work other armhole to correspond attaching yarn in 4th st to left of center st of point at underarm. **NECKEDGE:** Work a row of sl sts around neck and back opening working a ch 3 loop at right corner of neck at back opening. Sew button to opposite corner.

Crocheted Hat and Coat

illustrated on page 9

Materials Required:

AMÉRICAN THREAD COMPANY "DAWN" MOHSPUN

1 skein White

Plastic Crochet Hook Size H OR ANY SIZE HOOK WHICH WILL RESULT IN STITCH GAUGE BELOW

1 small Button

GAUGE: 2 shell patterns = 1 inch

COAT: Ch 44, 1 s c, 1 d c in 2nd ch from hook, * skip 2 chs, 1 s c, 1 d c in next ch (shell), repeat from * across ch ending with 1 s c in last ch, ch 1, turn. 2nd ROW: 1 s c, 1 d c in 1st s c, * 1 s c, 1 d c in next s c, repeat from * across ending with 1 s c in last s c, ch 1, turn. Repeat 2nd row for pattern 14 times. 17th ROW: Divide for front and back. Work across 4 shells, s c in next shell for Right Front, turn. Work 3 more rows on the 4 shells, cut yarn. Attach yarn in 3rd s c and work 2 shells, s c in last s c, cut yarn.

BACK: Attach yarn in same s c with 1st row of right front, 1 s c, 1 d c in same space, * 1 s c, 1 d c shell in next s c, repeat from * 4 times (6 shells), s c in next shell, turn. Work 3 more shell rows, turn. Work 2 shells, s c in next s c, cut yarn; skip 1 s c, attach yarn in next s c, work 2 shells, s c in next s c, cut yarn.

LEFT FRONT: Attach yarn in same s c with last s c of 1st row of back, 1 s c, 1 d c in same space, work across 3 shells, s c in last s c, turn. **NEXT 3 ROWS:** Work even, turn, work 2 shells, s c in next s c, cut yarn.

SLEEVES: Ch 20 and work 6 shell rows, cut yarn.

FINISHING: Sew shoulder and sleeve seams. Sew sleeves in position. Attach yarn at left shoulder edge and work a row of sl sts all around coat. Attach yarn in seam at sleeve edge and work a row of sl sts around sleeve edge.

HAT: Ch 3, join to form a ring, work 8 s c in ring, join, ch 1 to turn each round. 2nd ROUND: 1 s c, 1 d c in each s c. 3rd ROUND: Same as 2nd round inc in every other s c. 4th ROUND: Same as 2nd round, do not turn following rounds. 5th, 6th and 7th ROUNDS: Work 1 s c in each s c working ch 1 between each s c, join last round, cut yarn.

Bridesmaid Dress

continued from page 6

to front, sI st between petals, repeat from beg all around. 4th ROUND: 1 s c, 5 d c, 1 s c in each loop. 5th ROUND: Repeat 3rd round, cut thread. Work 4 more roses in same manner joining each rose in last round as follows: ch 2, sI st in any loop of 1st rose, ch 1, sI st between petals of 2nd rose, ch 2, sI st in next loop of 1st rose, ch 1, sI st between next petals of 2nd rose, then complete round. Join 3rd, 4th, and 5th rose to each rose in same manner having 1 loop free between roses.

BODICE: Join thread in center loop of 1st rose, ch 3, 4 d c in same space, 3 d c in next loop, * 3 d c in next loop of next

flower, 5 d c in next loop, 3 d c in next loop, repeat from * twice, work 3 d c in next loop of next flower, 5 d c in next loop of same flower, ch 1, turn. 2nd ROW: 1 s c in 1st d c, * ch 1, skip 1 d c, s c in next d c, repeat from * across row, ch 1, turn. 3rd ROW: S c in 1st s c, * ch 1, s c in next s c, repeat from * across row, ch 1 turn. 4th and 5th ROWS: Repeat 3rd row. 6th, 7th, 8th and 9th ROWS: 1 s c in each s c, turn. 10th ROW: Ch 5, s c in s c, * ch 5, s c in same s c, ch 5, s c in next s c, repeat from * across row ending with ch 5, s c in same s c, turn. 11th **ROUND:** Ch 5, 2 s c in 1st loop, * ch 5, 2 s c in next loop, repeat from * all around ending last loop ch 2, d c in 1st s c (this brings thread in position for next round), ch 1, turn, 2 s c in 1st loop. Repeat the last round 22 times, do not turn at end of last round. NEXT ROUND: 3 s c in each loop, join, cut thread.

NECKEDGE: Attach thread in center loop of 1st row at opposite side and work same as 1st row of Bodice, cut thread. Attach thread in 3rd d c at left side of shoulder edge at back, ch 12, skip 12 sts, sl st in next st, cut thread. Skip 15 sts at front, attach thread in next st, ch 12, skip 12 sts, sl st in next st, cut thread.

shoulder straps: Attach thread in 1st st at back of left shoulder, ch 3, 1 d c in each st of ch, 1 d c in each d c across neck edge, 1 d c in each st of ch of right shoulder, sl st in next st on neck edge, cut thread. Attach thread in 1st row of Bodice at back opening at right side and work a row of s c all around opening to opposite side, cut thread. Sew snaps in position at back.

HEAD PIECE: Work 1 rose, tack at top of head.

BOUQUET: Work 1 rose. Pull three 3 inch lengths of ribbon through center. Attach to hand as illustrated.

Skint

continued from page 4

SKIRT: With White ch 43, 1 s c in 2nd st from hook and in each remaining st of ch, ch 1 to turn all rows (right side). 2nd ROW: Working loosely and in back loop of sts, sl st in each s c, drop White, pick up National Blue. When changing colors always complete last half of st with new color. 3rd ROW: With National Blue working in front loop of sts, 2 s c in 1st st, 1 s c in each st to within last 2 sts, skip 1 st, 1 s c in last st. 4th ROW: Working in back loops of sts sl st in each st, drop National Blue, pick up White. 5th ROW: Working in front loop of sts 1 s c in each sl st. 6th ROW: Working in back loop of sts 1 sl st in each st, drop White, pick up National Blue. Repeat from 3rd to 6th rows for pattern until section measures 9 inches ending with 2nd row of National Blue, cut thread.

WAISTBAND: Attach National Blue in 1st s c of 1st row, 1 s c in each stripe, ch 1, turn. NEXT ROW: 1 s c in each s c dec evenly to 34 s c, ch 1, turn. NEXT ROW: 1 s c in each s c, ch 7, sl st at end of 1st s c row for button loop, cut thread. POCKET: With National Blue ch 12, 1 s c in 2nd st from hook and in each remaining st of ch. Work in pattern same as Blouse for 1¼ inches, cut thread. Work 2.

FINISHING: Sew center back seam of skirt for 2½ inches. Sew pockets in position as illustrated. Sew button in place on waistband.

His Bathrobe

illustrated on page 5

Materials Required:

AMERICAN THREAD COMPANY

"DAWN" DE LUXE FINGERING YARN

1 skein each Antique Gold and Brown

Steel Crochet Hook No. 00 OR ANY SIZE

HOOK WHICH WILL RESULT IN STITCH

GAUGE BELOW

GAUGE: 17 sts = 3 inches

RIGHT FRONT: Working lengthwise with Brown ch 57, 1 s c in 2nd st from hook and in each remaining st of ch, cut Brown. attach Antique Gold, ch 1 to turn all rows always working the ch 1 with color of next row. 2nd ROW: Working in back loop of sts throughout work 1 s c in each st, cut Antique Gold. 3rd ROW: Attach Brown, 1 s c in each s c, cut Brown. Repeat last 2 rows 3 times. 10th ROW: With Antique Gold skip 10 s c for armhole, 1 s c in each remaining s c. 11th ROW: With Brown 1 s c in each s c omitting armhole sts. Repeat last 2 rows once, then repeat Antique Gold row. NEXT ROW: With Brown ch 10, cut yarn, set ch aside. Work across row, pick up ch and work 10 s c across ch, cut Brown.

BACK: Working in pattern work 24 rows even, then shape armhole same as right front. Work left front to correspond to right front. Sew shoulder seams.

SLEEVES: Attach Brown at underarm and work 20 s c around armhole, join in 1st s c, ch 1, turn and join all rounds. NEXT 4 ROUNDS: 1 s c in each s c. NEXT ROUND: Dec 1 st at beg and end of round. NEXT 3 ROUNDS: 1 s c in each s c. NEXT ROUND: Dec 1 st at beg and end of round. NEXT 10 ROUNDS: 1 s c in each s c. **NEXT ROUND: CUFF: Working in front loop** of sts only work 1 s c in each s c. NEXT 2 ROUNDS: Working in both loops of sts, 1 s c in each s c, cut yarn. Fold cuff back. COLLAR: With right side of last row of Left Front edge toward you attach Brown in 12th s c from shoulder edge, working in back loop of sts work 1 s c in each of the 12 s c, work 1 s c in every other row across back of neck, 1 s c in each of the next 12 s c, ch 1, turn. NEXT ROW: Dec 1 st at beg and end of row. NEXT ROW: 1 s c in each s c. Repeat the last 2 rows twice, cut yarn. Attach yarn in same s c of 1st row where yarn was joined and work a row of sl sts around collar, cut yarn.

TIE: Cut three 1 yd. lengths each of Brown and Antique Gold, twist strands, fold in half and let twist itself.

Skating Outfit

continued from page 12

SHORTS: With wrong side of 1st row toward you and working along starting ch, attach thread in 1st st, 1 s c in each st, turn. 2nd ROW: Ch 3, working in back loop of sts d c in same space, 1 d c in each of the next 15 s c, 2 d c in each of the next 2 s c, 1 s c in each of the next 15 s c, 2 d c in next s c, ch 3, turn. 3rd ROW: Working in both loops and in d c inc 1 st at beg and end of row and 1 st in each of the 2 center sts. 4th ROW: Work even in d c joining this and following rows, ch 3 to turn all rows. 5th ROW: Repeat 3rd row. 6th ROW: Work even in d c. 7th ROW: Working in d c inc 1 st in each of the 1st and last 2 sts and in each of the 2 center sts, join, cut thread. Fold shorts in half and sew center sts tog to form leg opening.

SKIRT: Working in free loops of sts of 1st row of shorts attach thread in 1st st, ch 3, d c in same space, * 1 d c in each of the next 5 sts, 3 d c in next st, repeat from * 3 times, 1 d c in each of the next 8 sts, 3 d c in last st, ch 3, turn. 2nd ROW: * 1 d c in each of the next 4 d c, 3 d c in next d c (inc point), repeat from * across row ending with 1 d c in each of last 4 sts, ch 3, turn. 3rd ROW: Working in d c work 1 d c in each st working 3 d c in center st of each inc point, join this and following rows, ch 3, to turn each row. 4th ROW: Work even in d c. 5th ROW: Work 1 d c in each d c and 3 d c in d c directly over center d c of inc point of previous row. NEXT 2 ROWS: Work even. NEXT 2 ROWS: Working in d c work 3 d c in each inc point in each row. NEXT ROW: Work even, cut thread.

SLEEVES: Ch 18, 1 d c in 4th st from hook and in each remaining st of ch. ch 3 to turn all rows. 2nd ROW: 1 d c in each d c. Repeat 2nd row 8 times, ch 1 to turn at end of last row. NEXT ROW: SHAPE CAP SI st over next 2 d c, ch 3, dec in next 2

sts (to dec: keeping last loop of each st on hook 1 d c in each of the next 2 d c. thread over and work off all loops at one time), 1 d c in each d c to within last 4 sts. dec in next 2 sts, ch 3, turn. NEXT ROW: Dec in next 2 sts, 1 d c in each d c to within last 2 sts, dec in next 2 sts, cut thread. FINISHING: Sew sleeve seams. Sew sleeves in position. Finish back opening with hooks and eyes or small snap fasteners. TRIM: Sew 3 rows of rick rack around edge of skirt alternating colors. Sew 1 row of Green around neck edge as illustrated.

TAM

Ch 4, join to form a ring, 12 s c in ring, join in 1st s c. 2nd ROUND: Ch 3 (counts as 1st d c, d c in same space, 2 d c in each remaining s c, join each round. 3rd ROUND: Ch 3, 2 d c in next d c, * d c in next d c, 2 d c in next d c, repeat from * all around, join. 4th ROUND: Ch 3, d c in next d c, 2 d c in next d c, * 1 d c in next d c, 2 d c in next d c, repeat from * all around, join. 5th and 6th ROUNDS: Work even in d c. 7th ROUND: Ch 3, dec in next 2 sts, * 1 d c in each of the next 3 d c, dec in next 2 sts, repeat from * all around ending to correspond, join. NEXT 2 ROUNDS: Ch 1, 1 s c in each st in each round, join each round, cut thread at end of last round.

TRIM: Sew 3 rows of rick rack around tam as illustrated.

		CR	OC!	HE.	T /	ABBREVIATIONS
Ch ,						Chain
Sc.	.\			,		Single Crochet
Sdo	С	.\		. `	•	Short Double Crochet
Dc			,			Double Crochet
Tr c				`		Treble Crochet
D tr	c	•		. `	•	Double Treble Crochet
Tr tr	С	.\				Treble Treble Crochet
SI st	:		.\			Slip Stitch
St	.\			,		Stitch
Sts .	. `	`		. `	`	Stitches
D Ip	st	. `				Double Loop St
			Th	is	syı	mbol indicates that the

instructions immediately following are to be repeated the given number of times plus the original.

**Are used in the same way.

Creative Commons 4.0 NC SABY-FREE DISTRIBITION ONLY NOT FOR SALEZ

DOLL CLOTHES

KNITTED and CROCHETED

