

FREE DISTRIBUTION ONLY. NOT FOR SALE

Antique Pattern Library

For more information, please see our website at:

<http://www.antiquepatternlibrary.org>

This is a scan of an antique book that is, to the best of our knowledge, in the public domain. The scan itself has been edited for readability, and is licensed under the **Creative Commons** Attribution-NonCommercial-ShareAlike License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/2.5/> or send a letter to Creative Commons, 559 Nathan Abbott Way, Stanford, California 94305, USA.

You may share copies or printouts of this scan freely. You may not sell copies or printouts.

Antique Pattern Library is a project of New Media Arts, Inc. <http://www.newmediaarts.org>, a nonprofit organization tax exempt under IRC 501(c)(3). Donations may be tax deductible, depending on your tax status and tax jurisdiction.

Donated by

Mylashond


Rick Rack Book

VOLUME 2

10 CENTS



Copyright 1916 by The Narrow Fabric Co., Reading, Pa.



A **Materials:** Nufashond Rick Rack Braid No. 21;
Crochet Cotton No. 30; Steel Hook No. 10.
Fasten thread in 1st point of braid, * ch. 5, 1 s. c. in next point. Repeat from * until you have the required length, ch. 3, turn.
2d row: 1 s. c. in 3d ch. of last loop of ch. 5, * ch. 5, 1 s. c. in 3d ch. of next loop. Repeat from *, ch. 5, turn.
3d row: Like 2d row.

B **Materials:** Nufashond Rick Rack Braid No. 21;
Crochet Cotton No. 30; Steel Hook No. 10.
Draw thread through 1st 2 picots of braid, make 1 sl. st., ch. 7, * put hook through next 2 points, make 1 sl. st., ch. 7. Repeat from * until you have required length. Break thread.
Working on other edge of braid make 1 s. c. and ch. 5 in each picot on edge. Break thread.

C **Materials:** Nufashond Rick Rack Braid No. 21;
Crochet Cotton No. 40; Steel Hook No. 10.
1 s. c. and ch. 4 in each point on one edge of braid until you have length required. Break thread.
Working on other edge of braid, fasten thread in 1st point, * ch. 7, 2 s. c. in right side of braid so that the next point will stand up between them, ch. 7, 1 s. c. in next point. Repeat from * to end of row. Break thread.
2d row: 1 s. c. in 2d ch. at beginning of 1st row, * ch. 3, wrap 3 times, draw up a loop in point between 2 s. c., draw thread through 2 loops on hook, draw through next 2, continue this way until all loops are worked off, ch. 2, wrap 3 times, draw up a loop in same place, work off same way, ch. 2, 1 s. c. in 5th of next 7 ch., ch. 3, 1 s. c. in 2d of next ch. 7. Repeat from * turn.
3d row: * Make 1 s. c. in space between 2 s. c., 3 d. c. around next 3 ch., 1 s. c. in top of long stitch, 3 d. c. around next 2 ch., 1 s. c. in next long stitch, 3 d. c. around next 3 ch. Repeat from *.

D **Materials:** Nufashond Rick Rack Braid No. 25;
Crochet Cotton No. 30; Steel Hook No. 10.
Fasten thread in 1st point of braid, * ch. 6, put hook through next 2 points of braid, 1 sl. st. Repeat from * until you have length desired.
Working on other edge of braid make 1 s. c. in 1st point, * 1 d. c. in next point, ch. 2, 1 d. c. in same place, ch. 2, 1 d. c. in same place, ch. 2, 1 d. c. in same place, 1 s. c. in next point. Repeat from *.

E **Materials:** Nufashond Rick Rack Braid No. 21;
Crochet Cotton No. 50; Steel Hook No. 12.
1st row: 1 s. c. and ch. 3 in each point on one edge of braid until you have length desired.
2d row: 1 d. c. and ch. 3 in center of 3 ch. of 1st row.
Working on other edge of braid:
1st row: 1 s. c. and ch. 4 in each point on edge, ch. 5, turn.
2d row: 1 s. c. and ch. 5 in each s. c. of 1st row, ch. 1, turn.
3d row: 7 s. c. in 1st loop of ch. 5, * 4 s. c. in next loop, ch. 7, turn, 1 s. c. in 4th of 7 s. c. in 1st loop, turn, 8 s. c. in loop of ch. 5 just made, 3 s. c. in 2d loop, 7 s. c. in next loop. Repeat from * to end of row.

F **Materials:** Nufashond Rick Rack Braid No. 21;
Crochet Cotton No. 30; Steel Hook No. 10.
1 s. c. and ch. 3 in each loop on one edge of braid until you have length desired.
On other edge of braid, fasten thread in 1st point, * make a group of (1 d. c., ch. 1, 1 d. c.) in next point, ch. 2. Repeat from * to end of row. Break thread.
2d row: 1 s. c. in space between 1st 2 groups, * ch. 6, 1 s. c. in space between next 2 groups. Repeat from * to end of row.

G **Materials:** Nufashond Rick Rack Braid No. 29;
Crochet Cotton No. 20; Steel Hook No. 9.
1st row: 1 s. c. and ch. 3 in each point on one edge of braid until you have length desired.
2d row: 1 d. c. and ch. 3 in center of 3 ch. of 1st row.
Working on other edge of braid:
1st row: 1 s. c. and ch. 4 in each point on edge, ch. 5, turn.
2d row: 1 s. c. and ch. 5 in each s. c. of 1st row, ch. 1, turn.
3d row: 7 s. c. in 1st loop of ch. 5, * 4 s. c. in next loop, ch. 7, turn, 1 s. c. in 4th of 7 s. c. in 1st loop, turn, 8 s. c. in loop of ch. 5 just made, 3 s. c. in 2d loop, 7 s. c. in next loop. Repeat from * to end of row.

H **Materials:** Nufashond Rick Rack Braid No. 33;
Crochet Cotton No. 20; Steel Hook No. 9.
1 s. c. and ch. 7 in each point on one edge until you have length desired.
Working on other edge, fasten thread in 1st point, * ch. 3, wrap 3 times, draw up a loop in edge half way between curve and next point, draw thread through 2 loops on hook, draw through next 2, continue this way until all loops are worked off, ch. 3, 1 tr. c. (wrap twice) in next point, ch. 3, 1 tr. c. in same place, ch. 3, wrap 3 times and draw up a loop directly opposite to where the 1st was drawn up, ch. 3, 1 s. c. in next point. Repeat from * to end of row, break thread.
2d row: 5 d. c. in each loop of ch. 3 with 1 s. c. in stitch between loops to end of row.

Nufashond Rick Rack Book

I Materials: Nufashond Rick Rack Braid No. 17;

Crochet Cotton No. 40; Steel Hook No. 12.
 Fasten thread in 1st picot on edge, * ch. 5, 1 d. c. each in next 6 picots, turn, 1 in. c. (wrap twice) in top of 1st d. c. made, ch. 5, 1 s. c. in next picot. Repeat from * until work is length required, break thread.
 2d row: 1 d. c. in same place where thread was fastened, * ch. 5, 4 d. c. with 1 ch. between around tr. c. ch. 5, 1 d. c. in next s. c. Repeat from * to end of row.
 Working on other edge, fasten thread in picot each side of one in which 1st row was begun, * ch. 6, 1 s. c. in 2d ch. just made, ch. 6, 1 s. c. in 2d ch., ch. 1, 1 s. c. in next picot on braid, repeat from * on next 3 picots, 1 s. c. in 4th picot, ch. 6, 1 s. c. in 2d ch., putting hook through next 2 picots on braid make 2 d. c., ch. 6, 1 s. c. in 2d ch. Repeat from * to end of row.

J Materials: Nufashond Rick Rack Braid No. 21;

Crochet Cotton No. 50; Steel Hook No. 12.
 Pull thread through 1st 4 picots on braid, make 1 sl. st., ch. 6, * pull thread through next 4 picots on other edge of braid, make 1 sl. st., ch. 6, pull thread through next 4 picots on 1st edge of braid, make 1 sl. st., ch. 6. Repeat from * until you have length desired.
 Fasten thread in center picot on a point, * ch. 6, putting hook through next picot on this point and 1st picot on next point make 2 d. c. in them, ch. 6, 1 s. c. in next picot (center of next point). Repeat from * to end of row. Break thread.
 3d row: 1 d. c. and ch. 3 in every 4th stitch on edge.

K Materials: Nufashond Rick Rack Braid No. 21;

Crochet Cotton No. 40; Steel Hook No. 12.
 Fasten thread in 1st point, * ch. 9, 1 s. c. in next point, ch. 7, 1 s. c. in next point (ch. 1 and 1 s. c.), in next 5 points, ch. 3, 1 sl. st. in 4th of ch. 7, ch. 3, 1 s. c. in next point, ch. 3, 1 s. c. in 6th from the beginning of ch. 9, ch. 5, 1 s. c. in next point. Repeat from * until work is length required. This forms a row of scallops.
 Working on other edge put hook through point each side of one in which 1st row was begun, fasten thread, ch. 3, join next 2 corresponding points between scallops, ch. 3, join next 2 points. Fasten, break thread.

L Materials: Nufashond Rick Rack Braid No. 21;

Crochet Cotton No. 40; Steel Hook No. 12.
 Fasten thread in 2d picot, * ch. 7, 1 d. c. each in next 7 picots, ch. 3, 1 sl. st. in 4th of ch. 7, ch. 3, 1 s. c. in next picot, ch. 6, skip 1 picot, fasten thread in next picot. Repeat from * until work is length desired. This forms a row of scallops.
 2d row: Fasten thread in 1st picot, * ch. 2, 1 d. c. in next picot, (ch. 2, skip 1 ch., 1 d. c. in next ch.), 4 times, ch. 2, 1 d. c. in same picot where scallop was finished, ch. 2, 1 s. c. in next picot. Repeat from * through 1 picot each side of the one in which 1 s. c. is made, ch. 3, 1 sl. st. through corresponding 2 picots on 2 scallops, ch. 3, 1 sl. st. through corresponding next 2, fasten, break thread.

M Materials: Nufashond Rick Rack Braid No. 21;

Crochet Cotton No. 30; Steel Hook No. 10.
 Fasten thread in 1st picot, * ch. 7, 1 s. c. in next picot, (ch. 5 and 1 s. c.) in next 4 picots, 1 s. c. each in next 4 picots, ch. 2, 1 s. c. in 3d of last ch. 5, ch. 2, 1 s. c. in next picot, repeat this on the next 3 loops of ch. 5, ch. 3, 1 s. c. in 4th of ch. 7, ch. 3, 1 s. c. in next picot, ch. 2, 1 s. c. in next picot. Repeat from * until work is length desired. This forms a row of deep scallops.
 Working on other edge put hook through 3 center picots and draw thread through all 3, ch. 3, join next 2 picots, ch. 3, join next 2, ch. 3, join next 2, fasten, break thread.

N Materials: Nufashond Rick Rack Braid No. 13 and

20; Crochet Cotton No. 40; Steel Hook No. 12.
 Using wide braid, draw thread through 1st and 6th points on 1 edge, fasten, * ch. 5, 1 s. c. through 2d and 5th points, ch. 3, 1 sl. st. through 3d and 4th picots, * ch. 4, fasten in braid, ch. 4, working on other edge of braid make 1 sl. st. through 5th and 10th points, ch. 5, 1 sl. st., through 6th and 9th, ch. 3, 1 sl. st. through 7th and 8th points, ch. 5, * working on 1st edge skip 2 points, join the next point to the 5th point from it with a slip stitch, finish the scallop as before. Repeat from * until work is length desired.


When this is finished sew it to 2 rows of narrow braid sewed together as shown in the illustration and finish with an edge of wide braid. Be careful that the thread does not show on the right side.

O Materials: Nufashond Rick Rack Braid No. 41;


Crochet Cotton No. 50; Steel Hook No. 10.
 Crochet 15 d. c. around each point of braid not running stitches entirely to the deepest part of the curve of braid, pass on to the next point without any chains between.

P Materials: Nufashond Rick Rack Braid No. 29;

Crochet Cotton No. 40; Steel Hook No. 12.
 Fasten thread in 1st point of braid, * ch. 5, 1 s. c. in next point. Repeat from * until you have length desired.
 2d row: 1 d. c. and ch. 2 in every 3d stitch of 1st row.
 Working on other edge, 1 s. c. and ch. 5 in each point on edge. Break thread.
 2d row: 1 d. c. in 1st point, * ch. 3, 1 d. c. in same place, ch. 3, 1 d. c. in same place, ch. 4, 1 s. c. in next point, ch. 4, 1 d. c. in next point. Repeat from *, fasten, break thread.



Nufashond Rick Rack Book



Q Materials: Nufashond Rick Rack Braid No. 33; Crochet Cotton No. 20; Steel Hook No. 9.
 On upper edge, fasten thread in 1 point. * ch. 5, 1 s. c. In next point. Repeat from * until you have length desired.
 On lower edge, fasten thread in 1 point, ch. 5, * 1 d. c. in same point, 4 tr. c. separated by 3 ch. in next point, 1 d. c. in next point, ch. 2.
 Repeat from * to end of row. Break thread.
 2d row: Fasten thread in loop of ch. 5, * in 1st loop of ch. 3 make 1 s. c., 3 d. c., 1 s. c.; in center loop make (1 s. c., 1 d. c., 3 tr. c., 1 d. c., 1 s. c.); in next loop make a group same as 1st group, skip loop of ch. 2. Repeat from * to end of row.

R Materials: Nufashond Rick Rack Braid No. 41; Crochet Cotton No. 50; Steel Hook No. 10.
 Top of edge—Chain 5, one double crochet in lowest curve of braid, chain 5, slip stitch in point of braid * repeat. Turn chain 5, skip two stitches and d. c. in third stitch * chain 2, skip two stitches and d. c. in third stitch * repeat.
 Bottom of edge—Crochet 15 d. c. around each point of braid, turn * chain 12 and slip stitch to next high point of braid * turn * 7 single crochets over chain, crochet 5, slip stitch in first chain thereby forming a picot, 7 single crochets in same chain * repeat.

S Materials: Nufashond Rick Rack Braid No. 37; Crochet Cotton No. 50; Steel Hook No. 12.
 Fasten thread in a point of braid, * ch. 9, 1 s. c. in next point. Repeat from * until work is length desired, ch. 5 turn.
 2d row: 1 d. c. and ch. 1 in every 2d stitch on edge. Working on other edge, 1 s. c. and ch. 9 in each point on edge. Break thread.
 2d row: 1 s. c. in 7th of ch. 9, ch. 3, 1 tr. c. (wrap twice) each in next 4 ch., * ch. 5, 5 tr. c. on center 5 of next 9 ch. Repeat from * ending with 5 tr. c.
 3d row: * 3 s. c. on center 3 tr. c., ch. 3, 1 d. c. in center of ch. 5, ch. 3, 1 d. c. in same place, ch. 3. Repeat from *.

T Materials: Nufashond Rick Rack Braid No. 25; Crochet Cotton No. 40; Steel Hook No. 12.
 Pull thread through 1st 4 points on braid, make 1 sl. st., ch. 5, * pull thread through next 4 points on other edge of braid, make 1 sl. st., ch. 5, pull thread through next 4 points on edge of braid, make 1 sl. st., ch. 5. Repeat from * until you have length desired.
 Fasten thread in 2d point on 2d edge, ch. 9, * 1 s. c. in next point (center of scallop) ch. 5, 1 tr. c. (wrap twice) through next point on this scallop and point directly opposite on next scallop, ch. 5.
 Repeat from * to end of row. Break thread.
 2d row: d. c. and ch. 2 in every 2d stitch.
 Working on lower edge of scallops with wrong side of work toward you, fasten thread in 1st point on scallop, * ch. 5, 1 s. c. in center point, ch. 5, 1 s. c. through next point on this scallop and 1st point on next. Repeat from * ch. 5, turn.
 2d row: 1 d. c. in 4th ch., 1 picot (ch. 4, 1 s. c. in top of stitch just made) 1 d. c. in same place, ch. 1, 1 d. c. in s. c. in center point of scallop, 1 picot, 1 d. c. in same place, ch. 1, a group like this in 2d of next ch. 5, ch. 5, 1 s. c. in next s. c., ch. 5. Repeat from * to end of row. Break thread.

U Materials: Nufashond Rick Rack Braid No. 25; Crochet Cotton No. 30; Steel Hook No. 10.
 Sew 2 pieces of braid together point to point, until you have length desired.
 On upper edge, fasten thread in 1 point, * ch. 2, 1 d. c. in curve between points, ch. 2, 1 s. c. in next point.
 Repeat from *. Break thread.
 2d row: Fasten thread in 1st stitch, ch. 5, * 1 d. c. in d. c., ch. 2, 1 d. c. in s. c., ch. 2. Repeat from *. Break thread.
 Take another piece of braid, fasten thread through 1st and 6th points on 1 edge, ch. 4, 1 s. c. through 2d and 5th points, ch. 4, 1 s. c. through 3d and 4th points, ch. 5, 1 s. c. through 5th and 10th points on other edge, ch. 4, 1 s. c. through 6th and 9th points, ch. 4, 1 s. c. through 7th and 8th points, ch. 3, 1 s. c. through 8th and 13th points on 1st edge, finish scallop as before. Continue this way until you have length desired. Break thread. Join 1 edge of this to lower edge of 2 pieces sewed together as follows: fasten thread through 1 point of scallop and 1st point of braid, * ch. 3, wrap, draw up a loop in curve, draw thread through 2, wrap, draw up a loop in curve directly opposite, draw thread through 2, draw thread through 3, 1 s. c. in next point on straight edge, ch. 3, 1 s. c. through next point of scallop and next point on straight edge. Repeat from *.

V Materials: Nufashond Wave Braid No. 41; Crochet Cotton No. 40; Steel Hook No. 10.
 Fasten thread half way between curve and top of wave, ch. 5, * 1 d. c. to right of center of wave, ch. 1, 1 d. c. in center, ch. 1, 1 d. c. to left of center, ch. 5, 1 d. c. half way between top of wave and curve, 1 d. c. directly opposite on next wave, ch. 5. Repeat from * until work is length desired.
 2d row: Fasten thread in 6th of 8 ch. at beginning of row, ch. 3, 1 d. c. each in next 4 stitches, * 2 d. c. in center d. c., 1 d. c. each in next 5 stitches, skip 4 ch. 1 d. c. each in next 5 stitches. Repeat from * to end of row. Break thread.

Nufashond Rick Rack Book

3d row: 1 d. c. and ch. 1 in every 2d stitch in row.
 Working on lower edge with wrong side of work toward you, fasten thread $\frac{1}{4}$ inch from center of curve, ch. 5, * make 5 d. c. with 2 ch. between evenly spaced around the wave so that the last d. c. is opposite to where thread was fastened, 1 d. c. on next wave opposite last d. c. made, ch. 2. Repeat from * to end of row, ch. 1, turn.
 2d row: 1 s. c. in last d. c., * 3 d. c. in loop of 2 ch., 1 s. c. in next stitch. Repeat from * to end of row.

W **Materials:** Nufashond Wave Braid No. 43; Crochet Cotton No. 40; Steel Hook No. 10.
 Make * 4 tr. c. (wrap twice) evenly spaced with 1 ch. between in top of wave, ch. 5, 1 d. c. near curve between waves, 1 d. c. on next wave opposite d. c. just made, ch. 5. Repeat from * until work is length desired.
 2d row: Fasten thread in center of curve between waves, ch. 4, 1 tr. c. in same ch., * ch. 1, 2 tr. c. in next ch., ch. 1, 2 tr. c. in next ch., ch. 5, 2 tr. c. between next 2 tr. c. Repeat from * to end of row.

3d row: 1 d. c. and ch. 1 in every 2d stitch in row.
 Working on other edge of braid with wrong side toward you make 1 tr. c. with 1 ch. between evenly spaced around top of wave, do not make a ch. between 7th tr. c. of 1 wave and 1st tr. c. on next wave.
 2d row: 1 s. c. and 1 picot (ch. 4, 1 s. c. in top of s. c. just made) around each ch. 1 in preceding row.

X **Materials:** Nufashond Wave Braid No. 45; Crochet Cotton No. 30; Steel Hook No. 11.
 Fasten thread in top of 1 wave, * ch. 5, 4 tr. c. (wrap twice) evenly spaced in curve between waves, in making the 1st tr. c. work off 2 loops twice, leaving last 2 loops on hook, work the next 2 tr. c. the same way, leaving the last loop on hook, in making the 4th tr. c. work off 2 three times, then work off last 4, ch. 5, 1 s. c. in top of next wave. Repeat from * until you have length desired. Break thread.

2d row: 1 d. c. and ch. 1 in every other stitch on edge. Break thread.
 3d row: Fasten thread in 1st stitch, ch. 6, * skip 5 stitches, 1 d. c. in next stitch, ch. 1, 1 d. c. in same place, ch. 3. Repeat from *.
 4th row: 1 d. c. and ch. 1 in every other stitch.
 Working on lower edge make 1 tr. c. with 1 picot after each, evenly spaced on top of each wave.
 To make picot, ch. 4 and make 1 s. c. in top of last tr. c. made.

Y **Materials:** Nufashond Wave Braid No. 49; Crochet Cotton No. 30; Steel Hook No. 11.
 Fasten thread in center of curve between waves, ch. 4, make 9 d. c. with 1 ch. between at even distances around wave, ch. 1, * 1 d. c. in center of next curve, ch. 1, 2 d. c. with 1 ch. between on next wave opposite last, 2, ch. 1, 1 s. c. in 8th d. c. on 1st wave (ch. 5, 1 s. c. in last ch. 1 made), 5 times, then ch. 1 and make 7 d. c. and ch. 1 around wave. Repeat from * until you have length desired. Break thread.

2d row: Fasten thread in center d. c. on wave, ch. 3, 1 s. c. in next d. c., * ch. 5, 1 s. c. in 3 center d. c. on top of wave with 3 ch. between. Repeat from *.
 3d row: Fasten thread in 1st loop of ch. 3, * ch. 3, skip 2 ch., 1 s. c. in next ch., ch. 5, skip 5 stitches, 1 s. c. in next stitch, ch. 3, 1 s. c. in next loop of ch. 3, ch. 2, 1 s. c. in next loop of ch. 3. Repeat from *.
 4th row: 1 d. c. and ch. 2 in every 3d stitch on edge.
 Working on lower edge, make 5 loops of ch. 5 caught down with 1 s. c. about $\frac{1}{4}$ inch apart, * ch. 2, 1 d. c. to right of curve between waves, 1 d. c. opposite one just made, ch. 2, 1 s. c. about $\frac{3}{4}$ inch from it, ch. 2, 4 loops of ch. 5 and 1 s. c. as before. Repeat from *. Break thread.


2d row: Ch. 5 and 1 s. c. in each loop of ch. 5, making 1 s. c. between 2 d. c. in center of wave.

Z **Materials:** Nufashond Rick Rack Braid No. 49; Crochet Cotton No. 40; Steel Hook No. 12.
 Fasten thread in top of a wave, ch. 3, 1 d. c. about $\frac{1}{2}$ inch from fastening, * ch. 3, wrap 3 times, draw thread up about $\frac{1}{2}$ inch from d. c., work off 2 loops twice, wrap twice, draw up a loop in center of curve, work off 2 loops twice, wrap twice, draw up a loop opposite to where 1st one was drawn up, work off 2 loops until there are none left on the hook, ch. 3, 1 d. c. one-half inch from where last loop was drawn up, ch. 3, 1 s. c. in center of wave, ch. 3, 1 d. c. one-half inch from s. c. Repeat from * until you have length desired. Break thread.

2d row: Fasten thread in same place where it was fastened in 1st row, ch. 5, * skip 1 stitch, wrap, draw up a loop in next stitch, work off 2 loops, wrap, skip 1 stitch, draw up a loop in next stitch, work off 2 loops, work off 3 loops, ch. 3. Repeat from *.

3d row: Like 2d making the groups directly above those in 2d row.
 4th row: 1 s. c. in each stitch.
 Working on lower edge, fasten thread half way between top of wave, and curve, * make 4 tr. c. in curve with 1 picot between (3 picots), 1 s. c. opposite fastening, ch. 3, 1 s. c. in braid $\frac{1}{4}$ inch from last s. c., ch. 3, 1 s. c. $\frac{1}{4}$ inch from last s. c., ch. 3, 1 s. c. $\frac{1}{4}$ inch from last s. c. Repeat from *.

2d row: * 3 tr. c. in each picot of 1st row, 1 s. e. in 2d s. c. on wave, ch. 3, 1 s. c. in next s. c. Repeat from *.
 3d row: Fasten thread in 1st tr. c., * ch. 5, turn, skip 2 ch., 1 d. c. each in next 3 ch., skip 3 tr. c., 1 s. c. in next tr. c. Do this 3 times in all, 5 s. c. in loop of ch. 3 in center of wave, 1 s. e. in 1st tr. c. Repeat from *.





Pincushion

Materials: Nufashond Rick Rack Braid No. 41; Crochet Cotton No. 80; Steel Hook No. 14.

For motif in center, ch. 5, join.

1st row: 15 s. c. in ring, join.

2d row: 5 ch. and 1 s. c. in every 3d stitch.

3d row: Working round and round make 5 ch. and 1 s. c. in each loop of ch. 5.

4th row: 1 s. c. in 1st loop, * ch. 5, 1 s. c. in same loop, ch. 5, 1 s. c. in next loop. Repeat from * around row.

Next 2 rows like 3d row.

7th row: 1 d. c. in 1st loop, * ch. 2, 1 d. c. in same place, ch. 2, 1 d. c. in next loop. Repeat from * around edge.

Take a piece of braid and join so there are 10 points on the inner and outer edges.

Make 1 s. c. in 1 space on edge of motif, * 1 s. c. in 1 point of braid, 1 s. c. in next space, 1 s. c. in same point, ch. 5, skip 2 spaces on edge of motif, 1 s. c. in next space. Repeat from * until motif is joined to braid.

Working on outer edge of braid, 4 d. c. in 1 point, * ch. 7, 3 d. c. in curve, ch. 7, 4 d. c. in next point. Repeat from * around edge, join.

2d row: Ch. 3, 1 d. c. each on 4 d. c. and next 2 ch., * ch. 5, 1 tr. c. in center d. c., ch. 5, 1 d. c. each on 4 d. c. and on 2 ch. each side of them. Repeat from *, join.

3d row: Ch. 3, 4 d. c. on 4 d. c., 2 d. c. on next 2 ch., * ch. 3, 1 d. c. on 8 d. c. and on 2 ch. each side of 8 d. c. Repeat from *, join. Join a piece of braid of 20 points.

Sew this neatly to the edge of work.

Nufashond Rick Rack Book



Daisy Pincushion

Materials: Nufashond Rick Rack Braid No. 33; Yellow Crochet Silk; Steel Hook No. 10.

16 points for a daisy.

With yellow silk make 1 s. c. in each point.

2d row: Using both loops, 1 s. c. in each s. c.

3d row: 1 s. c. each in 1st 2 s. c., * skip 1 s. c. each in next 2 s. c. Repeat from *.

4th row: 1 s. c. in every other s. c.

Draw last row together with needle and thread. Use wrong side of work for right side.

With needle and fine thread, on wrong side draw petals into shape.

In joining, sew 2 points on one daisy to corresponding points on another; skip 2 points, join next 2 points to another daisy.

This pattern may be used for tidies, cushion covers, and many other articles.



Apron

Materials: Nufashond Rick Rack Braid No. 37, 41, or 45, depending upon the individual taste.

This attractive apron shows what can be done by simply sewing on Nufashond Rick Rack Braid as an edging or insertion without crochet.



Nufashond Rick Rack Book




Table Cover

Materials : Nufashond Rick Rack Braid No. 21; Crochet Cotton No. 40; Steel Hook No. 12.

Insertion: 1 s. c. in 2d point on 1 edge, * ch. 1 (1 d. c. and ch. 1), each in next 5 points, 1 s. c. in next point. 1 slip stitch in 1st s. c. made, ch. 3, 1 sl. st. through next point and 1st point, ch. 4, working on other edge of braid make 1 s. c. in point between last 2 points. Repeat from * until you have length desired, join. The corners are formed by making 2 scallops in succession on the same side.

Sew a piece of braid to both edges, being careful not to let the sewing show.

The big spaces between scallops on upper edge may be filled by making 1 long stitch in them and twisting the thread back on it, as in making spider web.

Insert in linen.


Lace: Make same as insertion, but larger to fit outer edge of cover.

To finish lower edge, crochet a piece of braid to the one already sewed on, by making 1 s. c. through corresponding points ch. 3, 1 s. c. through next 2 points all around edge.

On the 4 points in each corner work as follows.

Working on wrong side, fasten thread in 1st point, ch. 7, 1 s. c. in next point, ch. 7, 1 s. c. in next point, ch. 7, 1 s. c. in 4th point, turn, 9 s. c. in last loop made, 9 s. c. in next loop, 5 s. c. in next loop, ch. 7, turn, 1 s. c. in 5th s. c. in 2d loop, ch. 7, 1 s. c. in 5th s. c. in 1st loop, turn, 2 s. c. in last loop, 1 picot (ch. 4, 1 s. c. in last s. c. made), 7 s. c. in same loop, 5 s. c. in next loop, ch. 7, turn, 1 s. c. in 5th s. c. of preceding loop, turn, 2 s. c. in last loop, 1 picot, 3 s. c. in same place, 1 picot, 3 s. c. in same place, 1 picot, 1 s. c. in same place, 3 s. c. in loop on 2d row, 1 picot, 1 s. c. in same place, 4 s. c. in 3d loop on 1st row, fasten, break thread.

Nufashond Rick Rack Book



Wheel for Centerpiece

Materials: Nufashond Rick Rack Braid No. 17;
Crochet Cotton No. 50; Steel Hook No. 10.

For the center join a piece of braid in a circle so that there will be 14 points. Make 1 d. c. in every inner point of the circle with 1 ch. between, and fasten the last ch. to the first d. c. and break off the thread. Now make a ch. of 8 and join to form a ring. Make 2 ch. then 1 s. c. in one of the d. c., 2 ch. and 1 s. c. in the next stitch of the 8 ch., 2 ch., skip 1 d. c. and make 1 s. c. in the next double 2 ch. 1 s. c. in the next stitch of the 8 ch., repeat these points at the alternate doubles, making 7 in all; fasten the last point with a sl. st. and break the thread.


Now make 1 d. c. in every outer point of the circle, with 7 ch. between, joining the last ch. to the first d. c., make 1 ch. to bring the work up even, and then make 1 s. c. in every stitch around the circle, joining the last one to the first by a sl. st.

Now make 5 ch., skip 2 s. c. and make 1 s. c. in the next; repeat this around the circle joining the last 5 ch. in the first s. c. made; work with slip stitches to the center of the first 5 ch. and then make 1 more row of 5 ch., and s. c. in the spaces underneath around the whole circle; work to the center of the last 5 ch. in the second row with sl. st. Now make 2 ch.; take the braid, make 1 s. c. in 1 (or first) point, 1 ch. skip 1 stitch of last row of 5 ch., make 1 d. c. in the next stitch, 1 ch., skip 1, 1 d. c. in the next, 1 ch. 1 s. c. in the next point of braid, * 1 ch., skip one of the 5 ch. underneath, make 1 double in the next and repeat from * 4 times more.

Now make 3 ch. 1 half double in each of the next 5 points of the braid, 2 ch. and join to the first stitch of the 3 ch. just made; * 1 ch. skip one in the 5 ch. underneath, and make 1 double in the next stitch; repeat 4 times more from *. Repeat these movements around the circle, matching and joining the braid at the end.

To make the Picot Edge—In the hollows between the scallops, join the three outer points of the braid together by 1 s. c. as seen in the pattern; make 5 ch. and catch in the s. c. just made, make 3 ch. 1 d. c. in the next angle of the braid, 3 ch. 1 d. c. in the point with a 5 ch. caught in the top of the last double to form a picot; 3 ch. 1 double and a picot in the next angle, and so on around the scallops to the next hollow, where three points are joined and a picot made as before. Repeat all around the wheel according to these directions as seen in the pattern.





Rose Center Doily

Materials: Nufashond Rick Rack Braid No. 17 and No. 21; Crochet Cotton No. 50; Steel Hook No. 12.

Ch. 5, join.
1st row: 18 d. c. in ring, join.
2d row: Ch. 4 and 1 s. c. in every 3d d. c. around row, join.
3d row: (1 s. c., 5 d. c., 1 s. c.) in each loop of ch. 4.
4th row: Ch. 5 and 1 s. c. in the back of each s. c. in 2d row.
5th row: (1 s. c., 3 d. c., 3 tr. c. wrap twice, 3 d. c., 1 s. c.) in each loop of ch. 5.
6th row: Ch. 6, * 1 d. c. in bottom of center tr. c., ch. 3, 1 d. c. between, 2 s. c., ch. 3. Repeat from * join.
7th row: 3 s. c. in 1st loop, * 1 picot (ch. 4, 1 s. c. in top of last s. c.), 3 s. c. in same loop, 3 s. c. in next loop. Repeat from * join.
8th row: Ch. 5, 1 s. c. in point on braid, * ch. 2, 1 s. c. in next point, ch. 5, 1 s. c. between next 2 picots around rose, ch. 5, 1 s. c. in next point on braid. Repeat from * join, break thread.

Working on outer edge of braid, 1 s. c. in a point, ch. 3, 1 s. c. in point on another piece of braid, ch. 3, * 1 s. c. in same point on 1st piece, ch. 3, 1 s. c. in next point on 2d piece, ch. 3, 1 s. c. in next point on 1st piece, ch. 3, 1 s. c. in next point on 2d piece, ch. 3. Repeat from * fasten, break thread.

Sew this medallion in the center of a piece of linen which has been cut to fit and the edge worked in button-hole stitch.

To finish the edge, fasten thread in a point of wide braid, ch. 4, 1 tr. c. in same point, * ch. 4, 2 tr. c. in next point. Repeat from * until you have size desired. Join. Sew carefully to linen.


Cross Center Doily

Materials: Nufashond Rick Rack Braid No. 37; Crochet Cotton No. 60; Steel Hook No. 12.

Take a piece of braid and join so that there will be 16 points in a ring.

Join another piece of 22 points. Fasten thread through 1 point on each ring, * ch. 8, 1 s. c. in next point on large ring, ch. 2, 1 s. c. in next point on small ring, ch. 8, 1 s. c. in next point on large ring, ch. 2, 1 s. c. in next point on small ring, ch. 5, 1 s. c. in next point on large ring, ch. 5, 1 s. c. through next point in both rings. Repeat from * until both rings are joined.

The center of small ring is filled in with a design done in darned work.



Pincushion

Materials: Nufashond Rick Rack Braid No. 21; Crochet Cotton No. 40; Steel Hook No. 12; Round Cushion 4 inches across.

Fasten thread in 4th point on edge, ch. 4 (1 tr. c. and ch. 1), in next 9 points, ch. 2, turn.

2d row: 1 s. c. between every 2 tr. c., ch. 1, turn.

3d row: Insert hook through back loop of each s. c., draw thread through all loops on hook, to draw stitches together, ch. 7, 1 s. c. through 3d point and next point on edge, ch. 5, working on other edge of braid make 1 slip stitch through point between the last 2 used on 1st edge and the 2 points following it, ch. 7, skip 2 points on 1st edge, 1 s. c. in 3d point, ch. 4 (1 tr. c. and ch. 1), in next 9 points, ch. 2, turn.

Repeat from 2d row until there are 7 scallops.



Join, break thread.

Make 1 d. c. in 1st of 5 center points on outer edge of scallop, *ch. 2, 1 d. c. in same point, ch. 4, 1 d. c. in next point. Repeat from * on 5 points, ch. 7, 1 s. c. through next point and corresponding point on next scallop, 1 tr. c. through next point and corresponding point on next scallop, ch. 7. Repeat from beginning of row around edge.

To finish edge make 5 d. c. separated by 2 ch. around 2 ch. between 1 d. c. on each point, 1 s. c. around ch. 4, 1 s. c. through 4th ch. in both ch. 7 between scallops, all around edge. Fasten, break thread.

To fill center, make a long stitch (wrap 3 times and work off 2 loops 4 times) in center point of small scallop, * make 2 more long stitches in same point, in making 2d stitch work off 2 loops 3 times leaving last 2 on hook, in making 3d long stitch, work off 2 loops 3 times, then draw thread through last 4 loops, make a long stitch in point of next scallop. Repeat from * on each point in center, join.

Put a puff of ribbon around edge of cushion and tack motif on it.




Handkerchief

Materials: Nufashond Rick Rack Braid No. 17, Crochet Cotton No. 80; Steel Hook No. 14.

Sew braid to edge of handkerchief.

Fasten thread in 1 point on edge, * 6 d. c. separated by a picot (ch. 4, 1 s. c. in last s. c. made) in next point, 1 s. c. in next point. Repeat from * around edge, being careful to have a scallop in each corner of handkerchief.



Collar

Materials: Nufashond Rick Rack Braid No. 17; Crochet Cotton No. 50; Steel Hook No. 10.

With needle and thread sew in second point of braid, span thread to next point of braid, fasten twice, span to next or fourth point, fasten, bring 5th point of braid close to the fourth point, twist thread around line spanned from third to fourth point, four times. Bring 6th point close to 3d point, twist around line four times and bring 7th to 2d point, this completes one point of star.

Fold back braid, beginning at the 1st point of braid and proceed as before until the 5 points of star have been completed. For centre of star, fasten thread with s. c. to centre of one of five points of star, ch. 4 fasten to next centre and so on around. Sew on stud.

Nine stars are needed to form collar.


To join three stars, ch. 12 join ch. 13, fasten back in 5 stitch from hook to form picot. Ch. 4 fasten to point of braid at ends of star (that have been joined with needle and thread) ch. 9 fasten back in 5th st. to form picot, ch. 5, then three double c. in ring, ch. 9 fasten back in 5th st. to form picot, ch. 4 fasten to next two points of braid, continue until 9 spokes have been made and 27 d. ch. in ring, thus joining three stars in each cluster.

Cut off piece of braid of 21 points, another piece of 46 points. Start at 1st point of shortest piece of braid c. 5 ch. fasten to 2d point of 2d piece of braid, 5 ch. fasten back to next point of shortest piece so on until 5 points have been fastened, 5 ch. fasten down in same point of 1st row forming a ring. Five more fastenings then twice in 11th point to form ring, continue until last point of shortest piece of braid is used.

Ch. 10 fasten in angle between middle and 2d point of star previously made, ch. 9 fasten back in 5th st. of ch. to form picot, ch. 5 fasten in end of spoke (made by joining 3 stars) also in next point of longest piece of braid, c. opposite together of braid until end is reached, join to star that forms middle of back of collar, or one side of collar. In same manner add four more pieces of braid reaching from points of stars in middle cluster to cluster in ends of collar. Fourth row having 25 points, fifth row 33 points, sixth row 36 points, seventh row 43 points.

In two hollow spaces along edges of both ends of collar c. ring with spokes and d. c. as made to join three stars. Begin at middle of back of collar and finish edge all around collar with braid joining to opposite points in same manner as previously made.

Nufashond Rick Rack Book



B

C

Guest Towels

A

Materials: Nufashond Rick Rack Braid No. 25; Crochet Cotton No. 40; Steel Hook No. 10.

Insertion: 1 d. c. in 1st point of braid. * ch. 2, 1 d. c. in same place, ch. 2, 1 d. c. in next point. Repeat from * until work is length desired. Break thread. Repeat this on other edge of braid.

Make the narrowest hem possible in the towel, then crochet the insertion in as follows:

1 s. c. in edge of towel, ch. 1, 1 s. c. between 1st 2 d. c. in insertion, ch. 1, 1 s. c. in edge of towel, ch. 1, 1 s. c. between 2d and 3d d. c. Continue this way on both edges until the insertion has been joined to the towel.

Lace: Cut 3 pieces of braid the length desired. Lay two of these pieces together point to point, fasten thread in 1st point through both pieces, * ch. 4, 1 slip stitch in next point. Repeat from * to end of row. Join the 3d piece in the same way.

On the top edge make 1 row same as 1st row of insertion and join to towel same as insertion was joined. To make edge, fasten thread in 1st point of braid, * ch. 5, 1 s. c. in next point. Repeat from *. 2d row: 7 s. c. in 1st loop of ch. 5, * 4 s. c. in next loop, ch. 5, turn, 1 s. c. in 4th s. c. in 1st loop, turn, 1 s. c. in loop of ch. 5 just made, 1 picot (to make a picot, ch. 4, 1 s. c. in last s. c. made), 3 s. c. in loop, 3 picots (all fastened in same s. c.), 3 s. c. in loop, 1 picot, 3 s. c. in 2d loop on edge, 7 s. c. in next loop. Repeat from *.

B

Materials: Nufashond Rick Rack Braid No. 21 and No. 13; Crochet Cotton No. 40; Steel Hook No. 10. Using wide braid.

Insertion: 1 slip stitch through 1st and 6th points on one edge of braid, ch. 3, 1 sl. st. through 2d and 5th points, ch. 3, 1 sl. st. through 3d and 4th points, ch. 3, 1 sl. st. through 5th and 10th points on other edge, ch. 3, 1 sl. st. through 6th and 9th points, ch. 3, 1 sl. st. through 7th and 8th points, ch. 3 and work on the 1st edge again. Continue this way until you have length desired. Break thread.

Make the narrowest hem possible in the towel, lay edge of braid to edge of towel, make 1 s. c. through 1st point of braid and edge of towel, * ch. 6, 1 s. c. through next point of braid and edge of towel. Repeat from *. Do this on both edges.

Lace: Make a row of scallops same as insertion. Make a row of s. c. and 6 ch. across the top. Sew 2 pieces of narrow braid carefully together point to point, sew to the top of scallops and sew to towel. To finish lower edge, * 1 s. c. where 2 points are joined, 1 picot (ch. 4, 1 s. c. in 1st ch.), 1 s. c. in curve between points, 2 picots, 1 s. c. in point of scallop, 1 picot, 1 s. c. in same place, 2 picots, 1 s. c. in curve between points, 1 picot. Repeat from *.

C


Materials: Nufashond Rick Rack Braid No. 29; Crochet Cotton No. 30; Steel Hook No. 10.

Insertion: Lay two pieces of braid the desired length together, point to point, fasten thread in 1st point through both pieces, * ch. 4, 1 s. c. in next point. Repeat from *. Make a narrow hem in the towel, lay edge of braid to edge of towel, make 1 s. c. through 1st point of braid and edge of towel, * ch. 5, 1 s. c. through next point of braid and towel. Repeat from *. Do this on both edges.

Lace: Join the braid same as in the insertion, join to the towel with a row of 1 s. c. and ch. 5 across the top. To finish edge, fasten thread in 1st point, * ch. 7, 1 s. c. in next point. Repeat from *. Break thread. 2d row: 9 s. c. in 1st loop of ch. 7, * 9 s. c. in next loop, 5 s. c. in next loop, ch. 7, turn, 1 s. c. in 5th s. c. in 2d loop, ch. 7, 1 s. c. in 5th s. c. in 1st loop, turn, 9 s. c. in last loop made, 5 s. c. in next loop, ch. 7, turn, 1 s. c. in 5th s. c. of previous loop, turn, 2 s. c. in loop just made, 1 picot (ch. 4, 1 s. c. in last s. c. made), 2 s. c. in same loop, 2 s. c. in 1st loop, 2 s. c. in 1st loop, 1 s. c. to fill loop in 2d row, 4 s. c. in 3d loop in 1st row, 3 picots (all caught in same s. c.) 9 s. c. in next loop. Repeat from *.



Nufashond Rick Rack Book



Night Dress Yoke

Materials: Nufashond Rick Rack Braid No. 25;
Crochet Cotton No. 50; Steel Hook No. 10.

Yoke: Take braid and sew together to form designs as follows: 14 points for oblong, 14 points for center front, 12 points for corners using 3 on inside and 9 on outer side.

Oblong Medallion, center: Fasten thread to the last point of right side, ch. 5, fasten with s. c. on the first point on left side, * ch. 5 to next point. Repeat to the end of design, fasten thread sl. st. center of the next 5 ch.

2d row: Ch. 5 * wrap 3 times, draw thread through three sets of 2, wrap 2, draw thread through two sets of 2, wrap 2, draw thread through two sets of 2, one set of 3 and one set of 2, ch. 2 and repeat from * for 5 more spaces, ch. 1, 1 tr. c. in next space, ch. 1, then repeat the opposite for 6 spaces, ch. 1 and fasten to top of ch.

3d row: Ch. 3, one s. c. between the puff, repeat same to end of 6 puffs, ch. 1, s. c. in center of opposite 3 ch., ch. 1, s. c. between puff, repeat till center is closed.

Center Medallion, 1st row: * ch. 5 s. c. to next point, repeat from * to end of row, fasten.

2d row: Sl. st. to center of 5 ch., wrap three times, draw through three sets of 2, wrap twice, draw through two sets of 2, wrap twice, draw thread through two sets of 2—one set of 3 and one of 2; ch. 2 and repeat from * to end of circle, ch. 2 and fasten to first puff.

3d row: Sl. st. to center, turn work, work from center out; 1 tr. c. in each space; fasten; ch. 1; s. c. 1 in top of each post; close.

Corner Medallion, 1st row: Fasten thread on first top point with s. c., ch. 5 and s. c. in each point excepting the corners only 1 ch.

2d row: Sl. st. to center of next 5 ch., ch. 5, then * wrap three times over needle; draw through three sets of 2, wrap twice, draw through two sets of 2, wrap twice and draw through two sets of 2; one set of 3 and one of 2; ch. 2, repeat from * till all spaces are filled; ch. 2 and fasten. Turn work and work from center, 1 d. c. in each space; close with sl. st.

Outer edge of Yoke, 1st row: Begin on second medallion in the back on the third point, fasten thread * ch. 7, s. c. in next point; ch. 7 d. c. in next point. Ch. 2, wrap on needle four times, fasten on braid where it is sewed, draw through two sets of 2 then wrap twice, fasten in braid just opposite side of braid and draw through 6 sets of 2; ch. 3, wrap twice and fasten in front threads of center of x, draw through 3 sets of 2, ch. 2, tr. c. in next point, ch. 7 d. c. in next, ch. 7 s. c. in next, repeat from * to end of row.

2d row: Sl. st. to center of next space. Ch. 4; tr. c. in same space, tr. c. again. Ch. 1, then tr. c. in next space; * ch. 1, 3 tr. c. in next space, repeat from * till over x where you wrap on needle 3 times, draw through 4 sets of 2; ch. 1; tr. c. 3 all around except at corners, increase 1 cl. of tr. c. at the center front, omit filling at x.


3d row: 1st x, take 10 ch., wrap on needle 2, slip through the 7th ch., wrap 2, pass to next space; draw through 6 sets of 2, ch. 3, wrap 2, take up front threads of the center in x then draw through 3 sets of 2; * ch. 3, wrap on needle four times, go in next space, draw through two sets of 2, wrap 2, draw through six sets of 2, ch. 3, wrap 2, fasten in center of x, draw through three sets of 2, repeat from * all around except at corners where you go over each cl. of tr. c.

4th row: Sl. st. to center of ch., ch. 4, tr. c. in same space 2 more, * ch. 4, pass over x to next space and tr. c. 3, repeat all around, increase one set in corner.

5th row: Sl. st. to space, ch. 3 tr. c. 1, p. 1, tr. c. 2, p. 1, tr. 1, d. c. 1, pass to next space, * d. c. 1, tr. c. 1, p. 1, tr. c. 2, p. 1, tr. 1, d. c. 1, repeat to end, increase at corners.

Inner side same as outside with decrease at corners.

For sleeve use same as oblong pattern



Corset Cover or Camisole

Materials: Nufashond Rick Rack Braid No. 21; Crochet Cotton No. 60; Steel Hook No. 10.

Center: For the yoke fasten thread on point and * ch. 15 s. c. in next point, ch. 4 sl. st. in fifth ch., ch. 4 s. c. in next point. Ch. 4 sl. st. back in same space. Repeat in 2 more points, making 4 in all. Ch. 10 s. c. to next point. Repeat this 36 times, then s. c. in 3 points to turn back. Ch. 5, fasten with sl. st. to sixth ch. on opposite side, ch. 9 s. c., in next point ch. 4 and sl. st., in fifth ch. of the 9 * ch. 4 s. c. in next point, ch. 4 sl. st. in same space. Repeat twice again or 4 points in all. Ch. 3, go across to the other center, ch. 3 sl. st. back to same space. Ch. 4 sl. st. in 5th of opposite side, ch. 5 s. c. in next point and sl. st. to join opposite point. Repeat the entire length, close braid under arm.

1st row, outer side: Work on wrong side, fasten thread on top point of design * ch. 5 d. e. 1 in next point ch. 9 s. c. in next point and s. c. in next point, s. c. 6 over the 9 ch. to pass up. Ch. 3, d. e. 1 in next point ch., 5 s. c. in next point. Repeat the entire row.

2d row: Sl. st. to space. Ch. 4 and tr. c. 1 in same space * ch. 3 tr. c. 2 in next space. Repeat to end join.

3d row: Sl. st. to space, ch. 4, tr. c. 2 in same space * ch. 2, tr. c. 3. Repeat to end and join.

4th row: * Ch. 3 * d. e. in each post and 2 at space till you have 18, then ch. 2, d. e. 1, st. post of the next cluster of 3 ch., 2 d. e. in 3d post. Repeat 3 times, then repeat from * all around.


First and second row on upper side same as the first and second row then break thread. Make shoulder straps with centers and first outer row, then fasten to yoke. Now make 3 rows only between straps, front and back, then make the row of 2 tr. c. and 3 ch. all around the inner space. Sl. st. to center of space and ch. 8 and wrap 3 times, draw through four sets of 2 * ch. 4, wrap 3 times, draw through four sets of 2. Repeat all around at corners, make post, but no ch. Ch. 3, tr. c. 2 in every space; join.

Scallop: Ch. 4, tr. c. 2, ch. 6, go back 4 for p., ch. 2, tr. c. 3, pass to next space and * tr. c. 3, ch. 6, go back 4 for p., ch. 2, tr. c. 3. Repeat all around, for arm hole repeat 2d row on the straps only, then make ribbon and scallop 4 rows as on other side.

Platter Doilies

Materials: Nufashond Rick Rack Braid Nos. 25, 29 or 33; Crochet Cotton No. 30.

Sew the Nufashond Rick Rack Braid on the edge of the doily, and finish with French knots in any color of cotton desired.






Table Cover

Materials: Nufashond Rick Rack Braid No. 49; Crochet Cotton No. 10; Steel Hook No. 9.

Insertion: For top row, fasten thread in 1 point, ch. 3, 2 d. c. in same point, * ch. 5, wrap, draw up a loop to right of curve between points, draw thread through 2, wrap, draw up a loop to left of curve, draw thread through 2, draw through 3, ch. 5, 3 d. c. in top of next point. Repeat from * until you wish to make a corner, then make 2 d. c. in top of 3 points in succession without any work between, then continue same as before, join.

2d row: Ch. 3, 1 d. c. on 2 d. c. and 1st 2 ch., * ch. 2, 1 d. c. each on next 3 d. c. and on 2 ch. before and after them. Repeat from * and in the corner make 4 d. c. on 1st group of 2 d. c., skip 1 group, 4 d. c. on next group, continue as before, join.

3d row: Ch. 4, skip 1 stitch, * 1 d. c. in next stitch, ch. 1. Repeat from * around row, in corners skip 4 stitches without any ch. between, join. Break thread.

Make 3 rows like this on other edge of braid working the same in every point to spread the corners.

Sew into cover.

Lace: Make 3 rows same as those on top edge of insertion. Be sure to have the right length between corners.

This pattern may be used for pillows, bedspreads, curtains, lingerie dresses and many other articles. The braid may be used double or triple if desired.

Basket



Materials: Nufashond Rick Rack Braid No. 17; Crochet Cotton No. 50; Steel Hook No. 10.

With needle and thread join 1st and 2d point of braid, span thread to third point, join third, fourth and fifth point. Twist thread four times, join 2d, 6th and 1st point. Fasten 7th and 8th point to angle made by joining 1st and 2d point. Join 9th and 10th point to opposite point until 15 points are around outside edge, join.

Fasten thread in point of braid, ch. 1 d. c. ch. 1 d. c. ch. 1 d. c. ch. 1 d. c. in next point, repeat around, join. Chain 2 fasten to second point of piece of braid, s. c. ch. 2 fasten on top of 3d d. c. ch. 2 fasten s. c. next pt. of braid s. c. ch. 2 fasten to 5th d. c. continue until the round, join braid and c.

Crochet a row of ch. stitches over top of points fastening every 6th st. to pt. of braid, until the round. C. 2 chains fasten to point of braid s. c. 2 ch. fasten in chain between two points of braid on previous row, 2 ch. fasten in point of braid with s. c. 2 ch. fasten middle of ch. between two points as before, continue round. Top edge of basket—5 ch. fasten back in 3d to form picot, two ch. fasten next point of braid 5 ch. fasten back in 3d to form picot 2 ch. fasten to next pt., continue round. Handle and upper row of braid of basket smaller size. Fasten braid, c. same as around top of basket crocheting along both sides of braid using 17 points to form handle.

To stiffen, dip in a clear solution of gelatine and pull into shape while drying.



c. separated by a picot (ch. 4, 1 s. c. in 1st ch.) in each point around neck and 1 tr. c. between points on neck. Join. Continuing around edge make 2 s. c. in each space and 1 picot in center of each shell.

Bib

Materials: Nufashond Rick Rack Braid No. 33; Crochet Cotton No. 80; Steel Hook No. 14.

Fasten thread in 1 point of braid, * ch. 9, 1 s. c. in next point. Repeat from * until you have length required for edge of bib (not including neck), break thread. Do not cut braid.

2d row: 1 d. c. and ch. 2 in every 3d stitch to end of row.


Sew to bib, be careful to have a point in outer edge in center of bib, and sew the braid around neck for a finish.

For outer edge, fasten thread in 18th point to right of center, ch. 2, * 1 tr. c. (wrap twice) in curve between points, 3 d. c. in next point, ch. 2, 3 d. c. in same point. Repeat from * to 17th point to left of center, 1 tr. c. in curve between points, ch. 2, 1 s. c. in 18th point. Break thread.

2d row: Fasten thread in 8th tr. c. to right of center, ch. 3, * 4 d. c. around ch. 2 in center of shell, ch. 2, 4 d. c. in same place, 1 tr. c. in 1 tr. c. Repeat from * ending in 8th tr. c. to left of center. Break thread.

3d row: Begin at neck and work down right side of bib, fasten thread in a point, ch. 5, 5 tr. c. separated by 1 ch. in same point, * ch. 2, 1 tr. c. in curve between points, ch. 6, tr. c. separated by 1 ch. in next point. Repeat from * around edge making the tr. c. in tr. c. between shells around center of bib and making 4 d.

Nufashond Rick Rack Book



Bridge Cover

Materials: Nufashond Rick Rack Braid No. 29; Crochet Cotton No. 40; Steel Hook No. 10.

Form designs with needle and thread before beginning with crochet.

Club: 35 points of braid, sew 3 and 4 points together on outer side, 11-12-13; on outer side 22-23-24-31 and 32 and fasten both ends and hem.

Outer edge, 1st row: Fasten on point at bottom * ch. 2, tr. c. 1, ch. 2, tr. c. 1, ch. 2, s. c. 1 in next point. Repeat * all around except at corners, you s. c. 1 in each.

2d row: Sl. st. to space, ch. 4, tr. c. 2, p. 1, tr. c. 2 * d. c. on point 2, p. 1, d. c. 2, tr. c. 3, in next space p. 1, d. 2. Repeat * all around except at base where you only d. c. 1, p. 1, on point.

Inside, 1st row: Start at base. Ch. 5 sl. st. on each of next off-side points. Ch. 5, s. c. 1 in each opposite points, this forms stem. Ch. 7, s. c. 1, in next point. Ch. 5, s. c. 1, * s. c. 1. Repeat * four times. Ch. as follows with s. c. on each point, ch. 3, ch. 5, ch. 9, ch. 5, ch. 2, * ch. 1. Repeat * in 6 points, ch. 2, ch. 5, then sl. st. to opposite point, this closes the top petal, then ch. 7 and sl. st. up in third space to the right, s. c. on ch. 10, sl. st. at bottom. Ch. 8, sl. st. in space at top, or 5 turn, s. c. 12, sl. st. ch. 8 to next space at top, sl. st. s. c. 12, ch. 7, sl. st. in 2 space following. S. c. 10 to bottom, sl. st. on point. Ch. 9, ch. 5, ch. 3, ch. 1 four times, ch. 5, ch. 7, this ends the first row.

2d row: Ch. 3, s. c. 3 in next space going to left. Ch. 5, s. c. 2 in next space. Ch. 3, s. c. 1, ch. 1, s. c. 1 in four spaces, then tr. c. 2 to the opposite side, or third space, then wrap 2, go in same space, draw through 2, then wrap around the other tr. and draw through 3, then 2, this forms the wheat stitch. Ch. 1, s. c. 2 in next space. Ch. 2, repeat the wheat only, wrap 3 times, ch. 2, s. c. 1 on next point, ch. 1, tr. c. in the sixth of the long ch., ch. 3, tr. c. in opposite ch., ch. 1, s. c. in next point. Ch. 5, s. c. 2 in next space. Ch. 5, s. c. 2, ch. 3, s. c. 1, ch. 1 in 4 spaces. Ch. 2, wheat stitch ch. 2, s. c. 2 in next space, ch. 2 long wheat ch. 2, s. c. 5, then sl. st. to center * ch. 9, sl. st. in top space, turn, s. c. 12, repeat * 2 more.

Diamond: Sew 24 points, 6 each side first row, outer edge. Fasten on point * ch. 1, tr. c. 1, ch. 2, tr. c. 1, ch. 1, s. c. in next point. Repeat * all around, except at point where you ch. 3 and s. c. again in same point.

2d row: Sl. st. to space, ch. 4, tr. c. 2, p. 1, tr. c. 2 * d. c. e. 1, p. 1, in point tr. 3, p. 1, tr. 2. Repeat * all around, only on points, d. c. 4, p. 1, d. c. 3.

1st row inside: Fasten at point; * ch. 7, s. c. on point for 5 times, s. c. in next point. Repeat * to end of first row.

2d row: Sl. st. to next space * s. c. 2, ch. 5. Repeat in all spaces, fasten and break thread.

To form center: Ch. 8, close, d. c. 20, close * ch. 5, s. c. 1 in each post, making 20 spaces. Sl. st. to center space. Ch. 7, sl. st. to third space of diamond from top, right side. Ch. 7, sl. st. back in same space in center, ch. 7 to same outer space, ch. 3, s. c. 2 over all, ch. Ch. 2, sl. st. in same at center, sl. st. to next space. Ch. 8, three times, and then ch. 3, s. c. 2 over all, ch. Ch. 3, sl. st. in same space, sl. st. to next, ch. 10, sl. st. in next space in diamond, turn, s. c. 15, back to center, sl. st. to next, ch. 12, sl. st. in top space, s. c. 18 to center. Sl. st. to next, ch. 10, s. c. 15 to center. Sl. st. next space. Ch. 8 three times and then ch. 3, s. c. 2, over all, ch. Ch. 3, sl. st. in next, ch. 7 three times, then ch. 3, s. c. 2 over all, ch. 2, sl. st. to next space. Ch. 8, s. c. 12, sl. st. next, ch. 10, s. c. 15, sl. st. next space. Ch. 8, s. c. 12. Repeat as other end.

Heart: Sew 27 points, fasten 13-14, first row outer. Fasten on point where sewed, ch. 1, s. c. 1 in next point, s. c. in next, ch. 1, s. c. in next * ch. 2, tr. c. 1, ch. 2, tr. c. 1, ch. 2, s. c. on next point. Repeat all around, fasten.

2d row: Sl. st. to space. Ch. 4, tr. c. 2, p. 1, tr. c. 2 * d. c. e. 2, p. 1, d. c. 2 in next point, tr. 3, p. 1, d. c. 1, repeat 5 times, after that, d. c. 1, p. 1, d. c. 1 on each point to the bottom, then you d. c. 4, p. 1, d. c. 3, then reverse the other side.

Inside, 1st row: Fasten on upper point, ch. as follows with s. c. on each point. Ch. 10, ch. 6, ch. 3 four times, ch. 5 seven times, s. c. in each next point, and reverse to the other side, close.

2d row: Ch. 7, s. c. 1 in same point, ch. 5, s. c. 2 in next space, ch. 5, s. c. 2 in next, ch. 5, s. c. 2, ch. 1, s. c. 2, ch. 1, s. c. 2, ch. 1, d. c. back across to space at point 3. Ch. 1, s. c. 2, ch. 1, wheat stitch as per previous direction. Ch. 1, s. c. 2, ch. 1, and then wheat, with wrapping 3 times, ch. 1, s. c. 1, ch. 7, sl. st. in space side of center, ch. 7, sl. st. in same outer space. Ch. 7 to same at center, ch. 3, s. c. 2 around all, ch. Ch. 3, sl. st. at same outer space. Ch. 2, s. c. 2 in next space, ch. 5, s. c. 2 for three more spaces, or to point. S. c. 2 in next space, then * ch. 5, s. c. 2. Repeat * 5 times. Ch. 3, s. c. 2, ch. 1, s. c. 1, ch. 1, s. c. 1, ch. 1, tr. to outer side, ch. 1, s. c. 2, ch. 1, wheat st. tr. Ch. 1, s. c. 2, ch. 1 wheat, wrapping 3 times. Ch. 1, s. c. 1. Repeat the ch. cluster of other side, ch. 1, s. c. 2, sl. st. to center, ch. 3, d. c. 10, ch. 10, sl. st. to third space for point. S. c. 12, fasten sl. st. to next post. Ch. 2, sl. st. at next outer side, s. c. 16, fasten sl. st. to next post, ch. 14, sl. st. to next outer space, s. c. 18. Reverse. Fasten.

Spade: Sew 30 points, first outer row fasten on end of stem. Ch. 2, tr. 1, ch. 2, tr. 1, ch. 2, s. c. 1 on other end. Ch. 2, tr. c. 1, ch. 2, tr. c. 1, ch. 2, s. c. on next point. Ch. 1, tr. c. 1, ch. 2, tr. c. 1, ch. 1, s. c. next point, * ch. 2, tr. c. 1, ch. 2, tr. c. 1, ch. 2. S. c. on next point, repeat * to the top point when you s. c. Ch. 3, s. c. in same point. Repeat the other side as this.

Nufashond Rick Rack Book

2d row: Sl. st. to space, ch. 4, tr. 2, p. 1, tr. 2, d. c. 1, p. 1, d. 1 in next point, d. c. 5 on corner, tr. 3, p. 1, tr. 2, in next space. D. c. 1, p. 1, d. c. 1 on next point. Tr. c. 3 in next space. Tr. c. 3 in next space. D. c. 1, p. 1, d. c. 1 on next point * tr. 3, p. 1, tr. 2, d. c. 2, p. 1, d. c. 2. Repeat * all around except on point. D. c. 3, p. 1, d. c. 2.

Inner side, 1st row: Fasten with sl. st. on each opposite point in stem, ch. 6, s. c. in each opposite point, ch. 6, s. c. in next point on left. Ch. as follows: with s. c. on each point, ch. 8, ch. 4, ch. 2, ch. 1, ch. 1, ch. 4, ch. 5 six times, s. c. in next 2 points. Reverse. Join ch., 5, tr. c. 1 in next point, ch. 5, sl. st. back in first, ch. 5, s. c. 2 in next space, ch. 5, s. c. 2 in next space, ch. 3, s. c. 2, ch. 3, s. c. 2, ch. 3, s. c. 2 in third space off, ch. 5, s. c. 2 in 6 spaces to point, ch. 1, s. c. 2 in next space, reverse other side to last space where you take 5 ch. and tr. c. 1 in point, sl. st. to center. Ch. 4 for first post and tr. c. 11 or 12 posts in all. Fasten, turn, ch. 5, s. c. 1 in each post. Sl. st. to center of 5 ch., ch. 4, s. c. 1 in second space to right, ch. 5, sl. st. in third space, further on ch. 1, s. c. 2 over thread, ch. 2, sl. st. on s. c., ch. 1, s. c. 2 over ch., ch. 1, sl. st. in first center space. Ch. 9, sl. st. in next space on outer edge. Ch. 3, s. c. 3 over ch., ch. 3, sl. st. in same center space. Sl. st. to next space, ch. 10, sl. st. in next outer space, ch. 10, back ch. 10 over to same space. Ch. 4, s. c. 2 over all, ch. Ch. 4, sl. st. in same center space, sl. st. to next. Ch. 10, s. c. 12, sl. st. to next space. Ch. 12, s. c. 15 to center, sl. st. to next space. Ch. 14, s. c. 16, sl. st. to next, ch. 15, s. c. 18. Reverse other side. Design in edge. 11 points finished, fasten on loose point * ch. 5, s. c. 1 on point, repeat * all around, fasten. Sl. st. to next space, ch. 4, tr. c. 1, draw through 2 sets of 2, wrap 1, draw through 4 sets 2. * tr. c. 1, draw through 2 sets 2, wrap 2, draw through 2 sets 2, wrap 1, draw through 4 sets 2. Repeat * all around, fasten. Ch. 1, turn work from center out, s. c. 1 in each space between puff, fasten.

Inner edge, 1st row: Fasten to point * ch. 2, tr. c. 1, ch. 1, tr. c. 1, ch. 2, s. c. on next point except where the design is you increase center ch. to 3.

2d row: Sl. st. to space, ch. 3, tr. 2, p. 1, tr. 2, d. c. 1 on point * tr. c. 3, p. 1, tr. c. 2, d. c. 1 on next point. Repeat * all around except on corners where you tr. c. only, 3 in each space and d. c. in corner over design where you increase the d. c. 2, p. 1, d. 2.

Outer edge, 1st row: Fasten on point * ch. 2 tr. c. 1, ch. 2, s. c. on next point, ch. 2, tr. c. 1, ch. 2, s. c. on next point, ch. 3, s. c. 1, on same point. Repeat * all around except at design where you s. c. 2 on each point of center with 3 ch. between.

2d row: Turn to wrong side of work * ch. 8, sl. st. in space formed by 3, ch. on next point, ch. 1, turn s. c. 8, ch. 8, sl. st. in same space, s. c. 8 till you have 5 spokes, ch. 2, fasten on next point with s. c. Repeat * all around except on corners where you make 7 spokes, fasten.

3d row: Sl. st. to second space, s. c. 2, ch. 2, p. 1, ch. 2, s. c. 2 in next space for three times, pass to next second space, s. c. 2, making 3 p. on each scallop.


Inner circle to point 25, point to point on corners 17.

The Ribbons can be put on to suit maker.

Infant's Dress

Materials: Nufashond Rick Rack Braid No. 37, 41 or 45, depending upon the individual taste.

This unique dress shows what can be done by simply sewing or crocheting with Nufashond Rick Rack Braid.



Rick Rack and Tatting

The doily and other rick rack and tatting work shown here simply suggest possibilities for luncheon sets, tumbler doilies, medallions for pillows and centerpieces, trimmings for table, bureau, and porch sets, lingerie, etc.


EXPLANATORY

Double stitch (d. s.): Two half stitches made with the shuttle, forming one stitch.
Ring (r.): The required number of double stitches made with the shuttle thread only, and drawn up into a ring.
Chain (ch.): A scallop or cord made with the ball thread, on the shuttle thread, not drawn up into a ring.
Picot (p.): A loop left between stitches: (l. p.) a long picot: (sm. p.) a very small picot.
Join: A loop drawn through a picot, shuttle passed through it, and thread drawn tightly. Or with the ball thread: or threads tied around.
Continuous thread: Thread unbroken between shuttle and ball.
Set of stitches: 4-4, or other number, are single stitches of the stated number, like "1st half d. st., then the same number of single sts., like the last half of d. st." This is one set of stitches.

(*) Repeat all within as many times as following number indicates.

Reverse: Turn the work and continue as before, but in an opposite direction.

- | | | | |
|--------|-----------------|--------|-------------------|
| r. | for ring | p. | for picot |
| l. r. | for large ring | j. | for join |
| s. r. | for small ring | st. | for stitch |
| c. r. | for center ring | d. st. | for double stitch |
| d. r. | for double ring | c. l. | for clover leaf |
| ch. | for chain | t. c. | for tatted cord |
| l. ch. | for long chain | * | for repeat |
| s. ch. | for short chain | | |



A. Materials: Nufashond Rick Rack Braid No. 37; Crochet Cotton Blue No. 30; White No. 30.
Insertion: R., 3 d., p., 3 d., 1. side of point, 3 d., p., 3 d., j. side of next point, d., 3 p., 3 d., turn, ch. 3 d., (p., 3 d.), 5 times; repeat from beginning for required length, then make same on the other side of braid.

B. Materials: Nufashond Rick Rack Braid No. 37; Crochet Cotton Pink No. 30; White No. 30.
Heading: R., 4 d., (p., 2 d.), 2 times, 1. 1st point of braid, 2 d., (p., 2 d.), twice, p., 4 d., r., 4 d., j. last p. of 1st r., 2 d., (p., 2 d.), 3 times, j. between points, ch. 2 d., (p., 2 d.), twice, p., 4 d.; r., 4 d., j. last p. of 2d r., 2 d., (p., 2 d.), twice, j. next p. of braid, (2 d., p.), 2 times, p., 4 d.; turn, ch. 4 d., p., 2 d., l. p., 4 d., p., 2 d., p., 2 d., p., 4 d., l. p., 2 d., p., 4 d., turn, repeat from beginning.
Edge: Join threads between first two points of braid, ch. 3 d., p., 3 d., p., 3 d., j. point, s. r., 7 d., p., 7 d.; d. r., inside r., 9 d., p., 9 d., turn; ch. (2 d., p.), 5 times, 2 d., j. p. of inside r., ch. 4 d., p., 4 d., draw up closely and j. same p., ch. 2 d., (p., 2 d.), 5 times, j. at base of same r., s. r., 7 d., p., 7 d., j. thread to same p., ch. 3 d., p., 3 d., p., 3 d., j. between points. Repeat from beginning.

C. Materials: Nufashond Rick Rack Braid No. 37; Crochet Cotton Blue No. 30; White No. 30.
Edging: Join threads between points of braid. Ch. 4 sets of 4-4 sts., turn; s. r., 4 d., j. point of braid, 4 d., turn; 1. r., 4 d., (p., 2 d.), 6 times, p., 4 d., turn; ch. 4 sets of 4-4 sts., j. 4th p. of 1. r., ch. 4 sets of 4-4 sts., j. between s. r. and 1. r., ch. 4 sets of 4-4 sts., j. between points of braid; repeat ch., turn; s. r., 4 d., next point, 4 d., turn; 1. r., 4 d., (p., 2 d.), 6 times, p., 4 d., turn; ch. 4 sets of 4-4 sts., j. 1st p. of 1. r., ch. 3 sets of 4-4 sts., turn; s. r., 2 d., (p., 2 d.), 2 times, j. over 4th p. 1st 1. r., 2 d., (p., 2 d.), 3 times, turn; ch. 3 sets of 4-4 sts., j. 2d p. of 2d 1. r., turn; ch. 3 sets of 4-4 sts., turn; s. r., 2 d., p., 2 d., j. 6th p. of last s. r., 2 d., (p., 2 d.), 5 times, turn; ch. 3 sets of 4-4 sts., j. 3rd p. of same 1. r., turn; * ch. 4 sets of 4-4 sts., turn; s. r., 2 d., p., 2 d., j. 6th p. of last s. r., 2 d., (p., 2 d.), 5 times, turn; * once, then * ch. 3 sets of 4-4 sts., s. r., 2 d., p., 2 d., j. 6th p. of last s. r., 2 d., (p., 2 d.), 5 times, turn; ch. 3 sets of 4-4 sts., j. next p. of 1. r. Repeat from * ch. 4 sets of 4-4 sts., j. between 1. r. and s. r., ch. 4 sets of 4-4 sts., j. between points, repeat from beginning.
Heading: Join threads to 1st point of braid, * ch. 3 d., (p., 3 d.) 3 times, j. inside of braid half way from point, ch. 3 d., j. side of next point, ch. 3 d., j. last p. of ch., 3 d., p., 3 d., p., 3 d., j. next point of braid. Repeat from *.

D. Materials: Nufashond Rick Rack Braid No. 37; Crochet Cotton White No. 30.
Join threads between first two points of braid, ch., 2 d., (p., 2 d.) 6 times, j. point of braid, ch., 2 d., (p., 2 d.) 6 times, turn; d. r., inside r., 10 d., p., 10 d., turn; ch., 2 d., p., 2 d., p., 2 d., j. next point of braid, 2 d., p., 2 d., p., 2 d., j. p. of inside r., s. ch., 4 d., d. r., same as last d. r., turn; ch., 2 d., p., 2 d., j. next point, 2 d., j. next point, 2 d., j. next point, 2 d., p., 2 d., j. p. of




Nufashond Rick Rack Book

last inside r., ch., 2 d., p., 2 d., p., 2 d., j. next point of braid, 2 d., p., 2 d., p., 2 d., j. at base of same r., s. ch., 4 d., j. p. of next inside r., ch., 2 d., p., 2 d., p., 2 d., j. next point of braid, 2 d., p., 2 d., p., 2 d., j. base of same r. reverse; ch., 2 d., p., 2 d., p., 2 d., j. 6 times, j. next point of braid, ch., 2 d., p., 2 d., j. 6 times, j. between points of braid 2 d., p., 2 d., j. 6 times, j. next point of braid, 2 d., p., 2 d., j. 5 times, repeat from beginning of row.

Heading: Join threads in 4th p. of 1st ch., ch., 2 d., p., 2 d., j. 6 times, j. 3d p. of corresponding ch. of opposite side of scallop, ch., 2 d., p., 2 d., j. 6 times, j. 4th p. of next ch., ch., 2 d., p., 2 d., j. 6 times, j. 3d p. of next ch. Repeat from beginning.

Edge: Join threads to 1st point of outside of scallop, ch., 2 d., p., 2 d., j. 5 times, j. next point, ch., 2 d., p., 2 d., j. 5 times, j. next point, ch., 2 d., p., 2 d., j. 5 times, j. next point, ch., 2 d., p., 2 d., j. 7 times, *, j. between next two points, ch., 2 d., p., 2 d., j. 7 times, j. next point, turn; r., 2 d., p., 2 d., j. 3 times, ch., 2 d., p., 2 d., j. 7 times, * repeat from * to *, twice, ch., 2 d., p., 2 d., j. 7 times, j. next point, repeat ch., j. next point, ch., 2 d., j. next point 3 times, * ch., 2 d., p., 2 d., j. 3 times, j. 4th p. of last ch., 2 d., p., 2 d., j. 3 times, j. next p., repeat from *. Then repeat chains and rings around bottom of scallop, and continue entire length.



Round Medallion or Doily

Materials: Nufashond Rick Rack Braid No. 41; Crochet Cotton Blue No. 30; White No. 30.

Center wheel: Wind shuttle, do not break from ball. Make r., 4 d., p., 4 d., p., 4 d., p., 4 d., draw up, turn, ch. 3 d., turn; r., 4 d., j., 3d., p. of 1st r., 4 d., p., 3 d., j. 4 times, 4 d., draw up; * turn; ch. 3 d., turn; r., 4 d., j. 5th p. of last r., 4 d., p., 4 d., p., 4 d., draw up, turn; ch. 3 d., p., 3 d., j. 5 times, j., 3d p. of last r., ch. 3 d., p., 3 d., j. 5 times, turn; r., 4 d., p., 4 d., j., 2d p. of last r., 4 d., p., 4 d., draw up, turn; ch. 3d., turn; r., 4 d., j. last p. of last r., 4 d., j. 4th p. of next to the last r., 4 d., p., 4 d., p., 4 d., draw up, repeat from * until there are 5 trefoils. Join last ch. to base of 1st r., cut threads and tie; lay aside till needed.

Now count twenty points of rick-rack braid with one more to lap for joining. Fill one shuttle with blue thread and one with white; tie ends of thread together. With the blue thread make * r., 4 d., p., 2 d., p., 5 times, 4 d., draw up. Close up, make 2d r. like 1st, joining 1st p. to last p. of previous r., also make 3d the same, turn; wind white thread around fingers of left hand and with blue shuttle ch. 5 d., join 1st point of braid, continue ch. 5 d., turn; with white shuttle make r., 4 d., j. braid, 7 d., draw up, turn; ch. 5 d., j. next point of braid, ch. 5 d., turn; with blue shuttle make r., 4 d., j. 4th p. of last r., 2d., p., 4 times, 4 d., draw up. Ch. 5 d., j. same p. of braid, 5 d., turn; r., (with white thread), 7 d., j. braid, 7 d., draw up. Ch. 5 d., j. next point of braid, 5 d., Repeat from * all around. Cut threads but do not tie until the connecting ch. is made.

Connecting ch. is made thus: with a continuous thread of blue between shuttle and ball, j. thread to middle r. of clover leaf in row last made. * ch. first half of double stitch 4 times, then last half 4 times, repeat 3 times, * draw up closely, j. to wheel at 3d p. of ch., turn; repeat from * to *, j. 3rd p. of single r., turn; repeat ch., j. same p. of wheel turn; repeat ch., j. top p. of next clover leaf, continue all around, j. last ch. where 1st ch. began. Tie and cut threads then join the ends of braid neatly; j. end of previous row, tie and cut threads.

Outside row: With white thread continuous between shuttle and ball, j. thread to point of braid, *, Ch. (p., 2 d.), 6 times, j. braid, ch. 2 d., p., 2 d., j. 5 times, j. next point of braid. Repeat from * all around and fasten off.

Mufashond Cordonnet N. F. C.
 Mercerized Crochet Cotton



WHITE IN SIZES 3 to 70

COLORS
 SIZES 5-30-50

	SKY BLUE		<i>COLORS</i>					LIGHT PINK	
	COPENHAGEN		SIZES 5-30-50					ROSE	
			LAVENDER						
SIZE	3	5	10	20	30	40	50	60	70
YDS. TO BALL	75	90	100	130	150	160	175	185	200