

MONARCH

*Hand Knit
Styles*

Price 25c

Book 73



400

Description Page 4

PUBLISHED BY THE MAKERS OF
MONARCH YARNS

www.antiquepatternlibrary.org 2019.09

MONARCH

Emphasizes **STYLE**



Durable,
Canada's famous 4-ply,
soft and warm.



Makes garments of velvety softness
and downy lightness.

A fine rayon and wool yarn.



A fine 4-ply Botany wool. Perfect
for all kinds of knitting.



3-ply yarn ideal for quick knitting.

This season Monarch designers have put the accent on style—style as expressed in design, stitch, colors and texture. To achieve these results it's important to choose the Monarch Yarns specified in the directions. In this way you'll enjoy, too, knitting satisfaction and lasting dependability.



New Monarch brand. Good value
at popular price.


Monarch Knitting Books are produced for the users of Monarch Yarns on a purely non-profit basis. Each garment has been especially designed, and knitted from Monarch Yarns. The directions have been checked and rechecked before they are set in type and printed. From beginning to end, a great deal of expense is necessary to ensure knitting satisfaction. Follow the directions, use Monarch Yarns—it pays!



Serviceable 4-ply yarn for garments subjected to constant usage and long wear.



A 3-ply yarn, extra soft quality, specially spun for baby garments.



Rich, all-wool yarn, soft in texture—for added smartness.



A Botany wool and rayon in a novelty crepe twist.

YOUR MONARCH DEALER WILL BE GLAD TO SHOW YOU THESE MONARCH YARNS

THE MONARCH KNITTING COMPANY LIMITED

HEAD OFFICE, DUNNVILLE, ONT.

DESIGNS AND DESCRIPTIONS BY

Alberta Kirshell

COPYRIGHT, CANADA, 1939
SOUTHAM PRESS TORONTO LIMITED



No. 405

(Illustration on page 3)

A two-piece dress consisting of blouse and skirt. Purl stitches form 12 panels. Pompoms in centre of each panel around hem. The blouse has ribbed cuffs and band. Neck has rolled collar with cord running through. Cord finished with pompoms. Smocking on yoke forms the design. The belt is in stocking stitch, lined for firmness. Trim with buckle.

Size 18

MEASUREMENTS OF FINISHED GARMENTS WHEN BLOCKED

SKIRT—All around at waist, 30 inches. All around at hip, 39 inches. All around at lower edge, 51 inches. Length from waist to hem, 29 inches.

BLOUSE—All around at underarm, 38 inches. Length from shoulder to lower edge, 19 inches. Length of sleeve at underarm seam, 19 inches.

TENSION OF STITCH:

SKIRT—17 sts. = 2 inches. 11 rows = 1 inch.

BLOUSE—15 sts. = 2 inches. 11 rows = 1 inch.

Materials Used

MONARCH ANN DORA

19 Balls Turquoise 1 Pair No. 11 Needles
1 Ball Raspberry 1 Circular Needle No. 11
1 Med. Crochet Hook

SKIRT

Starting at lower edge, with circular needle and Turquoise wool, cast on 432 sts. Join.

1ST ROUND—* K34, P2, repeat from * 11 times.

NOTE.—(These 2 purl sts. are left in purl throughout Skirt.)

Repeat this round for 3 inches.

1ST DECREASING ROUND—*K31, K2tog, K1, P2, repeat from * 11 times (420 sts.). Work 3 inches even.

2ND DECREASING ROUND—* K30, K2tog, K1, P2, repeat from * 11 times (408 sts.). Work 3 inches even.

3RD DECREASING ROUND—* K29, K2tog, K1, P2, repeat from * 11 times (396 sts.). Work 3 inches even.

4TH DECREASING ROUND—* K28, K2tog, K1, P2, repeat from * 11 times (384 sts.). Work 3 inches even.

5TH DECREASING ROUND—* K27, K2tog, K1, P2, repeat from * 11 times (372 sts.). Work 3 inches even.

6TH DECREASING ROUND—* K26, K2tog, K1, P2, repeat from * 11 times (360 sts.). Work 2 inches even.

7TH DECREASING ROUND—* K25, K2tog, K1, P2, repeat from * 11 times (348 sts.). Work 2 inches even.

8TH DECREASING ROUND—* K24, K2tog, K1, P2, repeat from * 11 times (336 sts.). Work 1 inch even.

9TH DECREASING ROUND—* K23, K2tog, K1, P2, repeat from * 11 times (324 sts.). Work 1 inch even.

10TH DECREASING ROUND—* K22, K2tog, K1, P2, repeat from * 11 times (312 sts.). Work 1 inch even.

11TH DECREASING ROUND—* K21, K2tog, K1, P2, repeat from * 11 times (300 sts.). Work 1 inch even.

12TH DECREASING ROUND—* K20, K2tog, K1, P2, repeat from * 11 times (288 sts.). Work 1 inch even.

13TH DECREASING ROUND—* K19, K2tog, K1, P2, repeat from * 11 times (276 sts.). Work 1 inch even.

14TH DECREASING ROUND—* K18, K2tog, K1, P2, repeat from * 11 times (264 sts.). Work 1 inch even. Cast off.

BEADING FOR ELASTIC:

Work 1 row s.c. around waist.

NEXT ROUND—Ch. 6, * wool over twice, insert hook in 3rd st. from hook, work off 2 sts. at a time, 2 ch., repeat from * around. Fasten off.

Work 2 rows s.c. around lower edge. Place pompoms in centre of each panel, as illustrated.

BLOUSE

BACK—Starting at lower edge, with No. 11 needles and Turquoise wool, cast on 100 sts. Work in ribbing (K1, P1) for 3 inches.

NEXT ROW—Knit, increasing to 122 sts.

NEXT ROW—Purl.

Continue in stocking stitch (knit 1 row, purl 1 row) until work measures 12 inches from beginning (band included).

SHAPE ARMHOLES by casting off 5 sts. at the beginning of each of the next 2 rows.

Decrease 1 st. each end of needle every 2nd row, 5 times (102 sts. on needle).

Continue evenly until armhole measures 6 inches from last decreasing.

SHAPE SHOULDERS by casting off 8 sts. at the beginning of each of the next 8 rows. Cast off remaining sts.

FRONT—Work in same manner as back, until work measures 7 inches from beginning (band included) (122 sts. on needle).

NEXT ROW—K14, K2 sts. in next st., * K5, K2 sts. in next st., repeat from * twice; K56; * K2 sts. in next st. K5; repeat from * twice, K2 sts. in next st., K14 (130 sts. on needle). Work 3 rows even.

NEXT ROW—K14, * K2 sts. in next st., K2 sts. in next st., K5, repeat from * twice, K2 sts. in each of the next 2 sts., K56, * K2 sts. in each of the next 2 sts., K5, repeat from * twice, K2 sts. in each of the next 2 sts., knit to end. (146 sts. on needle). Work 3 rows even.

Repeat the last 4 rows once, having 2 sts. more between each increasing (162 sts. on needle).

Continue evenly until work measures 12 inches from beginning (band included).

SHAPE ARMHOLE in same manner as back (142 sts. on needle). Continue evenly until armhole measures 5 inches from last decreasing.

NEXT ROW—K64, cast off 14 sts., K64. Turn, P64.

NEXT ROW—Cast off 2 sts., knit to end.

NEXT ROW—Purl.

Decrease 1 st. neck edge every 2nd row, twice (60 sts. on needle).

NEXT PURL ROW—P4* slip the next 7 sts. on to spare needle, P6, repeat from * twice, slip next 7 sts. on to needle, purl to end (32 sts. on needle). Knit 1 row.

SHAPE SHOULDER by casting off 8 sts. (armhole edge) every 2nd row, 4 times.

Work other side to correspond.

NOTE.—Spare sts. are for smocking. Fasten securely at back).

SLEEVES—Starting at cuff, cast on 50 sts. Work in ribbing (K1, P1) for 3 inches.

Knit 1 row, increasing to 88 sts. Purl 1 row.

Continue evenly until sleeve measures 19 inches from beginning (cuff included).

Cast off 5 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 2nd row until 50 sts. remain on needle.

Decrease 1 st. each end of needle every row until 20 sts. remain on needle. Cast off. Sew seams.

COLLAR—Starting at centre front, pick up and knit sts. around neck edge. Work in stocking stitch for 2 inches. Cast off.

BELT—Cast on 10 sts. Work in stocking stitch for desired length. Cast off.

TO FINISH—Sew all seams neatly. Work 1 row s.c. around belt. Sew collar back to form roll.

Make chain or cord and thread through neck roll. Finishing ends of ties with pompoms.

Trim in smocking as illustrated with Raspberry wool.

No. 400

(Illustration on Front Cover)

Cocktail Jacket—a garment for gay company. The all-over quilted pattern is the feature. The front borders are worked after picking up stitches from lower edge to shoulder edge. This allows border at neck and fronts to roll over naturally. Zipper fastener at front completes this sophisticated garment. Knit in Monarch Andalusian.

Size 16

MEASUREMENTS OF FINISHED GARMENT WHEN BLOCKED—All around at underarm, 35½ inches (including borders). Length from lower edge to edge of back neck border, 19¼ inches. Length of sleeve at underarm seam, 5 inches.

TENSION OF STITCH—9 sts. = 1 inch. 18 rows = 1 inch.

Materials Used

MONARCH ANDALUSIAN

10 Balls Lilac 1 Pair No. 13 Needles
1 Pair No. 12 Needles 1 Zipper Fastener, 14 ins. long
Pattern is a multiple of 6 plus 4.

BACK—Starting at lower edge, with No. 12 needles, cast on 130 sts. Knit 1 row (wrong side).

(Continued on page 6)

Casual

No. 403

A one-piece Dress in Monarch Crepe-de-Laine. The wide ribbing in the skirt harmonizes with the narrower ribbing on cuffs, sleeves, yoke and collar. Full padded shoulders. Button fastening at front and wide belt set off this many-purpose garment.

Size 16

MEASUREMENTS OF FINISHED GARMENTS WHEN BLOCKED SKIRT—All around at lower edge, 67 inches. All around at hip (7 inches below waistline), 37 inches. All around at waist, 30 inches. Length of skirt, 27 inches.

BLOUSE—All around at underarm, 36 inches. Length from back of neck to waistline, 15 inches. Length of sleeve, at underarm seam, 18 inches.

TENSION OF STITCH—15 sts. = 2 inches. 11 rows = 1 inch

Materials Used

MONARCH CREPE-DE-LAINE

19 Skeins Raspberry 1 Med. Bone Crochet Hook
1 Circular Needle No. 12 (27 inches)

SKIRT

Starting at lower edge, cast on 504 sts. Join, being careful sts. do not twist on needle. Mark ends of rounds as an aid in counting.

1ST ROUND—* K9, P9, repeat from * around.

Repeat first round 17 times, forming ribbing.

1ST DECREASE ROUND—* K9, P4, P2tog, P3, repeat from * around (476 sts.).

NEXT ROUND—* K9, P8, repeat from * around.

Repeat last round 17 times.

2ND DECREASE ROUND—* K4, K2tog, K3, P8, repeat from * around (448 sts.).

NEXT ROUND—* K8, P8, repeat from * around.

Repeat last round 17 times.

3RD DECREASE ROUND—* K8, P3, P2tog, P3, repeat from * around (420 sts.).

NEXT ROUND—* K8, P7, repeat from * around.

Repeat last round 17 times.

4TH DECREASE ROUND—* K3, K2tog, K3, P7, repeat from * around (392 sts.).

Continue in this manner, decreasing 28 sts. in a round every 19th round twice more, decreasing 1 st. at centre of alternate ribs and having 1 st. less in each decreased rib after each successive decrease round (336 sts.).

Work even until 13 inches above lower edge.

7TH DECREASE ROUND—* K6, P2, P2tog, P2, K6, P6, repeat from * around (322 sts.).

NEXT ROUND—* K6, P5, K6, P6, repeat from * around. Repeat last round until 15 inches above lower edge.

8TH DECREASE ROUND—* K6, P5, K6, P2, P2tog, P2 (308 sts.).

NEXT ROUND—* K6, P5, repeat from * around.

Repeat last round until 17 inches.

9TH DECREASE ROUND—* K2, K2tog, K2, P5, K6, P5, repeat from * around (294 sts.).

NEXT ROUND—* K5, P5, K6, P5, repeat from * around.

Repeat last round until 19 inches, or 8 inches shorter than desired finished length.

10TH DECREASE ROUND—* K5, P5, K2, K2tog, K2, P5, repeat from * around (280 sts. at hipline).

Work even until skirt measures 21 inches.

11TH DECREASE ROUND—Decrease 1 st. in centre of every 2nd purl rib (266 sts.).

Work even until skirt measures 22 inches.

12TH DECREASE ROUND—Decrease 1 st. in each purl rib not decreased in 11th decrease round (252 sts.).

Continue to decrease 14 sts. in a round every inch twice more, decreasing in knit ribs as in purl ribs (224 sts.).

NEXT ROUND—* K4, P4, repeat from * around.

Repeat last round until skirt measures 26 inches.

Cast off in ribbing.

TO FINISH—Working from right side, work 1 row s.c. on lower edge of skirt, keeping work flat; join. Ch. 1, turn, work 1 s.c. in each st. of row below; join. Fasten off.

(Continued on page 6)



BLOUSE

Entire Blouse is worked back and forth on circular needle.

BACK—Starting at lower edge, cast on 102 sts. Purl 1 row.

INCREASE ROW—(Right Side)—K8, * increase 1 st. in next st., K11, repeat from *, ending last repeat K9 (110 sts.).

Work in stocking stitch (purl 1 row, knit 1 row), increasing 1 st. each side every $\frac{3}{4}$ inch 8 times (126 sts.).

Work even until 8 inches from lower edge, ending with a knit row.

ARMHOLES—Cast off 5 sts. at beginning of each of next 2 rows for underarm. Decrease 1 st. each side every 2nd row 9 times (98 sts.). Work even until $6\frac{3}{4}$ inches above underarm.

SHOULDERS—Cast off 3 sts. at beginning of each of next 2 rows, then 5 sts. at beginning of each of next 12 rows (33 sts. for each shoulder). Break yarn. Slip remaining 32 sts. on to stitch holder for collar.

LEFT FRONT—Starting at lower edge, cast on 64 sts. Purl 1 row.

INCREASE ROW (Right Side)—K9, * increase 1 st. in next st., K14; repeat from *, ending last repeat K9 (68 sts.).

Work in stocking stitch, increasing 1 st. at underarm edge (beginning of knit rows) every $\frac{3}{4}$ inch 8 times (76 sts.). Purl 1 row.

YOKE—**FIRST ROW** (Right Side)—K71, P5 (front edge).

2ND ROW—K5, P71. Repeat these 2 rows twice.

7TH ROW—K63, P4, K4, P5.

8TH ROW—K5, P4, K4, P63. Repeat 7th and 8th rows twice.

13TH ROW—K55, P4, K4, P4, K4, P5.

14TH ROW—K5, P4, K4, P4, K4, P55. Repeat 13th and 14th rows twice.

19TH ROW—K47, * P4, K4; repeat from * twice, P5.

20TH ROW—K5, * P4, K4; repeat from * twice, P47. Repeat 19th and 20th rows once.

Front should now measure same length as back to underarm.

ARMHOLE—Cast off 9 sts. at beginning of next row for underarm, work across row, working pattern on 29 sts. as in 19th row. Work 1 row even, working pattern on 29 sts.

25TH ROW OF YOKE—K2tog, K28, * P4, K4; repeat from * 3 times, P5.

26TH ROW—K5; * P4, K4; repeat from * 3 times, P29.

Continue as in last 2 rows, decreasing 1 st. at armhole edge every 2nd row twice more and working 37 sts. in pattern. Work 1 row even.

31ST ROW—K2tog, K17, * P4, K4; repeat from * 4 times, P5.

32ND ROW—K5, * P4, K4; repeat from * 4 times, P18.

Continue as in last 2 rows, decreasing 1 st. at armhole edge every 2nd row 7 times more and working 45 sts. in pattern (56 sts.).

Keep armhole edge even, continuing to work 45 sts. in pattern and remaining 11 sts. in stocking stitch until $6\frac{3}{4}$ inches above underarm, ending at armhole edge.

SHOULDER—Continue working as before, casting off 3 sts. from armhole edge once, then 5 sts. every 2nd row 6 times. Break yarn. Slip remaining 23 sts. on to stitch holder for collar.

RIGHT FRONT—Starting at lower edge, cast on 64 sts. Purl 1 row.

INCREASE ROW (Right Side)—K 9, * increase 1 st. in next st., K14, repeat from *, ending last repeat K9 (68 sts.).

Work in stocking stitch, increasing 1 st. at underarm edge (end of knit rows) every $\frac{3}{4}$ inch twice. Purl 1 row, ending at front edge.

NEXT (BUTTONHOLE) ROW—K2, cast off the next 3 sts. for buttonhole, work to end of row.

On following row cast on 3 sts. over the cast-off sts.

Continue to work to correspond to left front, repeating the 2 buttonhole rows every $1\frac{3}{4}$ inches (having 16 rows between buttonholes) until same length as left front up to yoke, ending with a purl row.

YOKE—**1ST ROW**—(Right Side)—P5, K71.

2ND ROW—P71, K5.

Complete to correspond to left front, repeating buttonholes as before (having 16 rows between all buttonholes) until there are 6 buttonholes in all on right front.

SLEEVES—Starting at cuff, cast on 48 sts.

1ST ROW—(Wrong Side)—K2, * P4, K4, repeat from *, ending last repeat K2.

2ND ROW—P2, *K4, P4, repeat from *, ending last repeat P2.

Repeat these 2 rows until cuff measures $3\frac{1}{4}$ inches, ending on wrong side.

NEXT ROW—Increase 1 st. in first st., K5, work ribbing to within 6 sts. of end, K5, increase 1 st. in last st. (50 sts.).

Work 5 rows even, working centre 36 sts. in ribbing and 7 sts. at each side in stocking stitch.

NEXT ROW—Increase 1 st. in first st., K14, work ribbing across next 20 sts., K14, increase 1 st. in last st. (52 sts.).

Work 5 rows even, working centre 20 sts. in ribbing and 16 sts. at each side in stocking stitch.

NEXT ROW—Increase 1 st. in first st., K23, P4, K23, increase 1 st. in last st. (54 sts.).

Work 5 rows even, working a rib on centre 4 sts. and 25 sts. each side in stocking stitch. Completes ribbed cuff.

Continue in stocking stitch on all sts., increasing 1 st. each side of next row and repeating increases every 6th row 10 times, then every 8th row 9 times (94 sts.).

Work even until 18 inches from lower edge of cuff.

Cast off 7 sts. at beginning of each of next 2 rows for underarm.

Decrease 1 stitch each side every 2nd row 10 times, every 6th row 4 times, every 2nd row 3 times.

Cast off 2 sts. at beginning of each of next 6 rows, then 3 sts. at beginning of each of next 4 rows. Cast off remaining 22 sts.

TO FINISH—Sew seams. Sew sleeves to armholes with sleeve seam at centre underarm, holding in extra fullness of sleeve at top of armhole.

COLLAR—Slip 23 sts. of left front, 32 sts. of back and 23 sts. of right front to needle (78 sts.).

Join yarn at right front edge.

1ST ROW—P5, * K4, P4, repeat from *, ending last repeat P5.

2ND ROW—K5, * P4, K4, repeat from *, ending last repeat K5.

Repeat these 2 rows until collar measures 1 inch. Cast off in ribbing.

Join yarn on left front at lower edge. Working from wrong side, work 2 s.c. in every 3 rows on front edge to neck edge, 3 s.c. at corner, 1 s.c. in each cast-off st. of collar, 3 s.c. at corner, 2 s.c. in every 3 rows to lower edge of right front.

2ND ROW—Ch. 1, turn, work 1 s.c. in each st. of row below, working 3 s.c. at corners. Fasten off.

Work buttonholes in buttonhole stitch.

TO FINISH—Sew waist to skirt, with 6 sts. at right front edge overlapping 6 sts. at left front edge and sewing a rib of 4 purl sts. of skirt to first 4 sts. of overlap of right front.

Sew seam binding over shoulder seams and across back of neck, holding each shoulder in to $4\frac{1}{2}$ inches and back of neck in to 6 inches.

Sew 2 thicknesses of triangular shoulder pads together by running a straight line of sts. across length of pad from one corner of curved edge to the other ($1\frac{1}{4}$ inches above centre of curved edge). Stuff lower curved part of each pad only (below line of stitching) leaving top of pad without stuffing.

BEADING FOR ELASTIC—Chain 5, miss 2 ch., 1 d.c. into next ch., * 2 ch., miss 2 ch., 1 d.c. into next ch., repeat from * around. Work 1 round of single crochet with 2 s.c. in each space.

Sew 6 buttons $\frac{1}{2}$ inch from left front edge opposite buttonholes.

START PATTERN—

1ST ROW (Right Side)—Purl. **2ND ROW**—Knit.

3RD ROW—Purl (these 3 rows form ridge).

4TH ROW (Wrong Side)—P4, * slip next 2 sts. as if to purl, keeping yarn at front of work, P4; repeat from * across row.

5TH ROW—K4, * slip next 2 sts. as if to purl, keeping yarn at back of work, K4; repeat from * across row.

Repeat 4th and 5th rows twice more.

10TH ROW—Knit all sts.

11TH ROW—Purl.

12TH ROW—Knit (these 3 rows form ridge).

13TH ROW (Right Side)—K1, * slip 2 sts., keeping yarn at back of work, K4; repeat from *, ending last repeat K1.

14TH ROW—P1, * slip 2 sts., keeping yarn at front of work, P4; repeat from *, ending last repeat P1.

Repeat the 13th and 14th rows twice more, ending on wrong side with 18th pattern row.

These 18 rows form one complete repeat of pattern. Work pattern in this manner for entire jacket.

Decrease 1 st. each side of next row and repeat decreases every 18th row twice more (124 sts.). Be careful to keep pattern while decreasing and increasing.

Work 2 rows even.

Change to No. 13 needles and work 6 rows even.

Increase 1 st. each side of next row and repeat increases every 9th row twice more. Change to No. 12 needles.

Repeat increases every 9th row 12 times more (154 sts.).

Work even until 11 inches from lower edge, ending on wrong side with 18th pattern row.

ARMHOLES—Cast off 9 sts. at beginning of each of next 2 rows for underarm. Decrease 1 st. each side every 2nd row 9 times (118 sts.).

Work even until $6\frac{3}{4}$ inches above underarm, ending on right side with 13th pattern row.

SHOULDERS—Cast off 6 sts. at beginning of each of next 2 rows, then 3 sts. at beginning of each of next 22 rows, ending with first pattern row (39 sts. for each shoulder).

NECK BORDER—Knit 1 row, purl 1 row, knit 1 row. Cast off remaining 40 sts. for back of neck.

RIGHT FRONT—Starting at lower edge, with No. 12 needles, cast on 70 sts. Knit 1 row. Work pattern for 18 rows, ending at front edge.

Decrease 1 st. at end of next row (underarm edge) and repeat decrease at underarm edge every 18th row twice more (67 sts.). Work 2 rows even.

Change to No. 13 needles and work 6 rows even.

Increase 1 st. at beginning of next row at underarm edge and repeat increase at underarm edge every 9th row twice more. Change to No. 12 needles.

Repeat increase at underarm edge every 9th row 12 times more (82 sts.). Work even until same number of patterns as on back up to underarm, ending at underarm edge with first pattern row.

ARMHOLE—Cast off 9 sts. at beginning of next row for underarm.

Keeping front edge even, decrease 1 st. at armhole edge every 2nd row 9 times (64 sts.). Work even until 3 inches above underarm, ending at front edge with 2nd pattern row.

Decrease 1 st. at beginning of next row for neck edge. Repeat decrease at neck edge every 3rd row, keeping armhole edge even until same number of rows as on back up to shoulder, ending at armhole edge with 13th pattern row.

SHOULDER—Cast off 6 sts. at beginning of next row. Cast off 3 sts. at armhole edge every 2nd row 11 times, continuing to decrease at neck edge as before until there are 25 decreases in all, then work neck edge even. Fasten off.

LEFT FRONT—Work to correspond to right front, ending at underarm with 18th pattern row and at shoulder with 14th pattern row.

SLEEVES—Starting at lower edge, with No. 13 needles, cast on 88 sts. for lower edge. Knit 1 row.

Work pattern for 18 rows. Change to No. 12 needles.

Increase 1 st. each side of next row and repeat increases every 6th row 11 times more (112 sts.).

Work even until 5 inches above lower edge, ending with 18th pattern row.

Cast off 9 sts. at beginning of each of next 2 rows for underarm.

Decrease 1 st. each side every 2nd row 6 times (82 sts.).

Work even until $4\frac{3}{4}$ inches above underarm, ending on wrong side with 14th pattern row.

Decrease 1 st. each side of next row and repeat decreases every 2nd row 7 times more.

Cast off 2 sts. at beginning of each of next 6 rows, then 3 sts. at beginning of each of next 4 rows, ending with 3rd pattern row. Cast off remaining 42 sts.

FRONT BORDERS—Join yarn on right front edge in 4th row from lower edge. With No. 12 needle, pick up and knit 3 sts. in next 6 rows on front edge, 2 sts. in next 3 rows of ridge, 2 sts. in next 6 rows between ridges and 2 sts. in next 3 rows of ridge, continue in this manner up to shoulder edge (picking up 9 sts. in every 18 rows). Knit 1 row, purl 1 row, knit 1 row, purl 1 row. Cast off.

Work border on left front edge to correspond, leaving last 4 rows at lower edge free.

TO FINISH—Sew seams with ridges of pattern matching and sew edge of neck and front borders together at

shoulder seams. Sew sleeves to armholes, with sleeve seam at centre underarm and centre pattern at shoulder seam, holding in extra fullness at top.

Sew lower edge of front borders to edge of first 4 rows of fronts.

Allow border on front edges and back of neck to roll over naturally; tack to first row of border on wrong side.

With lower end of zipper fastener $\frac{1}{4}$ inch above lower edge of jacket, sew zipper to front edges along line of tacking so that rolled edge actually covers zipper when closed.

CURVED STUFFED SHOULDER PADS—Make pads 6 inches long and 2 inches wide, and sew in place.

No. 401

(Illustration on Back Cover)

Sports Sweater. Cable stitch collar and stripes of cable stitch down sleeves, fronts and above waistband in scarlet, contrast smartly with the body of the sweater. Note how the tassels add an extra touch of individuality! Ribbed bands at waist and cuffs. Zipper opening. Styled in Monarch Dove for *all-round* sports wear.

Size 16

MEASUREMENTS OF FINISHED GARMENT WHEN BLOCKED—All around at underarm, 34 inches. Length from neck to lower edge, 20 inches. Length of sleeve at underarm seam, 19 inches.

TENSION OF STITCH—10 rows = 1 inch. 15 sts. = 2 ins.

Materials Used

MONARCH DOVE	1 Ball Emerald
10 Balls Banana	1 Pair No. 11 Needles
2 Balls Scarlet	1 Pair No. 12 Needles

BACK—Starting at lower edge, with No. 12 needles and Banana wool, cast on 100 sts. Work in ribbing (K2, P2) for 3 inches.

Change to No. 11 needles. Knit 1 row, increasing to 112 sts. Purl 1 row.

Continue in stocking stitch (knit 1 row, purl 1 row) until work measures 13 inches from beginning (band included).

SHAPE ARMHOLES by casting off 6 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 2nd row, 6 times (88 sts. on needle).

Continue evenly until armhole measures 7 inches from first decreasing.

SHAPE SHOULDERS, by casting off 8 sts. at the beginning of each of the next 8 rows. Cast off remaining sts.

FRONT—Starting at lower edge, with No. 12 needles and Banana wool, cast on 100 sts. Work in ribbing (K2, P2) for 3 inches.

Knit 1 row, increasing to 128 sts. Purl 1 row.

LEFT FRONT—Change to No. 11 needles.

1ST ROW—K50, join Scarlet, K6; join Banana, K8 (place remaining 64 sts. on to a stitch holder).

2ND ROW—K2, P6, Banana; P6 Scarlet; P50 Banana (twist wools on wrong side to avoid space).

Repeat the last 2 rows, twice.

7TH ROW—K50, cable the next 6 sts. Scarlet, thus: slip the first 3 sts. on to a spare needle, knit the next 3 sts. on to right hand needle, place the 3 sts. from spare needle on to left hand needle, knit them on to right hand needle; K8 Banana.

8TH ROW—Same as 2nd row.

Repeat the last 8 rows 9 times (10 patterns from ribbing).

NEXT ROW—K28 Banana; join Scarlet, K6 Scarlet; K16 Banana; K6 Scarlet; K8 Banana.

Continue working, having two cables on front, until work measures 13 inches from beginning (band included).

SHAPE ARMHOLE in same manner as back (52 sts. on needle).

Continue in pattern until armhole measures 5 inches from first decreasing.

SHAPE NECK by casting off 8 sts. at the beginning of next purl row.

Decrease 1 st. (neck edge) every row until 32 sts. remain on needle. Continue working until armhole measures 7 inches from first decreasing.

SHAPE SHOULDER by casting off 8 sts. (armhole edge) every 2nd row, 4 times.

(Continued on page 18)

Business or Pleasure

No. 404

The skirt of this two-piece dress has groups of "ribbed pleat" effects. Ribbed yoke pattern repeats at back. Well styled—a popular addition to your wardrobe!

Size 16

MEASUREMENTS OF FINISHED GARMENTS WHEN BLOCKED
JACKET—All around at underarm, $36\frac{1}{2}$ inches (including $\frac{3}{4}$ -inch lap). Length from lower edge to shoulder, $21\frac{1}{2}$ inches. Length of sleeve at underarm seam, 18 inches.

SKIRT—All around at lower edge, 57 inches. All around at hip (7 inches below waistline), 37 inches. All around at waist, 28 inches. Length from waistline to lower edge, 28 inches.

TENSION OF STITCH—

STOCKING STITCH—7 sts. = 1 inch. 11 rows = 1 inch.

PATTERN STITCH—7 sts. = 1 inch. 12 rows = 1 inch.

Materials Used

MONARCH BOUCLÉ 1 Circular Needle No. 12
26 Balls Guardsman 1 Med. Crochet Hook
(Blouse, 12 Balls; Skirt, 14 Balls)

JACKET

Entire Jacket is worked back and forth on circular needle.

BACK—Starting at lower edge, cast on 108 sts. Work in stocking stitch (knit 1 row, purl 1 row) for $1\frac{1}{2}$ inches.

Decrease 1 stitch each side and repeat decreases every inch 3 times (100 sts.). Work even until 5 inches from lower edge, ending with a purl row.

NEXT ROW—* K7, K2tog; repeat from * 9 times, knit to end (90 sts.). Work even until $6\frac{1}{2}$ inches from lower edge.

Increase 1 stitch each side and repeat increases every $\frac{1}{2}$ inch 12 times (116 sts.).

Work even until 13 inches from lower edge.

ARMHOLES—Cast off 7 sts. at beginning of each of next 2 rows for underarm. Decrease 1 st. each side every 2nd row 7 times (88 sts.).

YOKE—Begin yoke on next knit row as follows: Knit 44 sts., turn, * purl back.

NEXT ROW—Knit 42 sts., turn. Repeat from *, working 2 sts. less every knit row, until 8 sts. remain on right point of needle. Purl 8, break yarn. Slip 44 sts. to right point of needle (right half of back), join yarn in last stitch of first short row, K44.

NEXT ROW—P42, turn. Knit back. P40, turn. Continue to correspond to right side, ending K8.

START YOKE PATTERN—Working from wrong (purl) side, K8, * pick up and knit a stitch between last stitch knitted and first stitch on left point of needle, K2; repeat from * 36 times, K6 (125 sts.).

★**2ND ROW OF YOKE PATTERN**—P7, increase 1 st. in next st., P53, P3tog, P53, increase 1 st. in next st., P7 (125 sts.).

3RD ROW—Knit all sts.

4TH ROW—K7, increase 1 st. in next st., K53, K3tog, K53, increase in next st., K7.

5TH ROW—Purl all sts. **6TH ROW**—Same as 4th row.

7TH ROW—Same as 3rd row.

Repeat from ★ twice, ending with first row of 4th purl stripe on right side (19 rows in yoke; armhole should measure about $6\frac{1}{2}$ inches).

SHOULDERS—Continuing in yoke pattern, cast off 4 sts., 1 st. on right point of needle, work 2 sts., increase in next st., work across row decreasing 2 sts. in centre, and increasing 1 st. in 8th st. from end of row.

Discontinuing increase each side, cast off 4 sts. at beginning of each of next 3 rows; 2 sts. at beginning of each of next 22 rows, decreasing 2 sts. in centre every 2nd row as before (30 sts. for each shoulder). Cast off 3 sts. at beginning of every row, decreasing 2 sts. in centre every 2nd row as before until 9 sts. remain. Cast off all sts.

LEFT FRONT—Starting at lower edge, cast on 66 sts.

1ST ROW—(Right Side)—K56; P10 for front border.

2ND ROW—K10, P56. **3RD ROW**—Same as 1st row.

4TH ROW—Purl. **5TH ROW**—Knit. **6TH ROW**—Purl.

Repeat these 6 rows forming same pattern at front edge as on back yoke and shaping underarm edge (beginning of rows worked from right side) as on back until there are 21 rows from lower edge, ending at front edge.

(Continued on page 11)



Young as You Look!

No. 406

Long sleeved Blouse in stocking stitch with attractive weaving on cuffs, neck, pockets, lower edge and up fronts, finishing with fringe ends, features this two-piece dress. Fastened with dome fasteners. Full skirt worked in fancy ribbing. Monarch Andalusian makes it light and soft.

Size 14

MEASUREMENTS OF FINISHED GARMENTS WHEN BLOCKED
BLOUSE—All around at underarm, $33\frac{1}{2}$ inches. Length from lower edge to neck edge, $19\frac{1}{2}$ inches. Length of sleeve at underarm seam, 18 inches.

SKIRT—All around at lower edge, 67 inches (pleated). All around at hip (7 inches below waistline), 35 inches, plus additional stitches for pleated effect. All around at waist, $26\frac{1}{2}$ inches. Length (including beading), 27 inches.

TENSION OF STITCH:

No. 12 Circular Needle—8 sts. = 1 inch. 11 rounds = 1 inch.

No. 13 Needles—9 sts. = 1 inch. 13 rows = 1 inch.

Materials Used

MONARCH ANDALUSIAN

26 Balls Trublu (Blouse, 10 Balls; Skirt, 16 Balls)

1 Ball Guardsman 1 Pair No. 13 Needles

1 Circular Needle No. 12 (27 inches)

1 Med. Crochet Hook 1 Tapestry Needle

BLOUSE

BACK—Starting at lower edge, with Trublu and circular needle No. 12, cast on 120 sts. Work back and forth in stocking stitch (knit 1 row, purl 1 row) for 1 inch. Decrease 1 st. each side and repeat decreases every inch twice (114 sts.). Change to No. 13 needles and work in stocking stitch for 1 inch. Increase 1 stitch each side (116 sts.). Work even until 5 inches from lower edge.

Change to circular needle and continue in stocking stitch increase 1 st. each side; repeat increases every inch 5 more times (128 sts.). Work even until 11 inches from lower edge.

ARMHOLES—Cast off 8 sts. at beginning of each of next 2 rows for underarm. Decrease 1 stitch each side every 2nd row 8 times (96 sts.). Work even until $6\frac{1}{2}$ inches above underarm.

SHOULDERS—Cast off 6 sts. at beginning of each of next 4 rows; 5 sts. at beginning of each of next 8 rows (32 sts. for each shoulder). Cast off remaining 32 sts.

LEFT FRONT—POCKET LINING—Cast on 22 sts. on circular needle. Work stocking stitch for 2 inches, ending with a knit row. Break yarn. Slip sts. on to a strand of yarn.

Cast on 56 sts. on circular needle for lower edge of front. Work stocking stitch, increasing 1 st. at front edge (end of knit and beginning of purl rows) every row 5 times; every 2nd row twice (63 sts.). Work even until 1 inch from lower edge, ending with a purl row. Decrease 1 st. at beginning of next row (underarm edge), and cast on 7 sts. at end of same row for underlap (69 sts.).

Work in stocking stitch, keeping front edge even and decreasing at underarm edge as on back until 3 inches from lower edge (67 sts.).

Change to No. 13 needles and work 1 inch even. Increase 1 stitch at underarm edge, then work even until 5 inches from lower edge. Change to No. 12 circular needle. Continue in stocking stitch, shaping underarm edge as on back until same length as back to underarm (74 sts.), ending at underarm edge.

ARMHOLE—Cast off 10 sts. at beginning of next row for underarm. Shape armhole as for back (56 sts.). Work even until 2 inches above underarm, ending at armhole edge.

POCKET—NEXT ROW—K8, cast off next 22 sts. for pocket opening, finish row.

ON NEXT ROW, P26, slip sts. of pocket lining to left point of needle, with right side of lining to wrong side of blouse, purl across 22 sts. of lining, P8 (56 sts.). Work even until 5 inches above underarm, ending at front edge.

(Continued on page 10)



NECK SHAPING AND SHOULDER—Cast off 12 sts. as if to purl at beginning of next row. Decrease 1 st. at neck edge every row 8 times, then every 2nd row until 6½ inches above underarm. **SHAPE SHOULDER** as for back at beginning of rows worked from armhole edge, keeping neck edge even when 12 sts. in all have been decreased.

RIGHT FRONT—POCKET LINING—Cast on 22 sts. on circular needle. Work as for pocket lining of left front.

Cast on 56 sts. for lower edge. Work stocking stitch, increasing 1 st. at front edge (beginning of knit and end of purl rows) every row 5 times; every 2nd row twice. Work even until 1 inch from lower edge. Decrease 1 st. at underarm edge (62 sts.). Do not cast on sts. at front edge.

Work to correspond to left front, having 7 sts. less throughout until 2 inches above underarm, ending at front edge (49 sts.).

POCKET—NEXT ROW—K19, cast off next 22 sts. for pocket opening, knit to end.

ON NEXT ROW—Purl 8, purl across 22 sts. of pocket lining, purl to end.

Work even until 5 inches above underarm, ending at front edge. Cast off 5 sts. at beginning of next row for front of neck. Complete to correspond to left front.

SLEEVES—Cast on 62 sts. on circular needle. Work in stocking stitch, increasing 1 st. each side every inch 14 times; every ½ inch 5 times (100 sts.). Work even until 17 inches from lower edge, ending with a knit row. Cast off 8 sts. at beginning of each of next 2 rows. Decrease 1 st. each side every 2nd row 4 times; every 4th row 10 times (56 sts.). Purl 1 row after last decrease.

DARTS FOR SHAPING TOP—1ST ROW—K2tog, K10, * slip, knit and pass, K1 (seam stitch), K2tog*, K22; repeat between *'s once, K10, K2tog (50 sts.).

2ND AND ALL EVEN-NUMBERED ROWS—Purl.

3RD ROW—K2tog, K8, repeat between *'s of first row once, K20, repeat between *'s again, K8, K2tog (44 sts.).

5TH ROW—K2tog, K6, repeat between *'s once, K18, repeat between *'s once, K6, K2tog (38 sts.).

7TH ROW—K2tog, K4, repeat between *'s once, K16, repeat between *'s once, K4, K2tog (32 sts.).

9TH ROW—K2tog, K2, repeat between *'s once, K14, repeat between *'s once, K2, K2tog (26 sts.).

11TH ROW—K2tog, repeat between *'s once, K12, repeat between *'s once, K2tog (20 sts.).

Cast off as if to purl.

TO FINISH—Sew seams. Sew sleeves to armholes with sleeve seam at centre underarm. Sew pocket linings to wrong side of Blouse on 3 sides.

CROCHET BORDER—Join Trublu in first st., cast on for underlap, working from right side, ch. 1, 1 s.c. in end of top row of curve, * ch. 1, 1 s.c. in end of next row; repeat from * 10 times, ch. 1, 1 s.c. in first st. on lower edge; †* ch. 1, skip 1 st., 1 s.c. in next st.; repeat from ** 7 times, ch. 1, 1 s.c. in next st.†; repeat between †'s to curve at lower edge of right front, work as for curve on left front. Continue up right front, working ch. 1, 1 s.c. in end of every 2nd row on part worked with circular needle and ch. 1, 1 s.c. in end of every 3rd row on part worked with No. 13 needles, work to corner, ch. 1, 1 s.c. in same st. as last st. (increase for corner), continue around neck to top of left front edge, keeping work flat. Ch. 2, turn.

2ND ROW—1 s.c. under ch. 1 of row below, * ch. 1, 1 s.c. under next ch. 1; repeat from *, increasing 1 st. in corner, ending 1 slip st. in 3rd st., cast on for underlap, 1 slip st. in 4th st. Ch. 1, turn.

3RD ROW—Same as 2nd row, ending 1 s.c. under turning ch. Ch. 2, turn.

4TH ROW—Same as 2nd row, ending 1 slip st. in each of 6th and 7th st. of underlap. Ch. 1, turn.

5TH ROW—Same as 3rd row to top of left front, then work 1 s.c. in end of each row of border, continue down underlap, working 1 s.c. in end of every 2nd row on part worked with circular needle and 1 s.c. in end of every 3rd row on part worked with No. 13 needles, join with a slip st. to first st. of row. Ch. 1, do not turn.

6TH ROW—Work in same direction as last row, working s.c. with ch. 1 between under each ch. 1 of row below to top of left front, 1 s.c. in each st. to lower edge; join. Fasten off.

POCKET BANDS—With Trublu, work 6 rows of crochet border across each pocket opening, turning at end of every row. Sew ends of bands to blouse.

CUFFS—With Trublu, ch. 73, 1 s.c. in 2nd st. from hook, * ch. 1, skip 1 ch., 1 s.c. in next ch.; repeat from * to end of ch. Ch. 2, turn.

Work 5 more rows in pattern. Fasten off. Sew short ends together.

WEAVING—Cut 12 strands of Guardsman, each strand about 6 inches longer than entire length of border on blouse. Thread 2 strands in a tapestry needle and join at beginning of first row of border at left front, working from right side weave double strand of Guardsman under 1 thread and over 1 thread of each s.c. to top of left front, being careful not to draw Guardsman too tightly. Fasten off on wrong side. Weave remaining 5 rows of border in same manner.

Weave pocket borders in same manner, leaving about ¾ inch Guardsman free at each side for fringe.

Weave cuffs, leaving about ¾ inch Guardsman free each side of seam for fringe. Sew one edge of cuff to lower edge of sleeve with wrong side of cuff to right side of sleeve and seam of cuff ½ inch toward front from centre of sleeve. Turn up cuff on right side. Sew other cuff to correspond. Trim fringe to ½ inch in length.

Sew 11 snap fasteners to underlap and wrong side of right front border, with top fastener in centre of neck band, bottom fastener at lower end of front band and remaining fasteners equal distances apart.

Sew in pleated shoulder pads.

SKIRT

1 pattern (24 sts. at lower edge) = 2½ inches.

Starting at lower edge, with Trublu wool and circular needle, cast on 720 sts. Join, taking care sts. do not twist on needle. Mark end of rounds as an aid in counting.

1ST ROUND—* P1, K1, P1, K1, P1, K1, P9, K9; repeat from * 29 times.

Repeat this round until 5 inches from lower edge.

1ST DECREASE ROUND—* P1, K1, alternately for 6 sts., P9, K3, K2tog, K4; repeat from * around (690 sts.). Work even, having 1 st. less in each knit stripe, until 10 inches from lower edge.

2ND DECREASE ROUND—* P1, K1, alternately for 6 sts., P3, P2tog, P4, K8; repeat from * around (660 sts.). Work even, having 8 sts. in each knit and purl stripe until 15 inches from lower edge.

3RD DECREASE ROUND—Decrease 1 st. in centre of each knit stripe as for first decrease round (630 sts.). Work even until 18½ inches from lower edge, (or to within 8½ inches of desired finished length).

4TH DECREASE ROUND—Decrease 1 st. in centre of each purl and each knit stripe (570 sts. at hipline). Work even for 1½ inches, having 7 sts. in each purl and 6 sts. in each knit stripe.

5TH DECREASE ROUND—Decrease 1 st. in centre of each purl stripe. Continue to decrease every 1½ inches as follows, counting previous decrease round in part worked even.

6TH DECREASE ROUND—Decrease 1 st. in centre of each knit stripe.

7TH DECREASE ROUND—Decrease 1 st. in centre of each purl stripe.

8TH DECREASE ROUND—Decrease 1 st. in centre of each purl and each knit stripe (420 sts.).

Work even with 4 sts. in each knit and purl stripe until skirt measures 25½ inches (1½ inches allowed for beading and blocking). Cast off as follows:

Cast off 5 sts. as if to purl and knit, * 1 st. on right point of needle, slip 4 purl sts. from left point of needle to a spare needle and hold in back of work, † insert right point of needle in a knit st. on left point of needle and a purl st. on spare needle, knit these 2 sts. tog and cast off; repeat from † 3 times, cast off next 6 sts. as to purl and knit; repeat from * until all sts. are cast off (300 cast-off sts.). Do not break yarn. Working from right side, work 1 s.c. in each knit st. around top of skirt, skipping the purl sts.

BEADING FOR ELASTIC—Chain 5, miss 2 ch., 1 d.c., into next ch., * 2 ch., miss 2 ch., 1 d.c. into next ch., repeat from * around. Work 1 round of single crochet with 2 s.c. in each space.

TO FINISH—Join yarn on lower edge at beginning of a purl stripe, working from right side, * work 1 s.c. in each of 9 purl sts., † 1 s.c. in next knit st., skip purl st.; repeat from † twice, 1 s.c. in each of 9 knit sts.; repeat from * around.

Pin lower edge of skirt out to given measurement, lapping pleated side of each pattern ¼ inch, stretching to 27 inches in length. Insert elastic in beading.

Work 2 short rows in border as follows: Work 10 sts., turn, work 10 sts., being careful to keep border pattern of purl and knit stripes.

NEXT ROW—Work across all sts. Continue to shape underarm edge as for back, repeating the 2 short rows in border after every 22nd row (22 long rows between short rows) until 5 inches from lower edge, ending at underarm edge (62 sts.).

NEXT ROW—K16, * K2tog, K7; repeat from * 3 times, finish row (58 sts.).

Continue to work short rows in border as before and shape underarm edge as on back until same length as back to underarm, ending at underarm edge with 6th pattern row of border (71 sts.).

ARMHOLE—Cast off 9 sts. at beginning of next row for underarm. Decrease 1 st. at armhole edge every 2nd row 7 times, continuing short rows in border (55 sts.), ending at front edge with 5th pattern row of border.

NEXT ROW—P27, cast off next 20 sts. for pocket, purl to end.

YOKE AND POCKET—Cast on 33 sts. on to a spare needle with separate strand of yarn for pocket flap. Break yarn.

FIRST ROW OF YOKE—Beginning at armhole edge, P7, increase 1 st. in next st. (mark 8th st. from armhole edge), work across sts. on spare needle as follows: P15, P3tog, P15, increase 1 st. in next st. (mark increased st.), purl to end (68 sts.). Carry marking threads up entire length of yoke.

2ND ROW—Knit all sts.

3RD ROW—P7, increase in next (marked) st., P15, P3tog, P15, increase in next (marked) st., purl to end.

4TH ROW—Purl all sts.

5TH ROW—K7, increase in next st., K15, K3tog, K15, increase in next st., knit to end.

6TH ROW—Same as 4th row.

FIRST DECREASE ROW—(7th row of Yoke)—P7, increase in next st., P6, P2tog, P7, P3tog, P7, P2tog, P6, increase in next st., purl to within 9 sts. of end of row, P2tog twice, P5 (1 st. decreased each side of point and 2 sts. decreased 5 sts. from front edge—64 sts.).

8TH ROW—Knit all sts.

9TH ROW—P7, increase in next st., P14, P3tog, P14, increase in next st., purl to end.

Continue in pattern for 7 more rows, having 1 st. less each side of point and 2 sts. less after 2nd increase marking.

2ND DECREASE ROW—(17th row of Yoke)—K7, increase in next st., K6, K2tog, K6, K3tog, K6, K2tog, K6, increase in next st., knit to within 9 sts. of end, K2tog twice, K5 (60 sts.).

Continue in pattern, increasing and decreasing for point every 2nd row, at the same time, decrease 1 st. each side of point and decrease 2 sts. at front by working 8th and 9th st. from front edge together and 6th and 7th st. from front edge together every 10th row 5 more times (40 sts.).

Work 1 row even, ending at armhole edge. Armhole should measure 7 inches.

SHOULDER—**1ST ROW**—Continuing in yoke pattern, cast off 4 sts., 1 st. on right point of needle, P2, increase in next st., P8, P3tog, P8, increase in next st., finish row. Work 1 row even.

3RD ROW—Cast off first 4 sts., with 1 st. on needle, K7, K3tog, K8, increase in next st., K3, K2tog twice, K5 (29 sts.).

★Work 1 row even.

5TH ROW—Cast off first 2 sts., with 1 st. on needle P4, P3tog, P8, increase in next st., finish row. Work 1 row even.

7TH ROW—Cast off first 2 sts., with 1 st. on needle, P1, P3tog, P8, increase in next st., P1, P2tog twice, P5 (21 sts.). Work 1 row even.

9TH ROW—Cast off first 11 sts., work to end of row. Cast off 5 sts. from armhole edge every 2nd row twice.

RIGHT FRONT—Cast on 66 sts. for lower edge.

1ST ROW (Right Side)—P10, knit to end of row.

2ND ROW—P56, K10.

Work to correspond to left front until 10 rows from lower edge, ending at front edge. Make buttonhole as follows: K3, cast off 4 sts., finish row.

NEXT ROW—Cast on 4 sts. over the cast off sts. Work to correspond to left front, shaping at underarm as on left front, working short rows in front border after every 22nd row and repeating buttonhole on 2nd and 3rd row of every 4th knit stripe in border, until same length as left front to

underarm, ending at underarm edge with 5th pattern row (this should be first row of 7th buttonhole).

ARMHOLE—Cast off 9 sts. at beginning of next row for underarm, continue across row, completing buttonhole. Decrease 1 st. at armhole edge every 2nd row 7 times, continuing short rows in border, ending at front edge with 4th pattern row. Work 1 row even.

NEXT ROW—P8, cast off next 20 sts. for pocket, purl to end.

YOKE AND POCKET—Cast on 33 sts. on a spare needle with a separate strand of yarn for pocket flap. Break yarn.

1ST ROW OF YOKE—Beginning at front edge, P26, increase 1 st. in next st. (mark 27th st. from front edge), work across sts. on spare needle as follows: P15, P3tog, P15, increase 1 st. in next st. (mark increased st.), purl to end (68 sts.). Carry marking threads up entire length of yoke.

2ND ROW—Knit all sts.

3RD ROW—P26, increase in next st., P15, P3tog, P15, increase in next st., purl to end.

4TH ROW—Purl all sts.

5TH ROW—K3, cast off next 4 sts., knit until 19 sts. after cast-off, increase in next st., K15, K3tog, K15, increase in next st., knit to end.

6TH ROW—Purl all sts., casting on 4 sts. over cast-off sts. This completes last (8th) buttonhole.

1ST DECREASE ROW—(7th row of Yoke)—P5, P2tog twice, P17, increase in next st., P6, P2tog, P7, P3tog, P7, P2tog, P6, increase in next st., purl to end (64 sts.).

8TH ROW—Knit all sts.

9TH ROW—P24, increase in next st., P14, P3tog, P14, increase in next st., purl to end.

Complete to correspond to left front.

SLEEVES—Starting at lower edge, cast on 56 sts. Work even in stocking stitch for 2 inches. Increase 1 st. each side on next row and repeat increases every inch 15 times (88 sts.). Work even until 18 inches from lower edge. Cast off 7 sts. at beginning of each of next 2 rows. Decrease 1 st. each side every 4th row 14 times (46 sts.). Work 2 rows even. Working first 2 sts. tog, cast off 12 sts. at beginning of each of next 2 rows. Work even on remaining 22 sts. for 1½ inches. Cast off.

TO FINISH—Sew seams. Sew the 12 sts. cast off each side of top of sleeve to edges of 1½ inches worked even.

Join yarn on neck edge at right shoulder seam, working from wrong side, work 1 slip st. in end of every 2nd row to lower edge of right front. Fasten off. Beginning at lower edge of left front, work slip stitch to shoulder seam to correspond. Join yarn at lower edge of left front, working from right side, work 1 row s.c. across lower edge, keeping work flat. Fasten off at right front edge. Join yarn at beginning of last row and work 1 s.c. in each st. Fasten off. Work 1 row s.c. across cast, off edge of pocket opening. Working from wrong side, work 1 row s.c. across cast on edge of pocket flaps, increasing 2 sts. at centre point. Tack pocket flaps to Jacket at point. Work 1 row s.c. across back of neck on right side, keeping work flat. Work 2 rows s.c. around lower edge of sleeves.

Make stuffed shoulder pads and sew in.

Sew seam binding across back of neck. Bind armholes.

Sew buttons in centre of left front border. Sew snap fastener to lower edge of borders.

SKIRT

Starting at lower edge, cast on 401 sts. Join, taking care sts. do not twist on needle. Mark end of rounds as an aid in counting.

1ST ROUND—K51, †* P2, K6; repeat from * 3 times, P2 (this forms a group of ribbed "pleats"), K18 †, repeat between †'s twice, knit to end of round. Repeat this round until 3 inches from lower edge.

1ST DECREASE ROUND—K49, † K2tog, * P2, K2, K2tog, K2*; repeat between *'s 3 times, P2, K2tog, K14; repeat from † twice, knit to end of round (383 sts., 18 sts. decreased on front of skirt).

(Tension of Stitch—7 sts. = 1 inch. 11 rounds = 1 inch.)

Work even until 6 inches from lower edge, having 1 st. less in each knit stripe of ribbing, 2 sts. less in stocking stitch stripes between ribbed groups and 1 st. less each side of pleated section.

2ND DECREASE ROUND—K48, decrease 18 sts. on front of skirt as before, K48 after last decrease; *K2tog, K21*; repeat between *'s 6 times (358 sts.). Work until 9 inches.

3RD DECREASING ROUND—K47, decrease 18 sts. on front of skirt as before; knit to end of round (340 sts.). Work even until 12 inches.

(Continued on page 18)

No. 408

You'll like this Bolero. Worked throughout in a very easy drop stitch pattern. Gathered at shoulders. Faced with ribbon binding. In Monarch Crepe-de-Laine for added smartness.

Size 36

MEASUREMENTS OF FINISHED GARMENT WHEN BLOCKED—All around at underarm, 34 inches. Length from shoulder to lower edge, 15 inches. Length of sleeve at underarm seam, 5 inches.

TENSION OF STITCH—8 sts. = 1 inch. 8 rows = 1 inch.

Materials Used

MONARCH CREPE-DE-LAINE

6 Skeins Lime 1 Med. Crochet Hook
1 Pair No. 13 Needles

BACK—Starting at lower edge, cast on 120 sts.

1ST Row—Knit. 2ND Row—Purl.

Repeat the last 2 rows twice.

7TH Row—* Insert needle in st., wool around needle, 3 times, knit through st., repeat from * across row.

8TH Row—Purl, allowing the loose thread to drop (forming drop stitch).

These 8 rows complete pattern.

Continue in pattern until work measures 5 inches from beginning (5 patterns). Then increase 1 st. each end of needle every 3rd row of each pattern for 3 patterns (126 sts. on needle).

SHAPE ARMHOLES by casting off 5 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 2nd row, 5 times (106 sts. on needle). Continue evenly until armhole measures 7 inches from first decreasing (7 patterns.).

SHAPE SHOULDERS by casting off 8 sts. at the beginning of each of the next 8 rows. Cast off remaining sts.

RIGHT FRONT—Starting at lower edge, cast on 64 sts. Work in pattern for 5 inches. Increase 1 st. at the end of every 3rd row of each of the next 3 patterns (67 sts. on needle).

SHAPE ARMHOLE in same manner as back (57 sts. on needle).

Shape front by decreasing 1 st. at neck edge every 2nd row until armhole measures 7 inches from first decreasing (35 sts. on needle).

NEXT Row—K2tog, knit to end.

NEXT Row—Cast off 8 sts., purl to end.

Repeat the last 2 rows, twice. Cast off remaining sts.

LEFT FRONT—Work to correspond with Right Front, working all shapings at opposite ends of needle.

SLEEVES—Starting at lower edge, cast on 76 sts. Work in pattern for 2 inches. Continue in pattern, increasing 1 st. each end of needle every 4th row until there are 82 sts. on needle. Continue evenly until work measures 4½ inches from beginning (4½ patterns).

5TH Row—K6, * K2 sts. in next st., K1, repeat from * to within 6 sts. from end, K6.

6TH Row—Purl.

7TH Row—Pattern.

8TH Row—Purl.

Still working in pattern, cast off 5 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every knit row (omitting decreasing on the pattern row) until 72 sts. remain on needle. Cast off.

TO FINISH—Sew seams neatly. gathering fullness of sleeve at shoulder. Work 1 row s.c. around entire Bolero and around edge of sleeves. Bind with ribbon.

There is a Monarch Yarn for every Purpose

For evening, informal wear or sport, you'll find a Monarch Yarn specially designed for the occasion and a choice of Monarch colors to suit your most exacting demands.

in Paris

No. 407

Ladies' Bolero and Bag. Made in all over loop pattern from Monarch Crepe-de-Laine. For afternoon or evening. The bag in matching pattern with long tassel is an attractive supplement.

Size 34

MEASUREMENTS OF FINISHED GARMENT WHEN BLOCKED—All around at underarm, 34 inches. Length from neck to lower edge, 14 inches. Length of sleeve at underarm seam, 4 inches.

TENSION OF STITCH—9 sts. = 1 inch. 11 rows = 1 inch.

Materials Used

MONARCH CREPE-DE-LAINE

8 Skeins Vassar 1 Pair No. 13 Needles
1 Fine Crochet Hook

BACK—Starting at lower edge, cast on 131 sts. Work in stocking stitch (knit 1 row, purl 1 row) for 5 rows.

START PATTERN—(With wrong side of work towards you.)

1ST ROW—*K1 st., insert needle in next st., wind wool around needle and first finger of left hand twice, finish as if to knit, repeat from *, ending K1.

2ND ROW—Knit.

3RD ROW—Purl.

4TH ROW—Knit.

Repeat the last 2 rows, twice.

These 8 rows complete pattern.

Continue in pattern, increasing 1 st. each end of needle on every 3rd row of every pattern (4 times) (139 sts. on needle).

Continue in pattern until there are 10 rows of loops. Work 3 rows of stocking stitch from last row of loop.

SHAPE ARMHOLES, by casting off 8 sts. at the beginning of each of the next 2 rows.

Continue in pattern, decreasing 1 st. each end of needle every 2nd row, 8 times (107 sts. on needle).

Continue evenly until there are 21 rows of loops from bottom edge.

SHAPE SHOULDERS, by casting off 8 sts. at the beginning of each of the next 8 rows. Cast off remaining sts.

RIGHT FRONT—Starting at lower edge, cast on 67 sts.

Work in same manner as back, increasing 1 st. each end of needle on 3rd row of every pattern 4 times. (75 sts. on needle).

Continue evenly until there are 10 rows of loops.

Work 3 rows of stocking stitch.

SHAPE ARMHOLE by casting off 8 sts. at the beginning of the next purl row.

Decrease 1 st. every 2nd row (armhole edge) 6 times.

Still decreasing at armhole edge twice more, decrease 1 st. at neck edge every 4th row.

Continue working, decreasing at neck edge only every 4th row until 42 sts. remain on needle. Decrease at neck edge every 2nd row 10 times (32 sts. on needle).

SHAPE SHOULDER by casting off 8 sts. armhole edge every 2nd row 4 times.

LEFT FRONT—Work to correspond with right front.

SLEEVES—Starting at cuff, cast on 83 sts.

Work in same manner as back, increasing 1 st. each end of needle on every 3rd row of each pattern, 4 times (91 sts. on needle).

Continue evenly until there are 6 rows of loops from beginning. Work 3 rows stocking stitch from last row of loop.


Cast off 8 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 2nd row until 21 sts. remain on needle. Cast off.

TO FINISH—Sew seams neatly. Work 1 row s.c. around entire Bolero and bottom of sleeves. Bind with ribbon.

(Continued on page 18)



Antique
Pattern



*Smockingly
Smart*



*Sport or
Bridge*

No. 402

(Description on Page 14)

Monarch Ann Dora Jacket. The Rib stitch at waist line and pockets is smocked. Crocheted neck band and front. Zipper fastening.

Size 16

MEASUREMENTS OF FINISHED GARMENT WHEN BLOCKED—All around at underarm, 34 inches. Length from lower edge to shoulder, 19 inches. Length of sleeve at underarm seam, 19 inches.

TENSION OF STITCH—8 sts. = 1 inch. 11 rows = 1 inch.

Materials Used

MONARCH ANN DORA 1 Pair No. 12 Needles
8 Balls Coral 1 Med. Crochet Hook
1 Pair No. 11 Needles 1 Zipper Fastener (16 ins.)

BACK—Starting at lower edge, with No. 12 needles, cast on 129 sts.

1ST Row (Wrong Side)—K2, * P1, K3; repeat from *, ending last repeat K2.

2ND Row—P2, * K1, P3; repeat from *, ending last repeat P2.

Repeat these 2 rows of ribbing for entire back.

Work even until 11¼ inches from lower edge, ending on right side.

ARMHOLES—Cast off 6 sts. at beginning of each of next 2 rows for underarm. Decrease 1 st. each side every 2nd row 5 times (107 sts.). Work even until 6¾ inches above underarm.

SHOULDERS—Cast off 6 sts. at beginning of each of next 12 rows in ribbing (36 sts. for each shoulder).

Cast off remaining 35 sts. for back of neck.

POCKET LININGS—Starting at lower edge, cast on 35 sts.

1ST Row (Wrong Side)—K3, * P1, K3; repeat from * across row.

2ND Row—P3, * K1, P3; repeat from * across row.

Repeat these 2 rows until 3 inches from lower edge, ending on right side. Break yarn and slip sts. on to stitch holder.

RIGHT FRONT—Starting at lower edge, with No. 12 needles, cast on 73 sts.

1ST Row (Wrong Side)—K2, * P1, K3; repeat from * across row, ending last repeat with K2.

2ND Row—P2, * K1, P3; repeat from *, ending last repeat with P2.

Mark the point 2½ inches, for first row of smocking.

Work until same number of rows as on back up to underarm, ending on right side at underarm edge.

ARMHOLE AND NECK SHAPING—Cast off 5 sts. at beginning of next row for underarm. Keeping front edge even, decrease 1 st. at armhole edge every 2nd row 5 times (63 sts.).

Work even until 3 inches above underarm, ending at front edge.

NEXT Row—Work 11 sts., cast off next 43 sts. for pocket opening, work 9 sts.

NEXT Row—Work 9 sts., slip 35 sts. of pocket lining to left hand needle, with right side of lining to wrong side of front and work ribbed pattern across these sts., work across remaining 11 sts. (55 sts.).

(NOTE.—Extra fullness of pocket opening is held in by smocking).

Work even until 4¾ inches above underarm, ending at front edge.

Cast off 11 sts. at beginning of next row for neck edge. Keeping armhole edge even, decrease 1 st. at neck edge every 2nd row 8 times (36 sts.). Work even until 6¾ inches above underarm.

SHOULDER—Keeping front edge even, cast off 6 sts. at armhole edge every 2nd row 6 times. Fasten off.

LEFT FRONT—Starting at lower edge, with No. 12 needles, cast on 73 sts. for lower edge.

1ST Row (Wrong Side)—K2, * P1, K3; repeat from *, ending last repeat with K2.

2ND Row—P2, * K1, P3; repeat from * across row, ending last repeat K2.

Work to correspond to right front up to pocket opening, cast off for underarm at beginning of a row worked from right side, and ending on wrong side at armhole edge.

NEXT Row—Work 9 sts., cast off next 43 sts. for pocket opening, work 11 sts. Finish to correspond to right front.

SLEEVES—Starting at lower edge, with No. 12 needles, cast on 57 sts. Work ribbing as on back for 2½ inches, ending on wrong side.

INCREASE Row (Right Side)—K4, * increase 1 st. in next st., K7; repeat from *, ending last repeat with K4 (64 sts.).

Change to No. 11 needles. Work in stocking stitch (purl 1 row, knit 1 row), increasing 1 st. each side every 7th row 18 times (100 sts.).

Work even until 18 inches from lower edge. Cast off 8 sts. at beginning of each of next 2 rows for underarm.

Decrease 1 st. each side every 2nd row 6 times. Work even until 4½ inches above underarm.

Decrease 1 st. each side of next row and repeat decreases every 2nd row twice more. Cast off 2 sts. at beginning of each of next 6 rows, then 3 sts. at beginning of each of next 4 rows. Cast off remaining 42 sts.

TO FINISH—Run a cotton basting thread across back (2½ inches above lower edge). Run 5 more bastings above first basting, with 4 rows between each basting. Run 6 bastings across each front in corresponding rows.

Run a basting across pocket opening in first row below cast-off row.

Run 3 more bastings below first basting, across the 12 "knit ribs" below pocket edge, with 4 rows between each basting.

Run 4 bastings across other pocket in same manner.

Sew seams, matching bastings at underarm. Sew sleeves to armholes, with sleeve seam at centre underarm, holding in extra fullness at top of sleeve to 4 inches.

NECKBAND—Join yarn on neck edge at corner of right front edge. Working from right side, work 1 s.c. in each of 11 cast-off sts., 26 s.c. to shoulder, 1 s.c. in each st. on back neck edge, 37 s.c. to left front corner.

2ND Row—Ch. 1, turn, work 1 s.c. in each st. of row below.

3RD Row—Same as 2nd row. Fasten off.

Join yarn on right front edge at lower edge. Working from right side, work 2 s.c. in every 3 rows up to first basting, 3 s.c. in every 4 rows up to neck (holding front edge in to 16 inches), 1 s.c. in each row of s.c. on neck band, 3 s.c. at corner, 1 s.c. in each st. of neck band, 3 s.c. at corner, work s.c. on left front edge to correspond. Fasten off at lower edge.

WAISTLINE SMOCKING—Join Ann Dora wool on right front crocheted edge at first basting (2½ inches above lower edge). Working from right side insert embroidery needle under s.c. and first knit rib at first basting (passing needle over 3 purl sts. between s.c. and rib). Draw these 2 sts. together tightly and embroider over them once more, bringing needle through to right side in 2nd row of basting at left of 2nd knit rib. Embroider over and over first and 2nd knit rib of this row in same manner as before, bringing needle through to right side at left of 3rd knit rib of first row of basting. Being careful not to draw yarn too tightly on wrong side, continue smocking each successive knit rib across these 2 "basting" rows to left front edge, ending by embroidering over last knit rib and s.c. of left front edge. Repeat this double row of smocking twice more (along lines of 3rd and 4th basting and 5th and 6th basting).

Work 2 double rows of smocking across each pocket opening in same manner, working over 12 knit ribs below top edge of openings.

Sew edges of each pocket lining to wrong side of front, sewing side edges along the knit rib at each end of opening and 35 sts. of lower edge of lining to 45 sts. of front.

Sew zipper fastener to front edges from lower edge up to first row of neck band, matching smocking at waistline.

Sew in curved stuffed shoulder pads, 5½ inches long and 1⅝ inches wide.

MONARCH ANN DORA

A new yarn of extra soft quality. Exceptionally light in weight. Made with a special soft twist. Ideal for pullovers. See this new yarn today at your Monarch dealer's. You'll be surprised at the moderate cost and the wide range of beautiful colors. Right up to the Monarch standard in washability and color fastness.



Grand Slam

No. 410 (Long or short sleeves)

This very popular ribbed Jacket is definitely suitable for Badminton, Golf, Office and other informal wear. Button and buttonhole band up front of satin, back ribbon. Instructions for long or short sleeves. Just right in Monarch Ann Dora.

Size 16

MEASUREMENTS OF FINISHED GARMENT WHEN BLOCKED—All around at underarm, 34 inches. Length from neck to lower edge, 21 inches. Length of sleeve at underarm seam, 5 inches (19 inches long sleeves.)

TENSION OF STITCH—7 sts. = 1 inch. 10 rows = 1 inch.

Materials Used

MONARCH ANN DORA

5 Balls Banana 1 Pair No. 12 Needles
1 Pair No. 11 Needles 1 Medium Crochet Hook

BACK—Starting at lower edge, with No. 12 needles, cast on 112 sts. Work in ribbing (K2, P2) for 4 inches. Change to No. 11 needles.

1ST Row—* K4, P5, repeat from *, ending K4.

2ND Row—* P4, K5, repeat from *, ending P4.

Repeat these 2 rows, increasing 1 st. each end of needle every 10th row, until there are 126 sts. on needle.

(Continued on page 17)



Flattering

No. 409

Modern lines are emphasized in the bodice and broad shoulder effect in this smart button-back bridge blouse. Styled in Monarch Crepe-de-Laine.

Size 16

MEASUREMENTS OF FINISHED GARMENT WHEN BLOCKED—All around at underarm, 34 inches. Length from shoulder to lower edge, 17½ inches. Length of sleeve at underarm seam, 19 inches.

TENSION OF STITCH—8 sts. = 1 inch. 10 rows = 1 inch.

Materials Used

MONARCH CREPE-DE-LAINE

9 Skeins Robin Egg Blue 1 Pair No. 11 Needles
1 Med. Crochet Hook

PATTERN—8 sts. plus 9.

1ST Row—K3, * K2tog, WO, K6, repeat from * to within 6 sts., K2tog, WO, K4.

2ND AND EVERY ALTERNATE ROW—Purl.

3RD Row—K2, * K2tog, WO, K1, WO, S1, K1, PSSO, K3, repeat from * to within 7 sts., K2tog, WO, K1, WO, S1, K1, PSSO, K2.

5TH Row—K1, * K2tog, WO, K1, WO, K2tog, WO, S1, K1, PSSO, K1, repeat from * to end of row.

7TH Row—K7, * K2tog, WO, K6, repeat from *, ending K2.

9TH Row—K6, * K2tog, WO, K1, WO, S1, K1, PSSO, K3, repeat from *, ending K3.

11TH Row—K5, * K2tog, WO, K1, WO, K2tog, WO, S1, K1, PSSO, K1, repeat from *, ending K4.

These 12 rows complete pattern.

FRONT—Starting at lower edge, cast on 122 sts.

1ST Row—K8, pattern 49 sts., K8, pattern 49, K8.

2ND AND EVERY ALTERNATE Row—Purl.

3RD Row—K1, K2tog, K5, pattern 49 sts., K8, pattern 49 sts., K5, K2tog, K1.

5TH Row—K7, pattern 49 sts., K8, pattern 49 sts., K7.

7TH Row—K1, K2tog, K4, pattern 49 sts., K8, pattern 49 sts., K4, K2tog, K1.

9TH Row—K6, pattern 49 sts., K8, pattern 49 sts., K6.

11TH Row—K1, K2tog, K3, pattern 49 sts., K8, pattern 49 sts., K3, K2tog, K1.

13TH Row—K5, pattern 49 sts. (1st row of 2nd pattern), K8, pattern 49 sts., K5.

15TH Row—K1, K2tog, K2, pattern 49 sts., K8, pattern 49 sts., K2, K2tog, K1.

17TH Row—K4, pattern 49 sts., K8, pattern 49 sts., K4.

19TH Row—K1, K2tog, K1, pattern 49 sts., K8, pattern 49 sts., K1, K2tog, K1.

21ST Row—K3, pattern 49 sts., K8, pattern 49 sts., K3.

23RD Row—K1, K2tog, pattern 49 sts., K8, pattern 49 sts., K2tog, K1 (110 sts. on needle).

25TH Row—K2, pattern 49 sts., (1st row of 3rd pattern), K8, pattern 49 sts., K2.

27TH Row—K2, pattern 49 sts., K8, pattern 49 sts., K2.

29TH Row—K2, pattern 49 sts., K8, pattern 49 sts., K2.

31ST Row—K2 sts. in first st., K1, pattern 49 sts., K8, pattern 49 sts., K2 sts. in next st., K1 (112 sts. on needle.)

33RD Row—K3, pattern 49 sts., K8, pattern 49 sts., K3.

35TH Row—K3, pattern 49 sts., K8, pattern 49 sts., K3.

37TH Row—K3, pattern 41 sts. (1st row of 4th pattern), K24, pattern 41 sts., K3.

39TH Row—K2 sts. in first st., K2, pattern 41 sts., K24, pattern 41 sts., K1, K2 sts. in next st., K1 (114 sts. on needle).

41ST Row—K4, pattern 41 sts., K24, pattern 41 sts., K4.

43RD Row—K4, pattern 41 sts., K24, pattern 41 sts., K4.

45TH Row—K4, pattern 41 sts., K24, pattern 41 sts., K4.

47TH Row—K2 sts., in first st., K3, pattern 41 sts., K24, pattern 41 sts., K2, K2 sts. in next st., K1 (116 sts. on needle).

49TH Row—K16, * K2tog, WO, K6, repeat from * twice, K41, ** K2tog, WO, K2tog, repeat from ** twice, K11.

51ST Row—K15, * K2tog, WO, K1, WO, S1, K1, PSSO, K3, repeat from * twice, K41, ** K2tog, WO, K1, WO, S1, K1, PSSO, K3, repeat from ** twice, K12.

53RD Row—K14, * K2tog, WO, K1, WO, K2tog, WO, S1, K1, PSSO, K1, repeat from * twice, K41; ** K2tog, WO, K1, WO, K2tog, WO, S1, K1, PSSO, K1, repeat from ** twice, K13.

55TH Row—K2 sts. in first st., K19, * K2tog, WO, K6, K2tog, WO, K6 *, K49, repeat from * to * once, K13, K2 sts. in next st., K1 (118 sts. on needle).

56TH Row—P19, P2 sts. in next st., purl to within 20 sts. from end, P2 sts. in next st., P19 (120 sts. on needle).

57TH Row—K21, * K2tog, WO, K1, WO, S1, K1, PSSO, K3, repeat from * once, K49, ** K2tog, WO, K1, WO, S1, K1, PSSO, K3, repeat from ** once, K18.

58TH Row—Same as 56th row.

59TH Row—K20, K2 sts. in next st., * K2tog, WO, K1, WO, K2tog, WO, S1, K1, PSSO, K1, repeat from * once; K49, ** K2tog, WO, K1, WO, K2tog, WO, S1, K1, PSSO, K1, repeat from ** once, K2 sts. in next st., K19 (124 sts. on needle).

60TH Row—Same as 56th row.

61ST Row—K26, K2 sts. in each of the next 2 sts., K1, K2tog, WO, K63, K2tog, WO, K2, K2 sts. in each of the next 2 sts., K26 (130 sts. on needle).

62ND Row—Same as 56th row.

63RD Row—K31, * K2tog, WO, K1, WO, S1, K1, PSSO*, K60, repeat from * to * once, K31.

64TH Row—Same as 56th row.

65TH Row—K29, K2 sts. in each of the next 2 sts., * K2tog, WO, K1, WO, K2tog, WO, S1, K1, PSSO *, K58, repeat from * to * once, K2 sts. in each of the next 2 sts., K29 (138 sts. on needle).

66TH Row—Purl.

67TH Row—K22, † * K2 sts. in next st., K1, repeat from * 6 times †, K66, repeat from † to † once, K22 (152 sts. on needle).

68TH Row—Purl.

69TH Row—K42, † * K2 sts. in next st., K1, repeat from

* twice †, K56, repeat from † to † once, K42 (158 sts. on needle).

70TH Row—Purl.

Continue in stocking stitch, increasing 1 st. each end of needle every 6th row, 4 times (166 sts. on needle).

Continue evenly until work measures 10 inches from beginning (100 rows).

SHAPE ARMHOLE by casting off 5 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 2nd row, 4 times (148 sts. on needle).

Continue evenly until armhole measures 4 inches from first decreasing (40 rows).

START YOKE:

NEXT Row—K4; (K2tog), 21 times; K54; (K2tog) 22 times; K4 (105 sts. on needle).

NEXT Row—Purl.

Work in pattern for 36 rows (3 patterns). Cast off.

BACK (Right Side)—Starting at lower edge, cast on 67 sts.

1ST Row—Knit. 2ND Row—Purl.

3RD Row—K1, S1, K1, PSSO, knit to end.

4TH Row—Purl.

Repeat these 4 rows, 5 times (61 sts. on needle).

Continue evenly until work measures 2½ inches from beginning. Increase 1 st. at beginning of every 6th row (armhole edge) until there are 68 sts. on needle.

Continue evenly until work measures 10 inches from beginning.

SHAPE ARMHOLE in same manner as back (59 sts. on needle). Continue evenly until armhole measures 4 inches from first decreasing.

NEXT Row—Pattern 41 sts., K18.

NEXT Row—Purl.

Continue in this manner until there are 36 rows of pattern (3 patterns). Cast off.

BACK (Left Side)—Work to correspond with right back, working first buttonhole on the 13th row, thus:

13TH Row—K2, cast off 4 sts., knit to end.

14TH Row—Purl to cast off sts., cast on 4 sts., P2.

Continue working buttonholes on every 15th and 16th rows (14 rows apart) until there are 11 buttonholes completed, having 2 rows above last buttonhole.

SLEEVES—Starting at cuff, cast on 49 sts. Work in pattern for 60 rows (5 complete patterns).

Continue working, taking 8 sts. more in stocking stitch each side (16 sts. less in pattern at centre) every 12th row, at the same time increasing 1 st. each end of needle every 4th row until all sts. are being worked in stocking stitch (61 sts. on needle).

NEXT Row—K15, K2 sts. in each of the next 31 sts., K15 (92 sts. on needle).

NEXT Row—Purl.

NEXT Row—K34, * K2 sts. in next st., K2, repeat from * 7 times, K34 (100 sts. on needle).

Continue evenly until sleeve measures 19 inches from beginning (cuff included).

Cast off 5 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 2nd row until 50 sts. remain. Cast off.

TO FINISH—Sew all seams neatly. Work 1 row s.c. around entire Blouse. Bind buttonholes. Sew sleeves, gathering fullness at top.

410—(Continued from page 16)

Continue evenly until work measures 13 inches from beginning (band included).

SHAPE ARMHOLES, by casting off 4 sts. at the beginning of each of the next 2 rows.

Decrease 1 st. each end of needle every 2nd row, 4 times (110 sts. on needle).

Continue evenly until armhole measures 6 inches from first decreasing. Work in ribbing (K2, P2) for 1½ inches.

SHAPE SHOULDERS by casting off 8 sts. at the beginning of each of the next 6 rows. Cast off remaining sts.

LEFT FRONT—Starting at lower edge, with No. 12 needles. Cast on 56 sts. Work in ribbing (K2, P2) for 4 inches.

Change to No. 11 needles. Work in ribbing (K4, P5) increasing 1 st. at the end of every 10th row (armhole edge) until there are 63 sts. on needle. Continue evenly until work measures 13 inches from beginning (band included).

SHAPE ARMHOLE in same manner as back (55 sts. on needle). Continue evenly until armhole measures 6 inches from first decreasing.

(Continued on page 18)

Work in ribbing (K2, P2) for 1½ inches, decreasing 1 st at the end of first row (54 sts. on needle).

SHAPE SHOULDER, by casting off 8 sts. (armhole edge) every 2nd row, 3 times. Cast off remaining sts.

RIGHT FRONT—Work to correspond with left front, working all shaping at opposite end of needle.

SLEEVES—Starting at cuff, with No. 12 needles, cast on 72 sts. Work in ribbing (K2, P2) for 1½ inches.

Change to No. 11 needles. Work in ribbing (K4, P5), increasing 1 st. each end of needle every 4th row, 6 times (84 sts. on needle).

Continue evenly until sleeve measures 5 inches from beginning (cuff included).

Cast off 4 sts. at the beginning of each of the next 2 rows.

Decrease 1 st. each end of needle every 2nd row until 32 sts. remain on needle. Cast off.

LONG SLEEVES—Starting at cuff, with No. 12 needles, cast on 52 sts. Work in ribbing (K2, P2) for 2 inches.

Change to No. 11 needles. Work in ribbing (K4, P5), increasing 1 st. each end of needle every 10th row, until there are 84 sts. on needle. Continue evenly until sleeve measures 19 inches from beginning (cuff included). Finish off as for short sleeves.

TO FINISH—Sew all seams neatly. Cut 2-inch ribbon in two 23-inch lengths. Turn ends of each piece under for about 1 inch. Baste and sew to fronts, allowing ribbon to overlap the first 4 sts. of each front. Work 9 buttonholes evenly spaced on right front. Work 1 row s.c. around neck edge.

404—(Continued from page 11)

4TH DECREASING ROUND—K46, decrease 18 sts. on front of skirt as before, K66 after last decrease, *K2 tog, K20*; repeat between *'s 5 times, K2tog (315 sts.).

NEXT ROUND—Discontinue ribbing and decrease 16 sts. as follows:

5TH DECREASE ROUND—K2tog, K45, †* K2tog (the 2 purl sts.), K2, repeat from * 3 times, K2tog, K10; repeat from † twice, knit to end of round (299 sts.). Knit until 15 inches.

6TH DECREASE ROUND—*K2tog, K21; repeat from * around (286 sts.). Knit until 18 inches.

7TH DECREASE ROUND—Decrease 13 sts. in round as for 6th decrease round, having 1 st. less between decreases. Knit until 20 inches from lower edge or to within 8 inches of desired finished length.

8TH DECREASE ROUND—Decrease 13 sts. in round as before, having 1 st. less between decreases (260 sts. at hipline).

Continue to decrease 13 sts. in a round every 1½ inches twice; every inch 3 times; always including previous decrease round in part worked even (195 sts.). Knit even until 27 inches from lower edge. Cast off. Do not break yarn.

BEADING FOR ELASTIC—Ch. 5, miss 2 ch., 1 d.c., into next ch., * 2 ch., miss 2 ch., 1 d.c. into next ch., repeat from * around. Work 1 round of single crochet with 2 s.c. in each space.

Work 1 row s.c. around lower edge of skirt on right side, keeping edge flat. Ch. 1, do not turn, work 1 row of 1 s.c. in each st. Fasten off.

401—(Continued from page 7)

RIGHT FRONT—Take 64 sts. from stitch holder for right front, work to correspond, working all shapings at opposite end of needle.

SLEEVES—Starting at cuff, with No. 12 needles and Banana wool, cast on 52 sts. Work in ribbing (K2, P2) for 3 inches. Knit 1 row, increasing to 60 sts. Purl 1 row. Change to No. 11 needles.

START PATTERN:

1ST ROW—K27 Banana; join Scarlet, K6; join Banana, K27. Continue in pattern, increasing 1 st. each end of needle every 10th row until there are 5 patterns (40 rows).

Break off Scarlet and 1 Ball of Banana. Continue working still increasing every 10th row until there are 88 sts. on needle. Continue evenly until sleeve measures 19 inches from beginning (cuff included).

Cast off 6 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 2nd row until 50 sts. remain on needle. Decrease 1 st. each end of needle every row, until 20 sts. remain on needle. Cast off.

CABLE STRIPS (ABOVE WAISTBAND) (2 Pieces)—With No. 11 needles and Scarlet wool, cast on 8 sts.

1ST ROW—Knit.

2ND ROW—K1, P6, K1.

Repeat last 2 rows twice.

7TH ROW—K1, cable 6 sts., K1.

8TH ROW—Same as 2nd row.

Repeat these 8 rows 7 times (64 rows of pattern). Cast off.

COLLAR—With No. 11 needles and Scarlet wool, cast on 16 sts.

1ST ROW—Knit. 2ND ROW—Purl.

Repeat last 2 rows twice.

7TH ROW—K2; place next 6 sts. on to spare needle, K6 sts. from left hand needle, K6 sts. from spare needle, K2.

8TH ROW—Same as 2nd row.

Repeat these 8 rows until work measures 14 inches. Cast off.

TO FINISH—Sew all seams neatly. Sew cable strips to top of ribbing at waistband.

With Emerald wool, work 1 row s.c. around neck edge. Work 1 row s.c. along both ends and one edge of collar. Sew collar to neck line with Emerald wool, sewing the s.c. of collar to neck edge.

Make 6 tassels about 2 inches long, fasten at ends of Scarlet strips as illustrated. Finish with zipper up front.

407—(Continued from page 13)

BAG

Materials Used

MONARCH CREPE-DE-LAINE

2 Skeins Vassar

1 No. 11 Steel Crochet Hook

TO MAKE LOOPS—Insert hook into 1st stitch, wrap wool around 1st finger of left hand and hook also (twice), work off in s.c.

Starting at bottom, ch. 48, join with a slip st.

1ST ROUND—1 s.c. in each ch. Join.

2ND ROUND—1 loop in each s.c., turn, 1 s.c. in each st. across, join, turn. Work 3 rounds s.c.

NEXT ROUND—1 loop in each s.c., turn, 1 s.c. in each st. across, join.

NEXT ROUND—* 1 s.c. in each of the next 2 s.c., 2 s.c. in next s.c., repeat from * around (64 s.c. around). Work 3 rounds s.c.

NEXT ROUND—1 loop in each s.c., turn, 1 s.c. in each st. across, join.

NEXT ROUND—* 1 s.c. in each of the next 3 s.c., 2 s.c. in next s.c., repeat from * around (80 s.c. around). Work 3 rounds s.c.

NEXT ROUND—1 loop in each s.c., turn, 1 s.c. in each st. across, join.

NEXT ROUND—* 1 s.c. in each of the next 3 s.c., 2 s.c. in next s.c., repeat from * around.

★NEXT ROUND—1 loop in each s.c., turn, 1 s.c. in each st. across.

Work 4 rounds s.c.★

Repeat from ★ to ★ until work measures 6 inches from beginning.

BEADING—Ch. 5, miss 2 s.c., 1 tr. c. in next s.c., * 2 ch., miss 2 ch., 1 tr. c. in next s.c., repeat from * around. Join with a slip st. into the 3rd ch. of the 5 ch.

TASSEL—Wind yarn around a 6-inch cardboard, 100 times. Tie securely, fasten at bottom, draw up tightly at bottom of Bag and cut. Make a chain of double yarn. Thread through at top of bag.

MONARCH CREPE-DE-LAINE

Thirty fascinating colors in this popular rayon and wool crepe twist yarn. You'll be surprised at the reasonable price. Gives a rich luxurious appearance to the finished garment. See the actual colors at your Monarch dealer's.



Pullover—Suitably Smart!

No. 411

Blouse. Seed stitch yoke and simulated pockets, ribbed cuffs and waistband contrast with the stocking stitch of body. Crocheting around neck and on pockets. Zipper fastening on each shoulder opening. For the outdoors. For the office.

Size 16

MEASUREMENTS OF FINISHED GARMENT WHEN BLOCKED—All around at underarm, 34 inches. Length from shoulder to lower edge, 18 inches. Length of sleeve at underarm seam, 4 inches.

TENSION OF STITCH—8 sts. = 1 inch. 11 rows = 1 inch.

Materials Used

MONARCH ANN DORA

6 Balls Raspberry

1 Pair No. 12 Needles

1 Pair No. 13 Needles

1 Med. Crochet Hook

BACK—Starting at neck edge, with No. 12 needles, cast on 43 sts.

1ST Row—K1, * P1, K1; repeat from * to end. Cast on 3 sts. at end of row.

2ND Row—P1, * K1, P1; repeat from * to end. Cast on 3 sts.

Continue working seed stitch for yoke, casting on 3 sts. at end of each of next 2 rows, then 4 sts. at end of each of next 12 rows (103 sts.; 30 sts. for each shoulder).

Continue in seed stitch until work measures 2 inches at centre back, ending on wrong side.

Knit 1 row, increasing 1 st. in centre of row (104 sts.).

Purl 1 row and continue in stocking stitch (knit 1 row, purl 1 row) until 5 inches from shoulder (at armhole edge).

Increase 1 st. each side of next row and repeat increases every 2nd row 7 times.

Cast on 8 sts. at end of each of next 2 rows for underarm (136 sts.).

Continue in stocking stitch, decreasing 1 st. each side every inch 7 times (122 sts.). Work even until 8 inches from underarm, ending with a purl row.

(Continued on page 36)

(Illustration on page 21—Top)

Two contrasting colors form front panel of Pullover. Embroider design as illustrated, or choose your own pattern. Ribbed cuffs, band and turn down collar. Front opening fastens with buttons. Soft, light Monarch Andalusian makes it ideal for many occasions.

Size 36

MEASUREMENTS OF FINISHED GARMENT WHEN BLOCKED—All around at underarm, 36 inches. Length from shoulder to lower edge, 19 inches. Length of sleeve at underarm seam, 19 inches.

TENSION OF STITCH—8 sts. = 1 inch. 10 rows = 1 inch.

Materials Used

MONARCH ANDALUSIAN

- | | |
|-----------------------|-----------------------|
| 6 Balls Peach | 1 Pair No. 12 Needles |
| 1 Ball Barbados | 1 Med. Crochet Hook |
| 1 Pair No. 11 Needles | |

BACK—Starting at lower edge, with No. 12 needles and Peach wool, cast on 112 sts. Work in ribbing (K2, P2) for 3 inches.

Change to No. 11 needles, continue in stocking stitch (knit 1 row, purl 1 row) increasing 1 st. each end of needle every 6th row, until there are 140 sts. on needle.

Continue evenly until work measures 12 inches from beginning (band included).

SHAPE ARMHOLES by casting off 6 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 2nd row, 3 times (122 sts. on needle).

Continue evenly until armhole measures 7 inches from first decreasing.

SHAPE SHOULDERS by casting off 9 sts. at the beginning of each of the next 8 rows. Cast off remaining sts.

FRONT—Starting at lower edge, with No. 12 needles and Peach wool, cast on 112 sts.

Work in ribbing (K2, P2) for 3 inches. Change to No. 11 needles.

1ST ROW—K31, P1, K48, P1, K31.

2ND ROW—P31, K1, P48, K1, P31.

Repeat these 2 rows, increasing 1 st. each end of needle every 6th row, until there are 140 sts. on needle.

Continue evenly until work measures 12 inches from beginning (band included).

SHAPE ARMHOLE in same manner as back (122 sts. on needle). Continue evenly until armhole measures 2½ inches from first decreasing.

(Continued on next page)




Chart for Embroidery Pattern—Front Panel 413.

*Monarch Hand Knitting
 Instruction Books*

Monarch Style and Knitting Service is for users of Monarch Yarns. The Monarch Instruction Books listed below are available to you.

Book No.

- 31 Afghans, illustrated in color.
- 45 Quick Knitting Models from Monarch Jumbo.
- 50 Misses' Style Book and Ladies' Staples.
- 55 Ladies' and Misses' Style Book.
- 59 Misses' and Girls' Style Book.
- 60 Ladies' Style Book.
- 64 Ladies' and Men's Styles.
- 65 Ladies' Style Book
- 67 Afghan Book, Illustrated in color.
- 68 Ladies' Style Book.
- 70 Gift and Staple Book.
- 71 Baby Book.
- 72 Men's and Boys' Styles.

Most Monarch Books are also published in French. If your dealer cannot supply any of these books please write to The Monarch Knitting Company Limited, Dunnville, Ontario, and your request will be handled promptly.

DIVIDE FOR OPENING:
 NEXT Row—K36, P1, K24 (place remaining 61 sts. on to a stitch holder). Turn. Continue working on these 61 sts. for 3 inches (30 rows).

SHAPE NECK:

NEXT Row—Cast off 11 sts., P13, K1, P36.

NEXT Row—K36, P1, K13.

NEXT Row—Cast off 4 sts., P9, K1, P36.

Decrease 1 st. neck edge, every row, 10 times. (36 sts. on needle).

SHAPE SHOULDER by casting off 9 sts. (armhole edge) every 2nd row, 4 times.

SLEEVES—Starting at cuff, with No. 12 needles, cast on 48 sts. Work in ribbing (K2, P2) for 3 inches. Change to No. 11 needles.

Knit 1 row, increasing to 56 sts. Purl 1 row.

Continue in stocking stitch (knit 1 row, purl 1 row), increasing 1 st. each end of needle every 6th row, until there are 88 sts. on needle. Continue evenly until sleeve measures 19 inches from beginning (cuff included). Cast off 6 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 2nd row until 26 sts. remain on needle. Cast off.

COLLAR—Cast on 150 sts. Work in ribbing (K2, P2) for 2½ inches. Cast off.

TO FINISH—Sew all seams neatly. Sew on collar. Work 1 row s.c. around opening, forming 5 small loops for buttonholes on right side. With Barbados wool, work 1 row chain st. up the purl stripe on front.

Embroider as chart or any design you may desire.

No. 412

(Illustration Lower Right)

Pullover. Ribbed waistband and cuffs with fine green stripes to form design motif. Stripes repeat front and back to form yoke effect. Vestee worked separately and fastened with dome fasteners. Revers are worked separately. Easy to knit in stocking stitch from Monarch Andalusian.

Size 34

MEASUREMENTS OF FINISHED GARMENT WHEN BLOCKED—All around at underarm, 34 inches. Length from shoulder to lower edge, 20 inches. Length of sleeve at underarm seam, 19 inches.

TENSION OF STITCH—15 sts. = 2 inches. 10 rows = 1 inch.

Materials Used

MONARCH ANDALUSIAN

8 Balls Pearl Grey 1 Pair No. 11 Needles

1 Ball Emerald 1 Pair No. 12 Needles

1 Med. Crochet Hook

BACK—Starting at lower edge, with No. 12 needles and Pearl wool, cast on 116 sts.

Work in ribbing (K2, P2) for 4 rows. Work thus:

★Join Emerald, knit 2 rows.

Join Pearl, knit 1 row.

4TH Row—*K2, P2, repeat from * to end.

Repeat the last row twice.★

Repeat from ★ to ★ 4 times (5 stripes). Change to No. 11 needles.

NEXT Row—Knit, increasing to 126 sts.

NEXT Row—Purl.

Continue in stocking stitch (knit 1 row, purl 1 row) until work measures 13 inches from beginning (band included).

SHAPE ARMHOLE by casting off 8 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 2nd row, 6 times (98 sts. on needle).

Continue evenly until armhole measures 2½ inches from first decreasing.

START YOKE: †Join Emerald, knit 2 rows.

Join Pearl. Work in stocking stitch for 4 rows, repeat from † to † 4 times (5 stripes). Continue in stocking stitch until armhole measures 7 inches from first decreasing.

SHAPE SHOULDERS by casting off 8 sts. at the beginning of each of the next 8 rows. Cast off remaining sts.

FRONT—Work in same manner as back until armhole measures 2½ inches from first decreasing.

DIVIDE FOR OPENING:

Join Emerald, K49. (Place remaining 49 sts. on to a stitch holder), turn, K2tog, knit 47, work thus:

(Continued on page 28)





414—Description on page 23.

Perennially Popular

www.antiquepatternlibrary.org 2019.09

(Illustration on page 22)

Cozy, many-purpose Cardigan. Slip stitch pattern throughout. Crocheted edge all round. Made in the popular Monarch Jumbo.

Size 14

MEASUREMENTS OF FINISHED GARMENT WHEN BLOCKED—All around at underarm, 32 inches. Length from shoulder to lower edge, 19 inches. Length of sleeve at underarm seam, 18 inches.

TENSION OF STITCH—7 sts. = 2 inches. 5 rows = 1 inch.

Materials Used

MONARCH JUMBO 1 Pair Needles No. 1 (14 inch)
 8 Balls Olympic 1 Crochet Hook Size 1 (6 inch)

BACK—Starting at lower edge, cast on 49 sts.

SLIP STITCH PATTERN—1ST ROW—Purl.

2ND ROW (Right Side)—K2, * insert needle in next st., wrap yarn twice around needle and knit the st., K3 *, repeat between *'s, ending last repeat with K2.

3RD ROW—P2, * slip next st. as if to purl, dropping extra wrap and keeping yarn at front, P3 *, repeat between *'s, ending last repeat P2.

4TH ROW—K2, * slip next st. as if to purl, keeping yarn at back, K3 *, repeat between *'s, ending last repeat with K2.

5TH ROW—P2, * slip next st., P3 *, repeat between *'s, ending last repeat with P2.

6TH ROW—Knit all sts.

Repeat these 6 rows of pattern for entire Cardigan. Work even until 17 rows from lower edge (about 3½ inches), ending with 5th pattern row.

Decrease 1 st. each side of next row and repeat decreases every 6th row twice, being careful to keep pattern while decreasing (43 sts.).

Increase 1 st. each side every 4th row 7 times, working increased sts. in pattern (57 sts.). Work even until 11 inches from lower edge, ending with 5th pattern row.

ARMHOLES—Cast off 2 sts. at beginning of each of next 2 rows for underarm. Decrease 1 st. each side every 2nd row 5 times (43 sts.). Work even until 7 inches above underarm, ending with 3rd pattern row.

SHOULDERS—Cast off 4 sts. at beginning of each of next 2 rows.

NEXT ROW—Cast off 5 sts., finish as for 6th pattern row. This completes slip st. pattern. Change to stocking stitch (purl 1 row, knit 1 row).

Cast off 5 sts. at beginning of each of next 3 rows (14 sts. for each shoulder); cast off remaining 15 sts. for back of neck.

RIGHT FRONT—Starting at lower edge, cast on 30 sts.

SLIP STITCH PATTERN—1ST ROW—Purl.

2ND ROW—K3, repeat between *'s of 2nd pattern row of back, ending last repeat with K2.

3RD ROW—P2, repeat between *'s of 3rd pattern row across row.

4TH ROW—K3, repeat between *'s of 4th pattern row, ending last repeat with K2.

5TH ROW—P2, repeat between *'s of 5th pattern row across row.

6TH ROW—K1, WO (for buttonhole), K2tog, work across row as for 6th pattern row of back.

Work pattern in this manner for entire front; repeating buttonhole at front edge every 12th row 5 times (6 buttonholes in all). Work even until 17 rows from lower edge.

Decrease 1 st. at end of next row (underarm edge) and repeat decrease at underarm edge every 6th row twice (27 sts.).

Increase 1 st. at underarm edge every 4th row 7 times (34 sts.).

Work even until same number of patterns as on back to underarm, ending at underarm edge with 6th pattern row (6th buttonhole should be worked in this last row).

ARMHOLE AND NECK SHAPING—Cast off 5 sts. at beginning of next row for underarm.

1ST ROW—Work 4 sts., K2tog (a decrease for shaping neck), work across row.

2ND ROW—P2tog, work across row.

3RD ROW—Work even.

4TH ROW—Same as 2nd row. Repeat these 4 rows twice more (20 sts.). Continue to decrease for V-neck every 4th row as before, keeping armhole edge even until 7 inches above underarm, ending at armhole edge with 4th pattern row.

(Continued on page 27)



No. 415

Especially smart Jacket in contrasting shades. The waistband is worked first and stitches picked up along edge. Waistband and front bands fold back double. Zipper fastening. A bright spot for the fairways.

Size 18

MEASUREMENTS OF FINISHED GARMENT WHEN BLOCKED—All around at underarm, 36 inches. Length from shoulder to lower edge, 19 inches. Length of sleeve at underarm seam, 19 inches.

TENSION OF STITCH—15 sts. = 2 inches. 10 rows = 1 inch.

Materials Used

MONARCH DOVE 6 Balls Raspberry
 6 Balls Turquoise 1 Pair No. 12 Needles

WAIST BAND—With No. 12 needles and Raspberry wool, cast on 44 sts. Work in stocking stitch (knit 1 row, purl 1 row) until work measures 28 inches from beginning. Cast off.

BACK—Divide waistband into 3 sections, (6½ ins., 15 ins., 6½ ins.). On centre 15 inches, with right side of band towards you, join Turquoise, pick up and knit 8 sts.; join Raspberry, pick up 112 sts.; join Turquoise, pick up 8 sts. (128 sts. on needle).

Continue in stocking stitch, increasing 1 st. each end of needle every 10th row until there are 140 sts. on needle

(Continued on page 28)



417—Description on page 25.

418—Description on page 25.

Campus-ly Clever

(Illustration on page 24)

Body of Jacket in Chona Brown with band up front, ties, and yoke crocheted in contrasting Golden Yellow makes this garment especially attractive. Knit throughout in ribbing. Note the ties at neck and button trimming. You'll like Monarch Crepe-de-Laine.

Size 16

MEASUREMENTS OF FINISHED GARMENT WHEN BLOCKED—All around at underarm, 34 inches. Length from lower edge to neck edge, 18 inches. Length of sleeve at underarm seam, 5 inches.

TENSION OF STITCH—(Size 11 needles), 13 sts. = 2 ins. 10 rows = 1 inch.

Materials Used

MONARCH CREPE-DE-LAINE

6 Skeins Chona Brown 1 Pair No. 11 Needles
3 Skeins Golden Yellow 1 Pair No. 12 Needles
1 Medium Crochet Hook

BACK—Starting at lower edge, with Chona Brown and No. 12 needles, cast on 94 sts.

1ST ROW (Wrong Side)—P2, * K2, P2, repeat from * across row.

2ND ROW—K2, * P2, K2, repeat from * across row.

Repeat these 2 rows until 2½ inches from lower edge, ending on right side.

Change to No. 11 needles. Increase 1 st. each side every 8th row 6 times, working increased sts. in ribbing (106 sts.).

Work even until 9¾ inches from lower edge, ending on right side.

ARMHOLES—Cast off 5 sts. at beginning of each of next 2 rows for underarm. Decrease 1 st. each side every 2nd row 5 times (86 sts.). Work 12 rows even, ending on right side.

YOKE—Break Chona Brown, join Golden Yellow.

1ST ROW (Wrong Side)—Purl.

2ND ROW—K2, * P2, K2. Work ribbing for remainder of yoke. Work even until 6¾ inches above underarm.

SHOULDERS—Cast off 4 sts. at beginning of each of next 14 rows, knitting the knit sts. and purling the purl sts. (28 sts. for each shoulder). Cast off remaining 30 sts. for back of neck.

POCKET LININGS—With Yellow and No. 11 needles, cast on 26 sts. for lower edge.

Work ribbing as on back for 2½ inches, ending on right side. Break yarn and slip sts. to a strand of yarn.

Make other pocket lining in same manner.

RIGHT FRONT—Starting at lower edge, with Brown wool and No. 12 needles, cast on 56 sts.

1ST ROW (Wrong Side)—* K2, P2, repeat from * across row (front edge). Repeat this row until same number of rows as on back on No. 12 needles, ending on right side.

Change to No. 11 needles. Increase 1 st. at underarm edge at end of every 8th row 6 times (62 sts.).

Work even until same number of rows as on back up to underarm, ending on right side at underarm edge.

ARMHOLE AND NECK SHAPING—Cast off 8 sts. at beginning of next row for underarm. Keeping front edge even, decrease 1 st. at armhole edge every 2nd row 8 times, ending at front edge (46 sts.).

NEXT ROW—Work 24 sts., cast off 2 sts. for buttonhole, work across row.

NEXT ROW—Work across row, casting on 2 sts. over cast-off sts. Work 4 rows even, ending at front edge.

NEXT ROW—Work 12 sts., cast off 26 sts. for pocket opening, work across row.

YOKE—Break Brown; join Yellow.

1ST ROW—(Wrong Side)—P8, slip 26 sts. of pocket lining on left hand needle, with right side of pocket to wrong side of Jacket, work ribbing across these 26 sts. and purl remaining 12 sts. Work ribbing even on these 46 sts. until 5 inches above underarm, ending at front edge.

Cast off 6 sts. at beginning of next row for neck edge.

Decrease 1 st. at neck edge every 2nd row, keeping armhole edge even until 6¾ inches above underarm.

SHOULDER—Cast off 4 sts. at armhole edge every 2nd row 7 times, continuing to decrease at neck edge as before until there are 12 decreases in all, then work even. Fasten off.

(Continued on page 27)

(Illustration on page 24)

This long sleeve Jacket should be in every wardrobe. Styled in Monarch Bouclé.

Size 16

MEASUREMENTS OF FINISHED GARMENT WHEN BLOCKED—All around at underarm, 34 inches. Length from lower edge to neck edge, 20 inches. Length of sleeve at underarm seam, 18 inches.

TENSION OF STITCH—15 sts. = 2 inches. 10 rows = 1 inch

Materials Used

MONARCH BOUCLE 1 Pair No. 11 Needles (14 inch)
10 Balls Turquoise 1 Pair No. 12 Needles (14 inch)
1 Medium Crochet Hook

BACK—Starting at lower edge, with No. 11 needles, cast on 113 sts.

1ST ROW—(Right Side)—K1, P2, * K3, P2, K1, P2 *; repeat between *'s, ending K3, P2, K1.

2ND ROW—P1, K2, * P3, K2, P1, K2 *; repeat between *'s, ending P3, K2, P1.

Repeat these 2 rows 3 times more.

9TH ROW—Same as first row.

10TH ROW—Knit all sts. (this forms ridge on right side.)

These 10 rows form pattern, which is repeated for entire Jacket.

Continue pattern, decreasing 1 st. each side on next row. Repeat decreases every inch 3 times (105 sts.). Work even until 4½ inches from lower edge.

Change to No. 12 needles and work even until there are 5 complete patterns from lower edge. Work a complete pattern with No. 12 needles, having 11 rows instead of 9 rows between knit ridges. Work until 6½ inches from lower edge.

Change to No. 11 needles and increase 1 st. each side on next row.

Continue pattern as before (having 9 rows between each knit ridge) and increasing 1 st. each side every ½ inch 10 times (127 sts.). Work even until 12½ inches from lower edge.

ARMHOLES—Cast off 8 sts. at beginning of each of next 2 rows for underarm. Decrease 1 st. each side every 2nd row 8 times (95 sts.). Work even until 6½ inches above underarm, ending with 8th pattern row.

SHOULDERS—Cast off 5 sts. at beginning of each of next 12 rows (30 sts. for each shoulder). Change to No. 12 needles.

NEXT ROW—K1, * P1, K1; repeat from * across row.

NEXT ROW—P1, * K1, P1; repeat from * across row.

Repeat these 2 rows until ribbing measures ¾ inch.

Cast off, knitting the knit and purling the purl sts.

LEFT FRONT—Starting at lower edge, with No. 11 needles, cast on 68 sts.

1ST ROW—(Right Side)—K1, P2, * K3, P2, K1, P2 *; repeat between *'s 6 times, K1, P1, alternately to end of row (9 sts. for front border).

2ND ROW—P1, K1, alternately for 9 sts., K2, P1, K2, * P3, K2, P1, K2 *; repeat between *'s 5 times, P3, K2, P1.

Continue pattern always working 9 sts. of front border in ribbing, decreasing at underarm edge (beginning of rows worked from right side) as on back, until 6½ inches from lower edge, working with No. 11 needles only and always keeping 9 rows between all knit ridges (64 sts.). Increase 1 st. at underarm edge on next row and repeat increase every ½ inch 10 times (75 sts.). Work even until same length as back to underarm, ending at underarm edge with same pattern row as on back.

ARMHOLE—Cast off 8 sts. at beginning of next row for underarm. Shape armhole as on back (59 sts.). Work even until 6 inches above underarm, ending at armhole edge with 4th row of 19th pattern.

NECK SHAPING AND SHOULDER—Work to within 14 sts. of end of row, slip these 14 sts. to a safety pin to be held for neck ribbing. Turn, decrease 2 sts. at neck edge every row twice, then 1 st. every row until 7 inches above underarm. Shape shoulder as on back at beginning of rows worked from armhole edge, continuing to decrease at neck edge until 15 sts. in all have been decreased, then work neck edge even.

NECK BAND—Beginning on neck edge at shoulder, working from right side with No. 12 needle, pick up and knit 21 sts. on neck edge, slip the 14 sts. from safety pin to left needle, work ribbing of P1, K1, across these sts.

(Continued on page 27)



No. 416

Two-Tone Zipper Jacket. Lastex thread across back forms gathers at waistline as illustrated. An excellent choice for all kinds of sport.

Size 36

MEASUREMENTS OF FINISHED GARMENT WHEN BLOCKED—All around at underarm, 36 inches. Length from shoulder to lower edge, 22½ inches. Length of sleeve at underarm seam, 19 inches.

TENSION OF STITCH—7 sts. = 1 inch. 12 rows = 1 inch.

Materials Used

MONARCH DOVE

12 Balls Amber
2 Balls Rustana

1 Pair No. 11 Needles
1 Pair No. 12 Needles

BACK—Starting at lower edge, with No. 11 needles and Amber wool, cast on 112 sts.

1ST Row—K1, * P2, K16, repeat from * 5 times, P2, K1.

2ND Row—Knit.

Repeat these 2 rows for 5 inches.

Continue in pattern, increasing 1 st. each end of needle every 10th row until there are 126 sts. on needle. Continue evenly until work measures 14 inches from beginning.

SHAPE ARMHOLE by casting off 5 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 2nd row, 4 times (108 sts. on needle).

Continue evenly until armhole measures 8 inches from first decreasing.

SHAPE SHOULDER by casting off 7 sts. at the beginning of each of the next 8 rows. Cast off.

LEFT FRONT—Starting at lower edge, with No. 11 needles, cast on 7 sts.

1ST Row—K4, P2, K1.

2ND Row—K7, cast on 7 sts.

3RD Row—K11, P2, K1.

4TH Row—K14, cast on 7 sts.

5TH Row—P2, K16, P2, K1.

6TH Row—K21, cast on 7 sts.

7TH Row—K7, P2, K16, P2, K1.

8TH Row—K28, cast on 7 sts.

9TH Row—K14, P2, K16, P2, K1.

10TH Row—K35, cast on 7 sts.

11TH Row—K3, P2, K16, P2, K16, P2, K1.

12TH Row—K42, cast on 7 sts.

13TH Row—K10, P2, K16, P2, K16, P2, K1.

14TH Row—K49.

Repeat the last 2 rows, 19 times.

With right side of work towards you—

NEXT Row—K12, cast off 7 sts., pattern to end, turn, work to cast off sts., turn.

*Cast off 7 sts., pattern to end, turn, pattern to cast off sts. Repeat from * twice (28 sts. cast off for pocket).

Cast on 28 sts., K12 (49 sts. on needle).

Continue working, increasing 1 st. (armhole edge) every 10th row, 7 times (56 sts. on needle).

Continue evenly until work measures 14 inches from beginning (armhole edge).

SHAPE ARMHOLE in same manner as back (45 sts. on needle). Continue evenly until armhole measures 5 inches from first decreasing.

SHAPE NECK:

NEXT Row—Cast off 6 sts., knit to end. Decrease 1 st. neck edge, every 2nd row, until 28 sts. remain on needle.

Continue evenly until armhole measures 8 inches from first decreasing.

SHAPE SHOULDER by casting off 7 sts. armhole edge every 2nd row, 4 times.

RIGHT FRONT—Work to correspond with Left Front, working all shapings at opposite ends of needle.

SLEEVES—Starting at lower edge, with No. 11 needles and Rustana wool, cast on 54 sts.

1ST Row—K17, P2, K16, P2, K17.

2ND Row—Knit.

Repeat the last 2 rows for 2 inches. Continue in pattern, increasing 1 st. each end of needle every 10th row until work measures 4 inches. Break off Rustana wool.

Join Amber and continue working, increasing 1 st. each end of needle every 10th row, until there are 90 sts. on needle.

Continue evenly until sleeve measures 19 inches from beginning (cuff included).

Cast off 5 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 2nd row, until 36 sts. remain on needle. Cast off.

COLLAR—With No. 11 needles and Rustana wool, cast on 130 sts. Work in stocking stitch (knit 1 row, purl 1 row) for 8 rows.

9TH Row—K1, S1, K1, PSSO, knit to within 3 sts., K2tog, K1.

10TH Row—Purl.

Repeat the last 2 rows, 9 times (110 sts. on needle). Work 4 rows even. Cast off.

POCKET TOPS—With right side of work towards you, with No. 12 needles and Rustana wool, pick up and knit 1 st. in each cast off st. (28 sts.). Purl 1 row. Work in stocking stitch for 1 inch. Cast off.

POCKET LININGS—With right side of work towards you, with No. 11 needles and Amber wool, pick up and knit 1 st. in each cast on st. (28 sts. on needle). Work in garter stitch (all knit) for 3 inches.

Cast off 2 sts. at the beginning of each of the next 6 rows. Cast off. Sew side seams.

With right side of work towards you, with No. 11 needles and Rustana wool, pick up and knit 1 st. in each cast on st. around lower edge of jacket. Knit 6 rows. Cast off.

TO FINISH—Sew all seams neatly. Sew on collar and work 1 row s.c. around collar and edge of sleeves.

Sew pockets from wrong side. Sew in zipper fastener.

Sew in 6 rows of elastic from underarm seam to underarm seam at back of waist.

418—(Continued from page 25)

NEXT ROW—P1, * K1, P1; repeat from * across row. Continue in ribbing until same number of rows as on ribbing at back of neck. Cast off as to knit and purl.

RIGHT FRONT—Starting at lower edge, with No. 11 needles, cast on 68 sts.

1ST ROW—(Right Side)—K1, P1, alternately over first 9 sts. (border), * P2, K1, P2, K3 *; repeat between *'s 6 times, P2, K1.

2ND ROW—P1, K2, * P3, K2, P1, K2 *; repeat between *'s 6 times, P1, K1, alternately over last 9 sts.

Repeat these 2 rows once. Work first buttonhole as follows: Work 5 sts. in ribbing, turn, work 4 more rows on these 5 sts. Break yarn.

Join yarn at end of first short row, work to underarm edge, work 4 more rows on these sts. On next row work across all sts. These 6 rows complete one buttonhole.

Shape to correspond to left front, repeating the 6 buttonhole rows, and having 16 rows between each buttonhole, until there are 8 buttonholes. Work 16 rows, ending at front edge with last row of 18th pattern. Make 9th buttonhole as follows: Work 5 sts. in ribbing, turn; work 4 more rows on these 5 sts. Break yarn. Slip these 5 sts. to a safety pin. Join yarn at end of first short row; work to armhole edge, turn. Work 3 more rows on these sts.

NEXT ROW—Work 9 sts. and slip to a safety pin for neck ribbing. Continue on remaining 45 sts., shaping neck and shoulder to correspond to left front.

NECK BAND—Slip sts. from safety pins to No. 12 needle. Join yarn at front edge and K1, P1, across these 14 sts., completing top buttonhole, pick up and knit 21 sts. on neck edge to shoulder. Work same number of rows ribbing as on left front. Cast off.

SLEEVES—Starting at lower edge, with No. 12 needles, cast on 52 sts. Work ribbing of K1, P1, until 2½ inches from lower edge.

NEXT ROW—Continue ribbing increasing 1 st. in 7th st., then 1 st. in every 5th st., 8 times, finish row (61 sts.). Change to No. 11 needles.

1ST ROW (Right Side)—P1, * K3, P2, K1, P2*; repeat between *'s 6 times, K3, P1.

Work in pattern, increasing 1 st. each side every inch 13 times; every ½ inch 4 times, carrying out pattern (95 sts.). Work even until 18 inches from lower edge, ending with same pattern row as at underarm on back. Cast off 8 sts. at beginning of each of next 2 rows for underarm. Decrease 1 st. each side every 2nd row 4 times; every 8th row 4 times; every row 12 times. Cast off remaining 39 sts.

TO FINISH—Sew seams. Sew sleeves to armholes, with sleeve seam at centre underarm, holding in extra fullness at top of sleeve. Join yarn at lower edge of left front, working from wrong side work a row of slip st. up front edge to neck. Fasten off. Beginning at neck, work slip st. on right front edge to correspond.

Sew buttons ½ inch from left front edge, opposite buttonholes.

417—(Continued from page 25)

LEFT FRONT—With Brown and No. 12 needles, cast on 56 sts. for lower edge.

1ST ROW—(Wrong Side)—* P2, K2, repeat from * across row (underarm edge).

Work to correspond to right front up to last armhole decrease, ending at armhole edge, casting off for underarm at beginning of a row worked from right side and for neck edge at beginning of row worked from wrong side.

NEXT ROW—K2tog (last armhole decrease), work 19 sts., cast off 2 sts. for buttonhole, work across row.

NEXT ROW—Cast on 2 sts. over 2 cast-off sts.

Work 4 rows even, ending at armhole edge.

NEXT ROW—Work 8 sts., cast off 26 sts. for pocket opening, work across row. Finish yoke to correspond to right front.

SLEEVES—Starting at lower edge, with Brown wool and No. 12 needles, cast on 74 sts. Work in ribbing as on back for 1 inch, ending on right side.

Change to No. 11 needles. Increase 1 st. each side every 4th row 8 times (90 sts.).

Work even until 5 inches from lower edge.

Cast off 6 sts. at beginning of each of next 2 rows for underarm. Decrease 1 st. each side every 2nd row 8 times (62 sts.).

Work even until 4½ inches above underarm.

Decrease 1 st. each side of next row. Work 1 row even.

Decrease 1 st. each side of next row.

Cast off 2 sts. at beginning of each of next 8 rows, then 3 sts. at beginning of each of next 4 rows. Cast off remaining 30 sts.

TO FINISH—Sew seams. Sew sleeves to armholes with sleeve seam at centre underarm, holding in extra fullness at top.

Sew edges of pocket lining to wrong side of each front.

BUTTONHOLE BAND—Join Yellow yarn on right front at lower edge, leaving a 12-inch end.

1ST ROW—Working from right side, work 16 s.c. on 2½ inches of front edge worked with No. 12 needles and 81 s.c. up to neck edge (about 2 s.c. in every 3 rows).

2ND ROW—Ch. 1, turn, work 1 s.c. in each of 97 sts. of row below.

3RD ROW—Ch. 1, turn, work 1 s.c. in each of first 5 sts., * ch. 2, skip 2 sts. for buttonhole, 1 s.c. in each of next 9 sts., repeat from * 8 times, ending last repeat 1 s.c. in each of last 2 sts. (9 buttonholes in all).

4TH ROW—Same as 2nd row.

5TH ROW—Same as 2nd row, working 3 s.c. at corner, 1 s.c. in each row on end of band; join. Fasten off.

Using 12-inch end of yarn, work 1 s.c. in each row on end of band; join. Fasten off.

Join Brown on left front at neck edge, leaving a 12-inch end. Work 5 rows s.c. to correspond to buttonhole band, omitting buttonholes and work s.c. on each end of band.

NECK BAND AND TIE—1ST ROW—With Brown, ch. 55 for right tie, leaving a 12-inch end. Join on right neck edge in first row s.c., working from right side, work 1 s.c. in each of 6 cast-off sts., 22 s.c. to shoulder seam, 1 s.c. in each of 30 sts. across back neck edge and 28 s.c. to left front band; ch. 56 for left tie.

2ND ROW—Work 1 s.c. in 2nd st. from hook and 1 s.c. in each st. on chain, 1 s.c. in each st. of row below on neck edge and 1 s.c. in each st. of other chain.

3RD ROW—Ch. 1, turn, work 1 s.c. in each st. of row below.

Repeat 3rd row twice. Work 1 s.c. in each row on end; join. Fasten off.

Using 12-inch end of yarn, work 1 s.c. in each row on other end; join. Fasten off.

Sew 9 buttons in centre of left front band.

Sew a button on each pocket lining.

Sew seam binding over shoulder seams, holding in to 4¾ inches. Sew in shoulder pads.

414—(Continued from page 23)

SHOULDER—Shape shoulder as on back, continuing to decrease for V-neck until there are 9 decreases in all.

LEFT FRONT—Starting at lower edge cast on 30 sts.

SLIP STITCH PATTERN—1ST ROW—Purl.

2ND ROW—K2, repeat between *'s of 2nd pattern row of back across row.

3RD ROW—P3, repeat between *'s of 3rd pattern row, ending last repeat with P2.

Continuing to work in pattern in this manner, work to correspond to right front up to underarm, omitting buttonholes and decreasing and increasing at beginning of a row worked from right side, ending with 5th pattern row at underarm edge (34 sts.).

ARMHOLE AND NECK SHAPING—Cast off 5 sts. at beginning of next row for underarm.

1ST ROW—Work even.

2ND ROW—K2tog, work in pattern to within 6 sts. of front edge, slip, knit and pass, work remaining 4 sts.

3RD ROW—Work even.

4TH ROW—K2tog, work across row (26 sts.).

Finish to correspond to right front, shaping shoulder at beginning of a row worked from right side.

SLEEVES—Starting at lower edge, cast on 21 sts. Work pattern as on back for entire sleeve. Work 11 rows even.

Increase 1 st. each side of next row and repeat increases every 6th row 11 times (45 sts.).

Work even until 17¾ inches from lower edge, ending on wrong side with 5th pattern row.

Cast off 3 sts. at beginning of each of next 2 rows for underarm. Decrease 1 st. each side every 2nd row 4 times (31 sts.).

Work even until 3 inches above underarm, ending with 2nd pattern row. Decrease 1 st. each side of next row and repeat decreases every 2nd row twice. Cast off 2 sts. at beginning of each of next 6 rows. Cast off remaining 13 sts.

TO FINISH—Sew seams, matching pattern stripes. Sew in sleeves, centre pattern stripe at shoulder seam, holding in extra fullness at top. Join yarn on lower edge of sleeve at seam. Working from right side, work 1 slip stitch in each stitch on lower edge.

2ND ROW—Work 1 slip st. in each st. of row below; join. Fasten off.

Join yarn on lower edge of cardigan at right underarm seam. Working from right side, work 1 slip st. in each st. on lower edge of right front, 1 slip st. at corner; 1 slip st. in every 2nd row to within 2 rows of top buttonhole, keeping work flat; 1 slip st. in each of next 6 rows; 1 slip st. in every 2nd row to shoulder seam; 1 slip st. in each st. on back neck edge; work slip st. on left neck and front edges to correspond; 1 slip st. in each st. on lower edge to right underarm seam.

2ND ROW—Work 1 slip st. in each st. of row below; join. Fasten off. Work buttonholes in buttonhole st.

Make curved stuffed shoulder pads, 6 inches long and 2 inches wide, sew in. Sew buttons $\frac{3}{4}$ inch from left front edge.

415—(Continued from page 23)

(14 Turquoise, 112 Raspberry, 14 Turquoise). Continue evenly until work measures 10 inches from top of waistband.

SHAPE ARMHOLES by casting off 8 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 2nd row, 10 times (104 sts. on needle). Continue evenly until armhole measures $6\frac{1}{2}$ inches from first decreasing.

SHAPE SHOULDERS by casting off 8 sts. at the beginning of each of the next 8 rows.

NEXT ROW—Purl.

Work evenly for 1 inch (reversing stocking stitch). Cast off.

LEFT FRONT—With Turquoise wool, cast on 18 sts. Work in stocking stitch for 24 rows. With other needle, join Turquoise at underarm seam, pick up and knit 8 sts. along left front edge of waist band; join Raspberry, pick up 48 sts., knit the 18 sts. from other needle (74 sts. on needle).

Continue working, increasing 1 st. armhole edge every 10th row, 6 times, (80 sts. on needle). Continue evenly until work measures 10 inches from waistband.

SHAPE ARMHOLE in same manner as back until 64 sts. remain on needle. Continue evenly until armhole measures 5 inches from first decreasing.

SHAPE NECK—

NEXT PURL ROW—Cast off 22 sts. (18 Turquoise, 4 Raspberry); purl to end. Decrease 1 st. at neck edge every 2nd row until 32 sts. remain on needle.

SHAPE SHOULDER by casting off 8 sts. (armhole edge) every 2nd row, 4 times.

RIGHT FRONT—Work to correspond, working all shapings at opposite end of needle.

NECK FACINGS—With wrong side of work towards you, starting at shoulder edge, with Raspberry wool, pick up and knit 28 sts. to the starting of the Turquoise band. Work in stocking stitch for 1 inch. Cast off loosely.

SLEEVES—Starting at lower edge with Raspberry wool, cast on 52 sts. Work in ribbing (K1, P1) for $3\frac{1}{2}$ inches. Break wool.

Join Turquoise and continue in stocking stitch, increasing 1 st. each end of needle every 6th row until there are 104 sts. on needle. Continue evenly until sleeve measures 19 inches from beginning (cuff included.)

Cast off 8 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 4th row until 60 sts. remain on needle. Cast off.

POCKET (Simulated)—With Turquoise wool, cast on 26 sts. Work in stocking stitch for 2 inches. Cast off.

TO FINISH—Sew seams neatly. Fold bottom band and facing and sew from wrong side. Fold pockets and sew as illustrated. Sew neck band from wrong side. Zipper fastening.

1ST ROW—Join Pearl, knit.

2ND ROW—K2tog, purl to end.

3RD ROW—Knit.

4TH ROW—K2tog, purl to end.

5TH ROW—Join Emerald, knit.

6TH ROW—K2tog, knit to end.

Repeat the last 6 rows, 3 times (5 stripes). (36 sts. on needle).

Continue working, decreasing 1 st. neck edge every 4th row until 32 sts. remain on needle. Continue evenly until armhole measures 7 inches from first decreasing.

SHAPE SHOULDER by casting off 8 sts. (armhole edge) every 2nd row, 4 times.

Take stitches from stitch holder, starting at neck edge, join Emerald and work to correspond with other side.

SLEEVES—Starting at cuff, with No. 12 needles and Pearl wool, cast on 50 sts.

Work in stripes in same manner as band on back. Change to No. 11 needles. Knit 1 row, increasing to 59 sts. Purl 1 row. Continue in stocking stitch, increasing 1 st. each end of needle every 8th row until there are 91 sts. on needle.

Continue evenly until sleeve measures 19 inches from beginning (cuff included).

Cast off 8 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 2nd row until work measures $2\frac{1}{2}$ inches from first decreasing. Work 5 stripes as in back, decreasing 1 st. each end of needle every 4th row until stripes are complete. (41 sts. on needle).

NEXT ROW—K12, K2tog, S1, K1, PSSO, K9, K2tog, S1, K1, PSSO, K12.

NEXT ROW—Purl.

NEXT ROW—K11, K2tog, S1, K1, PSSO, K7, K2tog, S1, K1, PSSO, K11.

NEXT ROW—Purl.

Continue decreasing 4 sts. every knit row (having 1 st. less each side, 2 sts. less at centre) until 21 sts. remain on needle.

NEXT ROW—K7, K2tog, K3, S1, K1, PSSO, K7.

NEXT ROW—Purl.

NEXT ROW—K6, K2tog, K3, S1, K1, PSSO, K6.

NEXT ROW—Purl.

Continue decreasing 2 sts. every 2nd row, having 1 st. less each side until 13 sts. remain on needle. Cast off.

VESTEE—With No. 11 needles and Emerald wool, cast on 53 sts.

1ST ROW—Knit.

2ND ROW—K2tog, knit to within 2 sts., K2tog.

Repeat these 2 rows until 3 sts. remain on needle (50 rows). Cast off. Work 1 row s.c. around edges.

REVERES (TWO)—With No. 11 needles and Pearl wool, cast on 24 sts. Work in stocking stitch, decreasing 1 st. at the beginning of every row until 2 sts. remain. Cast off.

TO FINISH—Sew all seams neatly. Work 1 row s.c. around neck edge. Work 1 row s.c. around reverses. Sew on as illustrated.

FOLLOW THE LEAD

USE MONARCH YARNS

Be sure of complete knitting satisfaction by using the Monarch Yarns specified in the directions. You'll get the most enjoyment in knitting and be sure to have completed garments which are a credit to your time and effort.

Monarch Yarns are noted for their washing and wearing qualities. Every step in the manufacture, from raw wool to finished yarn, is carefully checked to insure a uniform standard of dependability. That's the reason why Monarch Yarns are by far the most popular yarns used in Canada.



Smart Set

419—Description on page 30.

(Illustration on page 29)

Twin Set. The short sleeve Pullover opens at back with zipper fastening. The roll neck band is worked separately in stocking stitch and folded over when sewing. Shoulder pads. Ribbed cuffs and band with cable pattern on sleeves. Deep ribbed waistband matches ribbed cuffs of cardigan. Cable pattern repeats on sleeves. Front bands crocheted and fastened with buttons. Shoulder pads give smart line. An excellent outfit for your wardrobe.

Size 16

MEASUREMENTS OF FINISHED GARMENTS WHEN BLOCKED PULLOVER—All around at underarm, 35 inches. Length from shoulder to lower edge, 19 inches. Length of sleeve at underarm seam, 5 inches.

CARDIGAN—All around at underarm, 36¼ inches (including band). Length from shoulder to lower edge, 20 inches. Length of sleeve at underarm seam, 18 inches.

TENSION OF STITCH—8 sts. = 1 inch. 11 rows = 1 inch

Materials Used

MONARCH ANN DORA

14 Balls Dawn Rose 1 Pair No. 12 Needles
1 Pair No. 11 Needles 1 Med. Crochet Hook

PULLOVER

BACK—Starting at lower edge, with No. 12 needles, cast on 110 sts.

1ST ROW—(Wrong Side)—P2, * K2, P2 (ribbing); repeat from * across row.

2ND ROW—K2, * P2, K2; repeat from * across row.

Repeat these 2 rows until 3½ inches from lower edge, ending with first row on wrong side.

INCREASE ROW—K5, * increase 1 st. in next st., K8; repeat from *, ending last repeat K5 (122 sts.). Change to No. 11 needles.

Work in stocking stitch (purl 1 row, knit 1 row), increasing 1 st. each side every 8th row 6 times (134 sts.).

Work even until 10½ inches from lower edge, ending with a knit row.

ARMHOLES—Cast off 7 sts. at beginning of each of next 2 rows for underarm. Decrease 1 st. each side every 2nd row 8 times (104 sts.).

Work even until 4¾ inches above underarm, ending on wrong side.

NEXT ROW—Knit 51 sts. and slip on to stitch holder for right side of back, cast off 2 sts. for bottom of opening at centre back, knit across remaining sts. of left side. Work even on these 51 sts. until 5¾ inches above underarm.

SHOULDER—Cast off 4 sts. at armhole edge every 2nd row 10 times (40 sts. for shoulder). Cast off remaining 11 sts. for back of neck. Take up 51 sts. of right side. Join yarn at inner edge and work to correspond to left side.

FRONT—Starting at lower edge, with No. 12 needles, cast on 122 sts.

1ST ROW—(Wrong Side)—K2, * P2, K2 (ribbing); repeat from * across row.

2ND ROW—P2, * K2, P2; repeat from * across row.

Repeat these 2 rows until same number of rows as on back ribbing, ending with first row on wrong side.

INCREASE ROW—K5, * increase 1 st. in next st., K9; repeat from *, ending last repeat K6 (134 sts.). Change to No. 11 needles. Work in stocking stitch, increasing 1 st. each side every 8th row 6 times (146 sts.).

Work even until same length as back up to underarm, ending with a knit row.

ARMHOLES AND NECK SHAPING—Cast off 9 sts. at beginning of each of next 2 rows for underarm. Decrease 1 st. each side every 2nd row 8 times (112 sts.). Work even until 4¾ inches above underarm, ending on wrong side.

NEXT ROW—Knit 41 and slip on to strand of yarn for left side; cast off 30 sts. for neck edge; work across remaining sts. for right side (41 sts.). Decrease 1 st. at neck edge every 2nd row, keeping armhole edge even until 5½ inches above underarm.

SHOULDER—Cast off 4 sts. at armhole edge every 2nd row 8 times, continuing to decrease at neck edge as before, until there are 9 decreases in all, then work neck edge even. Fasten off.

Take up 41 sts. of left side. Join yarn at neck edge and work to correspond to right side.

RIGHT SLEEVE—Starting at cuff, with No. 12 needles, cast on 78 sts. Work in ribbing as on back for 1½ inches, ending on wrong side.

INCREASE ROW—K34, P2, increase 1 st. in each of next 6 sts., P2, K34 (84 sts.). Change to No. 11 needles.

RIBBED PATTERN—1ST ROW (Wrong Side)—P34, K2, P12, K2, P34.

2ND ROW—K34, P2, K12, P2, K34.

3RD ROW—Same as first row.

CABLE PATTERN—1ST ROW—(first cable twist row)—Increase 1 st. in first st., K33, P2, slip next 4 sts. to crochet hook (slip off with hooked end) and hold at back of work, knit next 4 sts., knit the 4 sts. from straight end of hook (cable twist), K4, P2, K33, increase 1 st. in last st. (86 sts.).

Work ribbed pattern even for 3 rows with 35 sts. of stocking stitch at each side.

5TH ROW—Increase 1 st. in first st., K34, P2, K12, P2, K34, increase 1 st. in last st. (88 sts.).

6TH ROW—Work ribbed pattern even with 36 sts. of stocking stitch at each side.

7TH ROW—(2nd cable twist row)—K36, P2, K4, slip next 4 sts. to hook and hold at front of work, knit next 4 sts., knit the 4 sts. from hook (cable twist), P2, K36.

8TH ROW—Same as 6th row.

9TH ROW—Increase 1 st. each side, working ribbed pattern as before (90 sts.).

Work ribbed pattern even for 3 rows with 37 sts. of stocking stitch at each side.

Continue to work cable pattern as in these 12 rows, repeating first and 2nd cable twist row alternately every 6th row; and repeating increases at each side every 4th row 5 times more (100 sts.).

Work even until 5 inches from lower edge, ending on wrong side with 10th row of cable pattern.

Cast off 8 sts. at beginning of each of next 2 rows for underarm. Decrease 1 st. each side every 2nd row 9 times; then decrease 1 st. each side every 4th row twice, every 8th row 4 times (54 sts.).

DECREASE ROW (Right Side)—K2; K2tog 8 times; work 18 sts.; K2tog 8 times; K2.

NEXT ROW—Cast off 10 sts., work until 18 sts. on needle, cast off remaining 10 sts. Break yarn and join in last st. worked.

SHOULDER INSERT—Continue pattern on remaining 18 sts. for 5½ inches, ending on wrong side (front edge).

NEXT ROW—Cast off 3 sts. for neck edge and work across row.

NEXT ROW—Work even. Repeat these 2 rows 4 times. Cast off remaining 3 sts.

LEFT SLEEVE—Work to correspond to right sleeve, reversing cable twists by beginning with 2nd cable twist row (7th row) of pattern; ending at underarm with 4th cable pattern row. Finish to correspond working shoulder insert even for 5½ inches, ending on right side at front edge. Cast off for neck at beginning of rows worked from wrong side.

NECK BAND—Cast on 7 sts. Work in stocking stitch for 13½ inches. Cast off.

TO FINISH—Sew underarm and sleeve seams. Sew cast off sts. at each side of top of right sleeve to edges of insert for 1¼ inches. Sew right front shoulder edge to short edge of insert and right back shoulder edge to long edge of insert. Sew sleeve to armhole, with sleeve seam at centre underarm. Sew left sleeve and insert in same manner.

Join yarn on right side of neck opening at neck edge, working from right side, work 2 s.c. in every 3 rows on edge of opening, 2 s.c. at bottom of opening and 2 s.c. in every 3 rows on left side to neck edge. Fasten off.

With right side of band to right side of Pullover, sew one edge of neck band to neck edge, holding neck edge of inserts in to 1½ inches; fold band over and sew other edge of band to wrong side of neck edge. Draw up end of band tightly and sew to one corner of back neck edge; finish other side in same manner.

Sew zipper to edges of back opening.

Make pleated shoulder pads and sew in place.

CARDIGAN

BACK—Starting at lower edge, with No. 12 needles, cast on 110 sts. Work in ribbing same as back of Pullover for 5 inches, ending on wrong side. Shaping same as back of Pullover, work until 12 inches from lower edge, ending with a knit row (134 sts.).

ARMHOLES—Cast off 6 sts. at beginning of each of next 2 rows for underarm. Decrease 1 st. each side every 2nd

(Continued on page 36)



No. 421 (Inside Out Stitch)

The blouse of this twin set is featured by the graduated ribbed pattern up front and on yoke. Cord with button fastening at neck. The two, colored tie sets it off smartly. The cardigan has plain back. Body of twin set worked, then turned to wrong side before sewing seams, which gives raised rib effect.

Size 18

MEASUREMENTS OF FINISHED GARMENTS WHEN BLOCKED
 BLOUSE—All around at underarm, 36 inches. Length from shoulder to lower edge, 19½ inches. Length of sleeve at underarm seam, 4 inches.

CARDIGAN—All around at underarm, 36 inches. Length from shoulder to lower edge, 20 inches. Length of sleeve at underarm seam, 19 inches.

TENSION OF STITCH—

CARDIGAN—8 sts. = 1 inch. 11 rows = 1 inch.
 BLOUSE— 9 sts. = 1 inch. 12 rows = 1 inch.

Materials Used

MONARCH ANDALUSIAN MONARCH DOVE
 8 Balls Chinese Green 13 Balls Everglade
 1 Ball Everglade 1 Pair No. 13 Needles
 1 Med. Crochet Hook

BLOUSE

BACK—Starting at lower edge, with Chinese Green, cast on 116 sts.

1ST Row—*P2, K1, repeat from *, ending P2.

2ND Row—*K2, P1, repeat from *, ending K2.

Repeat these 2 rows for 3½ inches.

NOTE.—(The 1 knit stitch is the right side of ribbing).

With wrong side of ribbing towards you, work thus:

1ST Row—K1, K2 sts. in next st., knit to within 3 sts.; K2 sts. in next st., K2.

2ND Row—Purl.

3RD Row—Knit. 4TH Row—Purl.

Repeat the last 2 rows, 3 times.

Repeat the last 10 rows, 3 times (124 sts. on needle).

Continue evenly until work measures 7½ inches from beginning (band included).

NEXT Row—K1, *K2 sts. in next st., K3, repeat from * twice, knit to within 10 sts. from end, †K2 sts. in next st., K3, repeat from † once, K2 sts. in next st., K1 (130 sts. on needle). Work 5 rows even.

Repeat the last 6 rows 5 times (160 sts. on needle).

Continue evenly until work measures 11½ inches from beginning (band included).

SHAPE ARMHOLE by casting off 8 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 2nd row, 14 times (116 sts. on needle). Continue evenly until armhole measures 7 inches from first decreasing.

SHAPE SHOULDERS by casting off 9 sts. at the beginning of each of the next 8 rows. Cast off remaining sts.

FRONT—Starting at lower edge, cast on 144 sts. Work in ribbing (P2, K1) for 3½ inches.

With right side of ribbing towards you, work thus:

1ST Row—P44, K1, P2, K1, P8; (K1, P2) 10 times; K1, P8, K1, P2, K1, P45.

2ND Row—K1, K2 sts. in next st., K43, P1, K2, P1, K8; (P1, K2) 10 times; P1, K8, P1, K2, P1, K42, K2 sts. in next st., K1.

3RD Row—P45, K1, P2, K1, P8; (K1, P2) 10 times; K1, P8, K1, P2, K1, P46.

4TH Row—K46, P1, K2, P1, K8; (P1, K2) 10 times; P1, K8, P1, K2, P1, K45.

Repeat the last 2 rows, 4 times.

13TH Row—P45, K1, P2, K1, P11; (K1, P2) 8 times; K1, P11, K1, P2, K1, P46.

14TH Row—K1, K2 sts. in next st., K44; P1, K2, P1, K11; (P1, K2) 8 times; P1, K11, P1, K2, P1, K43, K2 sts. in next st., K1.

15TH Row—P46, K1, P2, K1, P11; (K1, P2) 8 times; K1, P11, K1, P2, K1, P47.

16TH Row—K47, P1, K2, P1, K11; (P1, K2) 8 times; P1, K11, P1, K2, P1, K46.

Repeat the last 2 rows 4 times.

Continue working in this manner, purling 3 sts. more each side of centre panel every 12th row, at the same time increasing 1 st. each end of needle every 12th row until

(Continued on page 33)



Double Duty

No. 420

Sport set consisting of sleeveless Zipper Jacket and Pullover. Crocheting around armholes, neck, down fronts and on pocket edges. Very colorful. May be worn separately. The Pullover is worked in ribbing throughout. Practical type with turtle neck and turn back cuffs.

Size 16

MEASUREMENTS OF FINISHED GARMENTS WHEN BLOCKED
 PULLOVER—All around at underarm, 34 inches. Length from shoulder to lower edge, 19 inches. Length of sleeve at underarm seam, 20 inches (including cuff).

VESTEE—All around at underarm, 34 inches. Length from shoulder to lower edge, 17 inches.

TENSION OF STITCH—7 sts. = 1 inch. 9 rows = 1 inch.

Materials Used

MONARCH ANDALUSIAN

8 Balls Turquoise
 MONARCH DOVE
 4 Balls Barbados
 1 Ball Daffodil
 1 Ball Turquoise

1 Pair No. 10 Needles
 1 Pair No. 11 Needles
 1 Set (4) No. 11 Needles
 1 Med. Crochet Hook

VESTEE

BACK—Starting at lower edge, with No. 10 needles and Barbados wool, cast on 91 sts. Work in stocking stitch (knit 1 row, purl 1 row) for 12 rows.

NEXT Row—K1, K2 sts. in next st., knit to within 3 sts. from end, K2 sts. in next st., K2.

Work 7 rows even in stocking stitch.

Repeat the last 8 rows until there are 109 sts. on needle (9 increasings). Continue evenly until work measures 10 inches from beginning.

SHAPE ARMHOLES:

NEXT Row—K2tog, knit to within 2 sts., K2tog.

Work 3 rows even.

Repeat the last 4 rows until 79 sts. remain on needle.

Continue evenly until work measures 16½ inches from beginning.

NEXT Row—K27, cast off 25 sts., K27, turn, P27.

NEXT Row—K2tog (neck edge), knit to end. Place remaining sts. on to a stitch holder.

NEXT Row—Purl.

Repeat the last 2 rows twice (24 sts. on needle). Cast off.

Take 27 sts. from stitch holder and work to correspond.

POCKET LININGS (2)—With No. 10 needles and Barbados wool, cast on 20 sts. Work in stocking stitch for 3 inches and place on to a stitch holder.

LEFT FRONT—Starting at lower edge, with Barbados wool and No. 10 needles, cast on 48 sts. Work 12 rows even.

NEXT Row—K1, K2 sts. in next st., knit to end.

Work 7 rows even.

Repeat the last 8 rows, until there are 57 sts. on needle. Continue evenly until work measures 10 inches from beginning.

NEXT Row—K2tog, knit to end. Work 3 rows even.

Repeat the last 4 rows twice.

NEXT Row—K2tog, knit to end.

NEXT Row—P20, cast off 20 sts., purl to end.

NEXT Row—Knit to cast off sts., knit one pocket into the place of the cast off sts., K20.

NEXT Row—Purl.

NEXT Row—K2tog, knit to end. Work 3 rows even.

Repeat the last 4 rows until 46 sts. remain on needle.

SHAPE NECK:

NEXT Row—Knit.

NEXT Row—Cast off 14 sts., purl to end.

NEXT Row—K2tog, knit to within 2 sts., K2 tog.

Work 3 rows even.

Repeat the last 4 rows, 3 times (24 sts. on needle).

Continue evenly until armhole measures same length as back. Cast off.

RIGHT FRONT—Work in same manner, reversing all shapings. Sew shoulder seams.

BORDER—(ARMHOLE BANDS)—With Barbados wool work 68 s.c. around armhole edge.

Join Turquoise Dove and work 2 rows s.c., decreasing 1 st. each end of every row.

NEXT Row—Work 4 s.c., join Daffodil, * work 1 s.c. in each of the next 3 s.c., bring Turquoise across at back, 1 s.c. in each of the next 2 s.c., repeat from * across. Break off Daffodil. Work 2 rows Turquoise. Join Barbados, work 1 row.

BORDER (FRONTS)—Starting at lower edge right front, with Barbados, work 62 s.c. up front, 62 s.c. around neck, 62 s.c. down left front. Break off.

Starting at right front, join Turquoise, work 2 rows s.c., working 3 s.c. in each corner at neck edge. Finish in same manner as armhole bands; on last row Barbados work around entire Vestee.

Work across pocket tops in same manner.

Sew in zipper neatly.

PULLOVER

BACK AND FRONT (ALIKE)—Starting at lower edge, with No. 11 needles and Turquoise Andalusian, cast on 112 sts.

Work in ribbing (K4, P4) for 3 inches.

Change to No. 10 needles, continue in ribbing, increasing 1 st. each end of needle every 8th row 4 times. (120 sts. on needle).

Continue evenly until work measures 12 inches from beginning.

SHAPE ARMHOLES by casting off 6 sts. at the beginning of each of the next 2 rows.

Decrease 1 st. each end of needle every 2nd row, 6 times. (96 sts. on needle).

Continue evenly until armhole measures 6 inches from first decreasing.

NEXT Row—Rib 28 sts., turn. Continue working on these 28 sts. for 7 rows.

SHAPE SHOULDERS by casting off 7 sts. at armhole edge every 2nd row, 4 times.

Take 28 sts. from end of needle, work other shoulder to correspond. (Place centre 40 sts. on to a stitch holder).

COLLAR—Sew shoulder seams. Take 40 sts. from stitch holder, pick up and knit 16 sts. across neck edge. Take 40 sts. from stitch holder, pick up 16 sts. across neck (112 sts. on needle), join.

Using set of needles, work in ribbing (K4, P4) for 6 inches. Cast off loosely in ribbing.

SLEEVES—Starting at cuff, with No. 11 needles, cast on 64 sts.

Work in ribbing (K4, P4) for 3 inches.

Change to No. 10 needles. Continue in ribbing, increasing 1 st. each end of needle every 8th row until there are 96 sts. on needle. Continue evenly until sleeve measures 20 inches (cuff included).

Cast off 6 sts. at the beginning of each of the next 2 rows.

Decrease 1 st. each end of needle every 2nd row until 42 sts. remain on needle. Decrease 1 st. each end of needle every row, until 24 sts. remain on needle. Cast off.

Sew seams neatly.

421—(Continued from page 31)

all centre sts. are being worked in Purl. Continue increasing until there are 160 sts. on needle. Continue evenly, keeping the outside panels in rib until work measures 11½ inches from beginning (band included).

SHAPE ARMHOLES in same manner as back (116 sts. on needle).

DIVIDE FOR OPENING:

NEXT KNIT ROW—Work to centre (place remaining 58 sts. on to a stitch holder), turn.

RIGHT FRONT—1ST ROW—P23, K1, P2, K1, P18, K1, purl to end.

2ND ROW—K12, P1, K18, P1, K2, P1, K23.

Repeat these 2 rows, 5 times.

13TH ROW—P23, K1, P2, K1, P15, K1, P2, K1, P2, K1, P9.

14TH ROW—K9, P1, K2, P1, K2, P1, K15, P1, K2, P1, K23. Repeat the last 2 rows, 5 times.

25TH ROW—P23, K1, P2, K1, P12; (K1, P2) 4 times; K1, P6.

26TH ROW—K6; (P1, K2) 4 times; P1, K12, P1, K2, P1, K23. Repeat these 2 rows, 5 times.

37TH ROW—P23, K1, P2, K1, P9; (K1, P2) 6 times; K1, P3.

38TH ROW—K3; (P1, K2) 6 times; P1, K9, P1, K2, P1, K23. Repeat the last 2 rows, twice.

43RD ROW—Cast off 14 sts., P9; pattern to end.

44TH ROW—K3; (P1, K2) 6 times; P1, K9, P1, K2, P1, K9.

Continue in pattern, decreasing 1 st. (neck edge) every 2nd row, 5 times (39 sts. on needle).

SHAPE SHOULDER:

NEXT ROW—P2tog, pattern to end.

NEXT ROW—Cast off 9 sts. (armhole edge), pattern to end.

Repeat the last 2 rows, twice. Cast off remaining sts.

Take 58 sts. from stitch holder, work left side to correspond.

SLEEVES—Starting at cuff, cast on 108 sts. Work in ribbing (P2, K1) for 18 rows.

Continue in stocking stitch until sleeve measures 4 inches from beginning (cuff included).

Cast off 8 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 2nd row, until 26 sts. remain on needle. Cast off.

COLLAR—Cast on 153 sts.

Work in ribbing (P2, K1) for 20 rows.

NEXT ROW—(P2, K1) 17 times; (P2tog, K1) 17 times; (P2, K1) 17 times.

NEXT ROW—(P1, K2) 17 times; (P1, K1) 17 times; (P1, K2) 17 times.

Continue working, keeping the 34 sts. at centre in K1, P1, for 14 rows. Cast off.

TIE (2 Pieces)—With Everglade wool cast on 36 sts.

★Knit 4 rows. Join Chinese Green, knit 5 rows.

NEXT ROW—K2tog, knit to within 2 sts., K2tog ★.

Repeat these 10 rows (from ★ to ★) until 8 sts. remain on needle. Work 4 rows Everglade. Cast off.

STRAP—With Chinese Green, cast on 8 sts., knit in garter stitch for 3 inches. Cast off.

TO FINISH—Sew all seams neatly. Sew on collar.

Make short chain and fasten with two buttons at neck line. Fasten strap to hold tie, as illustrated. Work 1 row s.c. around tie. Join at centre and draw through strap and cord at neck as illustrated.

CARDIGAN

BACK—Starting at lower edge, with Everglade Dove wool, cast on 120 sts. Work in ribbing (P2, K1) for 3 inches.

NEXT ROW—Purl, increasing to 130 sts.

NEXT ROW—Knit.

Continue in stocking stitch (purl 1 row, knit 1 row), increasing 1 st. each end of needle every 10th row, 3 times (136 sts. on needle).

Continue evenly until work measures 13 inches from beginning (band included).

SHAPE ARMHOLES by casting off 10 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 2nd row, 6 times (104 sts. on needle).

Continue evenly until armhole measures 7 inches from first decreasing.

SHAPE SHOULDERS by casting off 9 sts. at the beginning of each of the next 8 rows.

LEFT FRONT—Starting at lower edge, cast on 72 sts. Work in ribbing (P2, K1) for 3 inches.

NEXT ROW—P11, K1, P2, K1, P11, K1, P2, K1, P11, K1, P2, K1, P14; (K1, P2) 4 times, K1.

NEXT ROW—(P1, K2) 4 times; P1, increase 4 sts. in the next 14 sts.; **P1, K2, P1, *K2, K2 sts. in next st., repeat from * twice, K2 **; repeat from ** to ** once; P1, K2, P1, K11 (82 sts. on needle).

NEXT ROW—P11; * K1, P2, K1, P14, repeat from * once, K1, P2, K1, P18; (K1, P2) 4 times; K1.

NEXT ROW—P1; (K2, P1) 4 times; K18; * P1, K2, P1; K14, repeat from * once, P1, K2, P1, K11.

Repeat these 2 rows, increasing 1 st. at armhole edge every 10th row until there are 91 sts. on needle.

Continue evenly until work measures 13 inches from beginning (band included).

SHAPE ARMHOLE in same manner as back (75 sts. on needle). Continue evenly until armhole measures 2 inches from last decreasing.

NEXT ROW—P4, K1, P2, K1, P6, P2tog, P6, K1, P2, K1, P6, P2tog, P6, K1, P2, K1, P18; (K1, P2) 4 times; K1.

Work 9 rows even.

NEXT ROW—P4, K1, P2, K1, P5, P2tog, P6, K1, P2, K1, P5, P2tog, P6, K1, P2, K1, P18; (K1, P2) 4 times; K1.

Work 9 rows even.

NEXT ROW—P4, K1, P2, K1, P5, P2tog, P5, K1, P2, K1, P5, P2tog, P5, K1, P2, K1, P18; (K1, P2) 4 times; K1.

Continue evenly until armhole measures 6 inches from first decreasing.

SHAPE NECK:

NEXT ROW—Cast off 33 sts., work to end.

Continue evenly until armhole measures 7 inches from first decreasing.

SHAPE SHOULDER by casting off 9 sts. (armhole edge) every 2nd row, 4 times.

RIGHT FRONT—Work to correspond with left front, working all shaping at opposite ends of needle. Working first buttonhole 1 inch above band thus:

1ST ROW—K1, P2, K1, cast off 5 sts., K1, P2, K1, work to end.

2ND ROW—Work to cast off sts., cast on 5 sts., P1, K2, P1.

Buttonholes are worked 2½ inches apart until there are 6 buttonholes.

SLEEVES—Starting at cuff, cast on 59 sts. Work in ribbing (P2, K1) for 2½ inches.

NEXT ROW—Purl. NEXT ROW—Knit.

Repeat last 2 rows, 4 times.

NEXT ROW—P1, P2 sts. in next st., purl to with in 2 sts., P2 sts. in next st., P1. Work 9 rows even.

Repeat the last 10 rows until sleeve measures 14½ inches from beginning (cuff included).

Increase 1 st. each end of needle every 6th row until there are 100 sts. on needle. Continue evenly until sleeve measures 19 inches from beginning (cuff included).

Cast off 8 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 2nd row until 24 sts. remain on needle. Cast off.

COLLAR—Cast on 120 sts.

1ST ROW—(K1, P2) 4 times; K1, purl to within 13 sts. from end, K1, (P2, K1) 4 times.

(Continued on page 37)



A Hit on Ski Slope or Outdoor Rink

No. 422

Parka Sweater in Monarch Dove. Lastex thread across back of neck of hood gives that smart, snug line. Button fastening at neck with loops for buttonholes. Wind straps around cuffs. Zipper fastenings form pockets.

Size 38

MEASUREMENTS OF FINISHED GARMENT WHEN BLOCKED—All around at underarm, 38 inches. Length from shoulder to lower edge, 19 inches. Length of sleeve at underarm seam, 19 inches.

TENSION OF STITCH—13 sts. = 2 inches. 9 rows = 1 inch.

Materials Used

MONARCH DOVE

11 Balls Trublu
1 Pair No. 11 Needles
1 Set (4) No. 12 Needles
1 Med. Crochet Hook

BACK—Starting at lower edge, with No. 12 needles, cast on 116 sts. Work in ribbing (K2, P2) for 3 inches. Change to No. 11 needles. Knit 1 row, increasing to 124 sts. Purl 1 row.

Continue in stocking stitch (knit 1 row, purl 1 row) until work measures 12 inches from beginning (band included).

SHAPE ARMHOLES by casting off 5 sts. at the beginning of each of the next 2 rows.

Decrease 1 st. each end of needle every 2nd row, 5 times (104 sts. on needle).

Continue evenly until armhole measures 2½ inches from first decreasing.

NEXT Row—K46, cast off 10 sts., K46, turn.

NEXT Row—Purl to within 2 sts., K2tog.

NEXT Row—Cast off 4 sts., knit to end.

Repeat the last 2 rows until all sts. are worked off. Work remaining 46 sts. to correspond.

FRONT—Work in same manner as back until armhole measures 2 inches from first decreasing.

NEXT ROW—K14, cast off 18 sts., K40, cast off 18 sts., K14.

NEXT ROW—P14, cast on 18 sts., P40, cast on 18 sts., P14. Work 4 rows even.

Finish off in same manner as back. Sew shoulder seams. Starting at left shoulder seam, using No. 12 needles, pick up and knit 160 sts. around neck edge.

Work in ribbing (K5, P3) for 1 inch.

START OPENING—Work to centre front, working back and forth, continue in ribbing until work measures 2½ inches.

START PARKA:

NEXT ROW—Rib 80 sts., place remaining sts. on to a spare needle, turn. Continue in ribbing on these 80 sts. for 9 inches. Cast off.

Take remaining 80 sts., work to correspond.

SLEEVES—Starting at cuff, with No. 12 needles, cast on 60 sts. Work in stocking stitch for 3 inches. Change to No. 11 needles.

NEXT ROW—Knit, increasing to 88 sts. Purl 1 row. Continue in stocking stitch until sleeve measures 19 inches from beginning (cuff included).

Cast off 5 sts. at the beginning of each of the next 2 rows. Decrease 1 st. each end of needle every 2nd row until 24 sts. remain. Cast off.

STRAPS—Cast on 3 sts.

1ST ROW—Knit. 2ND ROW—K1, P1, K1.

Repeat these 2 rows for 10 inches. Cast off.

Work 1 row s.c. around entire strap.

POCKETS—Make inside patch pocket of Ribbon.

TO FINISH—Sew seams neatly. Sew up back seam of Parka. Thread Lastex thread at neck-line.

Work 1 row s.c. around front of Parka. Work 2 rows s.c. around neck opening, forming 2 loops for buttonholes. Sew strap on cuffs. Work 1 row s.c. around cuff edge.

No. 424

(Illustration on page 34)

Parka. White with multi-colored band of stripes to frame your face. Band at neck continues in front to form ties.

TENSION OF STITCH—7 sts. = 1 inch. 9 rows = 1 inch.

Materials Used

MONARCH DOVE	1 Ball Daffodil
2 Balls White	1 Pair No. 11 Needles
1 Ball Trublu	1 Pair No. 13 Needles
1 Ball Scarlet	1 Fine Crochet Hook

Starting at lower edge, with No. 11 needles and White wool, cast on 60 sts.

Work in stocking stitch (knit 1 row, purl 1 row) for 10 rows.

NEXT ROW—K1, S1, K1, PSSO, knit to end.

Work 9 rows even.

Repeat the last 10 rows twice (57 sts. on needle).

Join Scarlet, change to No. 13 needles.

Knit 1 row, casting on 70 sts. at the end of row. (127 sts. on needle). Work in ribbing (K1, P1) for 5 rows.

Join White, work 2 rows.

Join Daffodil, work 6 rows.

Join White, work 2 rows.

Join Trublu, work 5 rows.

NEXT ROW—Cast off 70 sts., rib to end (57 sts. on needle). Change to No. 11 needles.

Join White, continue in stocking stitch until work measures 17 inches from ribbing.

Change to No. 13 needles.

Join Trublu, knit 1 row, casting on 70 sts. at end of row. Work in ribbing (K1, P1) for 5 rows.

Join White, work 2 rows.

Join Daffodil, work 6 rows.

Join White, work 2 rows.

Join Scarlet, work 5 rows.

NEXT ROW—Cast off 70 sts., rib to end.

Join White, continue in stocking stitch for 10 rows.

NEXT ROW—K1, K2 sts. in next st., knit to end.

Work 9 rows even.

Repeat the last 10 rows twice (60 sts. on needle).

Cast off.

TURN BACK—With No. 13 needles and Scarlet wool, cast on 20 sts. Work in ribbing (K1, P1), working in stripes, thus:

★ Scarlet 12 rows; White 2 rows; Daffodil 12 rows; White 2 rows; Trublu 12 rows; White 2 rows.★

Repeat from ★ to ★ 3 times.

Work in Scarlet for 12 rows. Cast off.

TO FINISH—Sew back of Parka. Sew colored band around front edge. Work 1 row s.c. around neck edge. Sew in fine elastic at top and bottom of colored band at neck.

No. 423

(Illustration on page 34)

You're all set for outdoor winter sports with this gaily colored parka. Knit in Monarch Dove, you're comfortable on coldest days. The scarf part is worked and folded double.

Materials Used

MONARCH DOVE	1 Pair No. 11 Needles
4 Balls Scarlet	1 Pair No. 13 Needles
1 Ball White	

HOOD—With No. 11 needles and Scarlet wool, cast on 120 sts. Work in ribbing (K1, P1) for 24 rows.

Join White, work 14 rows.

Join Scarlet, work 14 rows.

Join White, work 14 rows.

Join Scarlet, change to No. 13 needles, work 14 rows. Cast off.

SCARF—With No. 13 needles and Scarlet wool, cast on 56 sts.

Work in stocking stitch (knit 1 row, purl 1 row) for 30 rows. Change to No. 11 needles.

NEXT ROW—* K2 sts. in 1st stitch (by knitting into front and back of stitch), repeat from * across row (112 sts. on needle). Work in ribbing (K1, P1) for 13 rows.

Join White—

★NEXT ROW—Knit. Work 13 rows of ribbing.★

Join Scarlet, repeat from ★ to ★ once.

Repeat the last 28 rows once (forming 5 stripes of ribbing. Change to No. 13 needles.

NEXT ROW—K2tog across row (56 sts. on needle).

NEXT ROW—Purl.

Continue in stocking stitch for 23 inches.

Change to No. 11 needles, increase 1 st. in each st. (112 sts. on needle). Work 5 stripes same as other end of Scarf.

Change to No. 13 needles, K2tog across row (56 sts. on needle). Work in stocking stitch for 30 rows. Cast off.

Sew seam at back, leaving the cast off sts. for front edge.

Sew Scarf to hood as illustrated.

No. 425

(Illustration on page 34)

Stiffening of buckram in brim gives an added flair to this Parka. Featured by bright colors. The ties are doubled.

TENSION OF STITCH—8 sts. = 1 inch. 10 rows = 1 inch.

Materials Used

MONARCH DOVE	1 Ball Buttercup
3 Balls Scarlet	1 Pair No. 12 Needles
1 Ball Emerald	

HOOD—Starting at neck edge, with Emerald wool, cast on 112 sts. Purl 1 row.

Continue in stocking stitch (knit 1 row, purl 1 row), increasing 1 st. each end of every knit row until there are 144 sts. on needle. Working in stripes thus:

8 rows Emerald; 2 rows Scarlet; 8 rows Emerald;

2 rows Buttercup; 8 rows Emerald; 4 rows Buttercup.

(There should now be 144 sts. on needle).

Continue evenly in stripes thus:

★★4 rows Buttercup; 2 rows Scarlet; 8 rows Buttercup; 2 rows Emerald; 8 rows Buttercup; 28 rows Scarlet.★

(This completes half of hood).

Repeat from ★ to ★★.

Then decrease 1 st. each end of every knit row, working in stripes to correspond with other side, until 112 sts. remain on needle. Cast off.

SCARF—With Scarlet wool, cast on 44 sts. Work in stocking stitch for 44 inches. Cast off.

Fold hood lengthwise. Sew centre back seam.

Cut peak from buckram. Sew in place. Sew Scarf at neck edge.

row 7 times (108 sts.). Work even until 6 inches above underarm.

SHOULDERS—Cast off 4 sts. at beginning of each of next 20 rows (40 sts. for each shoulder). Cast off remaining 28 sts. for back of neck.

RIGHT FRONT—Starting at lower edge, with No. 12 needles, cast on 60 sts.

RIBBING—1ST ROW (Wrong Side)—* K2, P2; repeat from * across row. Repeat this row until same number of rows as on ribbing of back, ending on wrong side at front edge.

INCREASE ROW—K4, * increase 1 st. in next st., K9; repeat from *, ending last repeat K5 (66 sts.). Change to No. 11 needles.

Work in stocking stitch, keeping front edge even and increasing 1 st. at underarm edge (end of knit rows) every 8th row 6 times (72 sts.).

Work even until same number of rows as on back up to underarm, ending at underarm edge.

ARMHOLE AND NECK SHAPING—Cast off 10 sts. at beginning of next row for underarm. Decrease 1 st. at armhole edge every 2nd row 10 times, ending at front edge (52 sts.).

Decrease 1 st. at beginning of next row for neck edge and repeat decrease at neck edge every 2nd row 14 times more; then decrease 1 st. every 4th row, keeping armhole edge even until $5\frac{3}{4}$ inches above underarm.

SHOULDER—Cast off 4 sts. at armhole edge every 2nd row 8 times, continuing to decrease at neck edge every 4th row until there are 20 decreases in all, then work neck edge even. Fasten off.

LEFT FRONT—Starting at lower edge, with No. 12 needles, cast on 60 sts.

RIBBING—1ST ROW (Wrong Side)—* P2, K2; repeat from * across row (underarm edge).

Continue in ribbing in this manner and finish to correspond to right front, shaping underarm edge at beginning and neck edge at end of knit rows.

RIGHT SLEEVE—Starting at cuff, with No. 12 needles, cast on 54 sts. Work in ribbing as on lower edge of back for $2\frac{1}{4}$ inches, ending on wrong side.

INCREASE ROW—K4, * increase 1 st. in next st., K5 *; repeat between *'s twice, P2, increase 1 st. in each of next 6 sts.; P2, K4, repeat between *'s 3 times (66 sts.). Change to No. 11 needles.

RIBBED PATTERN—1ST ROW (Wrong Side)—P25, K2, P12, K2, P25.

2ND ROW—K25, P2, K12, P2, K25.

3RD ROW—Same as first row.

Work cable pattern as on right sleeve of Pullover, increasing 1 st. each side of next row and repeating increases every 8th row 17 times more (102 sts.).

Work even until 18 inches from lower edge, ending on wrong side with 4th cable pattern row.

Cast off 8 sts. at beginning of each of next 2 rows for underarm. Decrease 1 st. each side every 2nd row 6 times. Work even until $4\frac{3}{4}$ inches above underarm, ending on wrong side with 11th pattern row. Decrease 1 st. each side of next row and repeat decreases every 2nd row twice. Cast off 2 sts. at beginning of each of next 4 rows, then 3 sts. at beginning of each of next 2 rows (54 sts.). Finish same as right sleeve of Pullover.

LEFT SLEEVE—Work to correspond to right sleeve, reversing cable twists as on left sleeve of Pullover and working shoulder insert as on left sleeve of Pullover.

TO FINISH—Sew sleeve and underarm seams. Sew sleeve and shoulder seams same as Pullover.

BUTTONHOLE BAND—Join yarn on right front at lower edge.

1ST ROW—Working from right side, work 40 s.c. on edge of ribbing, 72 s.c. up to beginning of neck shaping (about 3 sts. in every 4 rows), 3 s.c. at corner, 44 s.c. up to edge of insert (about 4 sts. in every 5 rows); 2 s.c. in purl rib, 1 s.c. in first st. of cable rib, * draw up a loop in each of next 2 sts. and work off as 1 s.c., repeat from * 4 times more, 1 s.c. in next st., 2 s.c. in purl rib, 1 s.c. in each st. on back neck edge, work left insert, neck and front edge to correspond.

2ND ROW—Ch. 1, turn, work 1 s.c. in each st. of row below.

3RD ROW—Same as 2nd row.

4TH ROW—Work 1 s.c. in each of 113 sts. to corner, 3 s.c. in next st., 1 s.c. in each of next 140 sts. to corner of right front edge, 3 s.c. in next st., 1 s.c. in next st., * ch. 4, skip 4 sts. for buttonhole, 1 s.c. in each of next 22 sts., repeat from * 4 times, ending last repeat 1 s.c. in each of last 4 sts. (5 buttonholes in all).

5TH AND 6TH ROW—Same as 2nd row.

7TH ROW—Work 1 s.c. in each st. of row below; working 3 s.c. at corners.

8TH ROW—Same as 2nd row. Fasten off.

Sew 5 buttons on 3rd s.c. row of left front band, opposite buttonholes.

Make pleated shoulder pads and sew in.

411—(Continued from page 19)

Change to No. 13 needles.

NEXT ROW—K1, K2tog, * K5, K2tog; repeat from * across row (104 sts.).

NEXT ROW—*K2, P2; repeat from * to end of row.

Repeat last row until ribbing measures 2 inches. Cast off in ribbing.

FRONT—Starting at neck edge, with No. 12 needles, cast on 47 sts. Work in seed stitch, casting on for shoulders as on back (107 sts.). Work even until seed stitch yoke measures 2 inches at centre front, ending on wrong side.

NEXT ROW—K11, * increase 1 st. in next st., K20; repeat from * 4 times, ending last repeat K11 instead of K20 (112 sts.).

Work in stocking stitch (purl 1 row, knit 1 row) until 4 inches from shoulder (at armhole edge), ending on wrong side.

NEXT ROW—K12, * slip next 20 sts. to strand of yarn for pocket, cast on 20 sts. on right hand needle, * K48; repeat between *'s once, K12.

Work in stocking stitch until same length as back to first increase at armhole edge. Increase 1 st. each side of next row and repeat increases every 2nd row 7 times (128 sts.).

Cast on 10 sts. at end of each of next 2 rows (148 sts.). Continue in stocking stitch, decreasing 1 st. each side every inch 7 times (134 sts.). Work even until same length as back from underarm to top of ribbing, ending with a purl row. Change to No. 13 needles.

NEXT ROW—K7, K2tog, * K5, K2tog; repeat from * 16 times, K6 (116 sts.).

Work in ribbing (K2, P2) to correspond to back.

POCKET FLAP—Slip the 20 sts. from strand of yarn to No. 12 needles. Join yarn and working from right side, K1, P1, for 9 sts.; P2tog; K1, P1 to end (19 sts.).

Work even in seed stitch for 2 inches.

NEXT ROW—Work 9 sts., P2tog, turn. Decrease 1 st. at centre edge every row until 1 st. remains. Fasten off. Join yarn at centre of pocket and work other point to correspond.

Make other pocket flap in same manner.

SLEEVES—Starting at cuff, with No. 13 needles, cast on 88 sts. Work in ribbing as on front for 1 inch, ending on wrong side.

NEXT ROW—Knit, increasing 1 st. each side (90 sts.).

Continue in stocking stitch, increasing 1 st. each side every $\frac{1}{2}$ inch 5 times (100 sts.).

Work even until 4 inches from lower edge. Cast off 9 sts. at beginning of each of the next 2 rows for underarm. Decrease 1 st. each side every 2nd row 6 times, then every 4th row 10 times. Cast off 3 sts. at beginning of each of next 6 rows. Cast off remaining 32 sts.

TO FINISH—Sew seams. Sew each shoulder seam for $\frac{1}{2}$ inch from armhole edge. Sew sleeves to armholes with sleeve seam at centre underarm, holding in extra fullness at top.

With right side towards you, join yarn on left shoulder at back of neck. Work 1 row s.c. on shoulder opening to front neck edge. Fasten off.

Work other shoulder opening to correspond. Work 1 row s.c. on shaped edge of each pocket flap.

Sew sts. cast on under pocket to wrong side of pocket flap. Sew a zipper to each shoulder opening.

2ND Row—(P1, K2) 4 times; P1, knit to within 13 sts. from end, P1, (K2, P1) 4 times.

Repeat these 2 rows 4 times.

11TH Row—(K1, P2) 4 times; K1, *P9, P2tog, repeat from * to within 13 sts., K1, (P2, K1) 4 times. Work 7 rows even.

19TH Row—Same as 11th row. Work 5 rows even.

25TH Row—Same as 11th row. Work 1 row even.

27TH Row—(K1, P2) 4 times; K1, P9, *P2tog, P1, repeat from * 10 times, purl to within 13 sts., (K1, P2) 4 times; K1. Cast off.

TABS—(Two)—Cast on 6 sts. Knit 20 rows.

NEXT Row—K1, K2 sts. in next st., knit to within 2 sts., K2 sts. in next st., K1. Knit 3 rows.

Repeat the last 4 rows until there are 22 sts. on needle.

NEXT Row—K2tog, knit to within 2 sts., K2tog.

NEXT Row—Knit.

Repeat the last 2 rows until all sts. are worked off.

STRAPS (Two)—Cast on 6 sts. Knit 24 rows. Cast off.

Sew all seams neatly. Bind buttonholes.

Sew collar and tabs as illustrated.

TO CHANGE COLORS IN KNITTING

On a Purl Row—Purl required number of stitches of a color, drop first color on side of work next to you; pick up 2nd color with the right hand, bring it under first color, then purl required number of stitches of 2nd color.

On a Knit Row—Knit required number of stitches of 2nd color, drop 2nd color on side of work away from you; pick up first color, bring it under 2nd color, and knit required number of stitches of first color. Alternate these two rows. This twists the strands of yarn around each other so the colors are joined in a continuous piece of work.

Important—To make neat edges begin knit rows by slipping the first stitch with needle placed as for purling, and purl rows by slipping the first stitch with needle placed as for knitting.

Choose wisely —

say "MONARCH"

● Following is a list of Monarch products which are manufactured in three all-Canadian factories at Dunnville, St. Thomas and St. Catharines, Ont. They are sold from coast to coast by better dealers in every community.

• • • •

MONARCH KNITTED OUTERWEAR

Ladies' Knitted Suits

Sweatercoats for Men, Women and Children

Pullovers for Men, Women and Children

Bathing Suits for Men, Women and Children

Children's Rompers, Suits, Toques, Caps, etc.

MONARCH HOSIERY FOR WOMEN

Monarch Debutante Full Fashioned

Seamless Hosiery for Women and Children

MONARCH HALF HOSE FOR MEN

Smart patterns in all-wool, silk and wool, silk and lisle — for all seasons.

MONARCH HAND KNITTING YARNS

Famous for all-round dependability and knitting satisfaction. By far the most popular yarns in Canada.

ABBREVIATIONS FOR TERMS USED IN KNITTING AND CROCHETING

K—knit
P—purl
M—make
st.—stitch

PSSO—pass slip stitch over
ridge—2 rows
tog—together
LWF—leave wool forward

WAN—wool around needle
WO—wool over
S—slip stitch
ch.—chain

s.c.—single crochet
d.c.—double crochet
tr.c.—treble crochet
d.s.c.—double single crochet

An Asterisk (*) indicates that directions immediately following are to be repeated given number of times in addition to the original. Thus "repeat from (*) 3 times," means to make pattern four times in all.

"Even" means that a row is to be worked without either increase or decrease.

IMPORTANT—To make neat edges begin knit rows by slipping the first stitch with needle placed as for purling and purl rows by slipping the first stitch with needle placed as for knitting.

If your merchant cannot supply you with Monarch Yarns, please notify us, mentioning the dealer's name.



This is an actual reproduction of the silk identification label which is supplied FREE with purchases of Monarch Yarn. You attach it to the finished garment as a useful hanger.

GET THIS LABEL WHEN YOU BUY

Monarch Yarns

*It Adds SO MUCH to say
"Hand-Knit
from Monarch Yarn"*

Monarch Yarns have a reputation. They add that "something extra" to your hand-knit gifts — appearance . . . color . . . class . . . lasting satisfaction. Use Monarch yarns for all gifts. Identify your good judgment by placing this silk label on them. Simply ask your dealer for it when you buy Monarch Yarns. Sew it in the finished article yourself. You will be prouder than ever to give the gift, and the recipient will appreciate it ever so much more.

PROPER CARE OF HAND-KNITTED WEAR



WASHING THE GARMENT

1. Before washing spread garment out flat on a piece of paper. Draw outline of garment on the paper.
2. Make a good suds of Lux soap flakes thoroughly dissolved in lukewarm water. Do not rub soap on the garment. Squeeze garment gently in the water. If garment is very soiled repeat in fresh suds. Rinse out all soap in two or three baths of lukewarm water.
3. Squeeze out most of the water. Do not wring. When squeezing has taken out most of the water, stretch garment into shape of the outline made before washing. Lay on a bath towel or blanket near a heat radiator and leave to dry. While drying keep garment stretched to correct size. Do not dry in intense heat or cold.

CAUTION—We recommend good quality soap flakes without the use of water softeners. Use only lukewarm water. Rinse thoroughly. Dry quickly. Do not place garment on radiator. Never hang garment up to dry as this spoils shape.

Washing Garments Where White is Used with Colors

White yarn will tend to draw some color from most dark-colored yarns in washing. This will not happen if the garment is thoroughly rinsed in two or three waters and all the surplus water squeezed out. The garment must be dried within two hours. If outdoor conditions are not favourable to quick drying—dry by artificial heat.

Pressing Finished Work

No garment made of yarn should ever be touched with a hot iron. This takes all the life and elasticity out of it. The correct method is to wet and wring out a clean cloth and spread on flat surface. Then lay garment flat, right side up, patting into shape. Pin firmly into desired shape. Cover with a dry cloth and allow to dry thoroughly.

HINTS TO KNITTERS

OUR DESIGNER has endeavoured to make the directions for the various models as simple as possible. When making a garment from a Monarch book of instruction, always be sure to get the exact materials mentioned. This applies to needles or crochet hook, as the case may be, as well as to the actual wool. Other wools even of the same ply do not produce the same result.

As no two people work exactly the same, we recommend that before beginning any knitted garment you read over

complete directions carefully so as to understand the correct procedure.

Work a piece about six inches square of the pattern selected and press it; then count the stitches and rows and see if the number corresponds with the tension mentioned in the directions. If you get more stitches to the inch than mentioned in the directions, use coarser needles than those suggested, if fewer, use finer needles.

Purchase sufficient wool at one time to complete garment and thus ensure uniformity of color.

To Change Sizes

This is done very simply by knowing your measurements. Then knit a swatch to make sure your tension is same as in directions. Then multiply the number of stitches per inch by the number of inches you wish any part of the garment increased in size and add the required number of stitches.

Watch your work as you proceed and be sure you decrease or increase to give your garment the correct size and shaping for the different parts.

Watch your shoulder width, depth of armhole and shape of neckline.

THE MONARCH KNITTING COMPANY LIMITED

Manufacturers of

Monarch Knitted Outerwear—Ladies' Knitted Suits; Sweatercoats for Men, Women and Children; Pullovers for Men, Women and Children; Bathing Suits for Men, Women and Children; Children's Rompers, Suits, Toques, Caps, etc.

Monarch Hosiery for Women—Monarch Debutante Full Fashioned; Seamless Hosiery for Women and Children.

Monarch Half Hose for Men—Smartest Patterns in Silk and Lisle for Spring and Summer wear; Fine Wool and Silk Patterns for Fall and Winter wear.

HEAD OFFICE DUNNVILLE, ONT.

Factories at Dunnville, St. Catharines and St. Thomas

Sales Offices:

TORONTO
MONCTON

OTTAWA
WINNIPEG

HAMILTON
CALGARY

MONTREAL
VANCOUVER

SMART WOMEN KNOW THE VALUE OF

MONARCH

Debutante

FULL FASHIONED HOSIERY

- LATEST FASHION SHADES
- EXTRA QUALITY PURE SILK
- DEPENDABLE DYES
- RINGLESS

Like all other Monarch-Knit products, Debutante Hosiery will give entire satisfaction.

Sold by Smart Shops Everywhere.



SMART SOCKS
for MEN

New Patterns, dignified or gay, are shown in the New Monarch Half Hose for Men. An excellent gift for your menfolks.



MONARCH *Debutante* SILK HOSIERY
WEARS WELL . . . LOOKS WELL . . . WASHES WELL

MONARCH KNITTING COMPANY LIMITED
DUNNVILLE - - - ONTARIO

Makers of Knitted Outerwear, Hosiery and Hand Knitting Yarns

MONARCH

Price 25c

Book 73



*Hand Knit
Styles*

401

Description Page 7

PUBLISHED BY THE MAKERS OF
MONARCH YARNS

www.antiqpatternlibrary.org 2019.09