

At the back of this book you will find a helpful chart of Bernat Yarns which are interchangeable with each other.

WHAT DOES "INTERCHANGEABLE" MEAN?

All Bernat directions call for a certain Bernat yarn. And all Bernat yarns fall into certain groups, according to their "weight," (or "size," or "thickness.") You may use the same directions for all the yarns in any one group.

This means that you can choose from among many Bernat yarn textures to get a certain effect in the garment you want to knit.

For example, you may be making a sweater, and the directions may call for Bernat "Meadowspun," — a yarn that gives a cashmere-like softness to a style. But this time, you may want a sweater with a definite tweed look, so you choose to make it with Bernat "Glenspun Tweed," which falls into the same group with "Meadowspun."

The chart at the back of this book shows every group.



Style No. 706 — Page 3

BERNAT

Handicrafter[®]

Book No. 65

Editor: CARLEEN KASMAN
Associate Editors: FRANCES NEWMARK
HELEN HEITZNER
MAE LEVINE

CREDITS:

Photography by Dirone
Buttons by Schwanda
Golden Jewelry by Monet
Skirts by Sportempos

Every effort has been made to have the knitting directions contained in this book accurate and complete; however we cannot be responsible for variance of individual knitters, human errors, or typographical mistakes.

Price: 75 cents in continental U. S. A.

COPYRIGHT 1958, EMILE BERNAT & SONS CO., UXBRIDGE, MASSACHUSETTS, U. S. A.



Style No. 703 — Page 5



Style No. 702 — Page 7



Style No. 705 — Page 9



Style No. 708 — Page 11



Style No. 710 — Page 13



Style No. 716 — Page 15



Style No. 704 — Page 17



Style No. 714 — Page 19



Style No. 697 — Page 21



Style No. 712 — Page 23



Style No. 696 — Page 25



Style No. 713 — Page 27



Style No. 715 — Page 29



Style No. 717 — Page 31



Style No. 711 — Page 33



Style No. 707 — Page 35



Style No. 709 — Page 37
Style No. 4326 — Page 58



Style No. 4325 — Page 39



Style No. 4327 — Page 41



Style No. 4328 — Page 43



Style No. 5937 — Page 45



Style No. 5934 — Page 57
Style No. 749 — Page 47
Style No. 5931 — Page 56



Style No. 5936 — Page 49



Style No. 5933 — Page 51



Style No. 5935 — Page 59
Style No. 748 — Page 53



Style No. 5932 — Page 55

Antique Pattern Library



Style No. 706-65

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Nylo Germantown (2 oz. skeins) — 11(11-12-12)
1 pair straight knitting needles No. 8 OR ANY SIZE
NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW
1 steel crochet hook No. 1
5 buttons

GAUGE: 11 sts = 2 inches 9 rows = 1 inch in pattern st

PATTERN STITCH: Multiple of 2 sts.

Row 1: * K 1, bring yarn to front of work and sl 1, throw yarn to back of work, repeat from * across row.

Rows 2 and 4: Purl.

Row 3: * Bring yarn to front of work and sl 1, throw yarn to back of work and K 1, repeat from * across row.

Repeat these 4 rows for pattern stitch.

BACK: Cast on 100(106-110-116) sts. K 1, P 1 in ribbing for 6 rows. Work in pattern st until piece measures 14½ (14½-15-15) inches, ending with a P row. **SHAPE RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 2 sts. Work as follows: Row 1: K 1, sl 1, K 1, pssso (dec), work in pattern as established to last 3 sts, K 2 tog (dec), K 1. Row 2: Purl. Repeat these 2 rows 35(37-39-41) times more. Bind off remaining 24(26-26-28) sts.

POCKET LININGS: Make 2. Cast on 25 sts. Work even in stockinette st for 4½ inches, ending with a K row. Sl st onto a holder.

LEFT FRONT: Cast on 60(64-66-68) sts. Row 1: K 1, P 1 in ribbing to last 2 sts, K 2 (front edge). Row 2: K 1, P 1 in ribbing across row. Repeat these 2 rows twice more. On next row work in pattern st to last 10 sts, sl these 10 sts onto a holder to be worked later for front band. Work even in pattern st on 50(54-56-58) sts until piece measures 3¼ inches above ribbing, ending with a P row. **POCKET BAND:** On next row work 12(14-16-18) sts, put a marker on needle, K 1, P 1 in ribbing on next 25 sts, put a marker on needle, work remaining 13(15-15-15) sts. Keeping the 25 sts between markers in ribbing and remaining sts in pattern st, work even until piece measures 4½ inches above ribbing, ending with a P row. **POCKET OPENING:** Work to first marker, bind off the 25 sts of pocket band, work to end of row. **INSERT POCKET:** P to bound off sts, P

across the 25 sts of one pocket lining, P to end of row. Work even in pattern st on 50(54-56-58) sts until piece measures 14½(14½-15-15) inches, ending with a P row. **SHAPE RAGLAN ARMHOLE:** At arm edge bind off 2 sts, work to end of row. Row 2: Purl. Row 3: K 1, sl 1, K 1, pssso (dec), work to end of row. Repeat these last 2 rows 22(22-24-26) times more — 25(29-29-29) sts. **SHAPE NECK:** Continuing to dec 1 st at arm edge in same manner as before 12(14-14-14) times more, at front edge dec 1 st every other row 13(15-15-15) times. Fasten off. **FRONT BAND:** Sl 10 sts of front band onto needle. Join yarn in inner edge and continue in ribbing as established until piece is same length as front edge to start of neck shaping. Bind off.

RIGHT FRONT AND RIGHT FRONT BAND: Work to correspond to left front and left front band, reversing placing of front band, pocket and all shaping, and forming first buttonhole when piece measures 1¼ inches above lower edge. **BUTTONHOLE:** Starting at front edge, work 4 sts, bind off the next 2 sts, work to end of row. On next row cast on 2 sts over those bound off previous row. Make 4 more buttonholes, evenly spaced — the last one to be made at 17¼ inches above lower edge. Dec at arm edge as follows: Work to last 3 sts, K 2 tog, K 1.

SLEEVES: Cast on 52(54-56-58) sts. K 1, P 1 in ribbing for 2½ inches. P 1 row, inc at even intervals to 56(60-60-64) sts. Work in pattern st, inc 1 st each end of needle every 1 inch 12(12-14-14) times, forming new patterns as sts are increased. Work even on 80(84-88-92) sts until piece measures 18(18-18½-18½) inches, ending with a P row. **SHAPE RAGLAN CAP:** At the beg of each of the next 2 rows bind off 2 sts. Dec in same manner as on back 36 (38-40-42) times. Bind off remaining 4 sts.

COLLAR: Cast on 84(88-90-92) sts. Work even in pattern st for 4 inches. Bind off. With right side facing you, work 1 row s c around 3 outer edges of collar, working 3 s c in each corner. Do not turn. **WORKING FROM LEFT TO RIGHT,** work 1 s c in each s c, 3 s c in each corner st. Fasten off.

FINISHING: Sew sleeves to back and front armholes. Sew underarm and sleeve seams. Sew front bands and pocket linings in place. Sew cast on edge of collar to neck edge. Block. Finish buttonholes. Sew on buttons.

Antique

Pattern

Library

Style No. 703-65

Shown in color on cover

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Glengarry English Tweed (2 oz. skeins) — 7
(8-8-8)

1 pair each straight knitting needles Nos. 5 and 8 OR ANY
SIZE NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW

7 buttons

GAUGE: 4 sts = 1 inch 8 rows = 1 inch

PATTERN STITCH: Multiple of 2 sts plus 1.

Row 1: K 1, * K the next st in the row below, K 1, repeat
from * across row.

Row 2: K 2, * K the next st in the row below, K 1, repeat
from *, ending K 2 instead of K 1.

Repeat these 2 rows for pattern stitch.

BACK: Using No. 5 needles, cast on 67(71-75-79) sts. Row 1: K 1, * P 1, K 1, repeat from * across row. Row 2: P 1, * K 1, P 1, repeat from * across row. Repeat these 2 rows for 2 inches, ending with Row 1. Change to No. 8 needles and work in pattern st, inc 1 st each end of needle every 2 inches 4 times, forming new patterns as sts are increased. Work even on 75(79-83-87) sts until piece measures 11½ (11½-12-12) inches, ending with Row 1 of pattern st. **SHAPE RAGLAN ARMHOLES:** Row 1: K 2, P 1, work in pattern as established to last 3 sts, P 1, K 2. Row 2: P 2, sl 1, K 1, pss0 (dec), work to last 4 sts, K 2 tog (dec), P 2. Repeat these 2 rows 27(29-30-32) times more. Sl remaining 19(19-21-21) sts onto a holder.

LEFT FRONT: Using No. 5 needles, cast on 42(44-46-48) sts. Row 1: * K 1, P 1 repeat from * to last 2 sts, K 2. Row 2: K 1, P 1 in ribbing across row. Repeat these 2 rows for 2 inches, ending with Row 1. On next row K 1, * P 1, K 1 repeat from * 3 times more, sl these 9 sts onto a holder to be worked later for front band. Change to No. 8 needles and work Row 1 of pattern st on remaining 33(35-37-39) sts. Continue in pattern st, inc 1 st at arm edge every 2 inches 4 times, forming new patterns as sts are increased. Work even on 37(39-41-43) sts until piece measures 11½ (11½-12-12) inches, ending at front edge. **SHAPE RAG-**

LAN ARMHOLE: Row 1 (wrong side): Work to last 3 sts, P 1, K 2. Row 2: P 2, sl 1, K 1, pss0 (dec), work to end of row. Repeat these 2 rows 24(26-27-29) times more. **SHAPE NECK:** Continuing to dec 1 st at arm edge every other row 3 times more, at front edge bind off 5 sts once and 4(4-5-5) sts once. **FRONT BAND:** Sl 9 sts of front band onto No. 5 needle. Join yarn at inner edge and work in seed st until piece is same length as front edge to start of neck shaping. Sl sts onto a holder.

RIGHT FRONT AND RIGHT FRONT BAND: Work to correspond to left front and left front band, reversing all shaping and forming first buttonhole when piece measures ½ inch. **BUTTONHOLE:** Starting at front edge, work 3 sts, bind off the next 2 sts, work to end of row. On next row cast on 2 sts over those bound off previous row. Make 6 more buttonholes the second one to be worked on last row of waistband and the other 5 buttonholes, evenly spaced — the last one to be made 2 rows below start of neck shaping. Dec at arm edge as follows: Row 1 (wrong side): K 2, P 1, work to end of row. Row 2: Work to last 4 sts, K 2 tog, P 2.

SLEEVES: Using No. 5 needles, cast on 49(53-55-59) sts. Row 1: K 1, * P 1, K 1, repeat from * across row. Row 2: P 1, * K 1, P 1, repeat from * across row. Repeat these 2 rows for 1 inch, ending with Row 1. Change to No. 8 needles and work in pattern st, inc 1 st each end of needle every 1½ inches 6 times, forming new patterns as sts are increased. Work even on 61(65-67-71) sts until piece measures 13(13-13½-13½) inches, ending with Row 1 of pattern st. **SHAPE RAGLAN CAP:** Dec in same manner as on back 28(30-31-33) times. Bind off remaining 5 sts.

FINISHING: Sew sleeves to back and front armholes. Sew underarm and sleeve seams. Sew front bands in place. **NECKBAND:** With right side facing you, join yarn at right front edge. Using No. 5 needles, work 9 sts of front band in seed st, pick up 55(55-59-59) sts around neck to left front band including sts from holder, work 9 sts of left front band in seed st. Work even in seed st on 73(73-77-77) sts for 1¼ inches. Bind off. Block. Sew on buttons.



Style No. 702-65

Shown in color on cover

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Nylo Germantown (2 oz. skeins) — 11(11-12-12)
1 pair straight knitting needles No. 5 OR ANY SIZE
NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW
5 buttons

GAUGE: 11 sts = 2 inches 8 rows = 1 inch

PATTERN STITCH: Multiple of 4 sts plus 2.

Row 1: K 2, * P 2, K 2, repeat from * across row.

Row 2 (right side): P 2, * K 1, y o, K 1, P 2, repeat from * across row.

Row 3: K 2, * P 3, K 2, repeat from * across row.

Row 4: P 2, * sl 1, K 2, pass sl st over 2 K sts just worked, P 2, repeat from * across row.

Repeat these 4 rows for pattern stitch.

BACK: Cast on 97(105-113-117) sts. Work even in seed st for 4 rows, inc 1 st at end of last row. Work even in pattern st on 98(106-114-118) sts until piece measures 14(14-14½-14½) inches, ending with Row 1 of pattern st. **SHAPE ARMHOLES:** Row 1: P 2, sl 1, K 1, pssso, work Row 2 of pattern st to last 4 sts, K 2 tog, P 2. Row 2: K 2, P 1, work Row 3 of pattern st to last 3 sts, P 1, K 2. Row 3: P 2, sl 1, K 1, pssso, P 1, work Row 4 of pattern st to last 5 sts, P 1, K 2 tog, P 2. Row 4: K 2, P 1, K 1, work Row 1 of pattern st to last 4 sts, K 1, P 1, K 2. Row 5: Repeat Row 1. Row 6: Repeat Row 2. Row 7: P 2, * sl 1, K 1, pssso, repeat from * once more, work Row 4 of pattern st to last 6 sts, sl 1, K 1, pssso, K 2 tog, P 2 — 2 sts dec. Row 8: Work Row 1 of pattern st. Repeat these 8 rows 1(1-2-2) times more. **ON SIZE 14 ONLY:** Repeat Rows 1 through 4 once more. **ON ALL SIZES:** Work even on 82(86-90-94) sts until armholes measure 7½(7¾-8-8¼) inches. **SHAPE SHOULDERS:** Being sure to decrease the y o's of pattern st, at the beg of each of the next 4 rows bind off 10 sts. At the beg of each of the next 2 rows bind off 8(10-11-12) sts. Bind off remaining 26(26-28-30) sts.

POCKET LINING: Make 2. Cast on 26 sts. Work even in stockinette st for 4½ inches, ending with a K row. Sl onto a holder.

LEFT FRONT: Cast on 59(63-67-69) sts. Work even in seed st for 4 rows. Then work as follows: Row 1: Work 9(9-9-11) sts in seed st (front band), work Row 1 of pattern st on remaining 50(54-58-58) sts. Row 2: Work Row 2 of pattern st to last 9(9-9-11) sts, work in seed st to end of row. Keeping the 9(9-9-11) sts at front edge in seed st and remaining sts in pattern st, work even until piece measures 4 inches, ending with Row 1 of pattern st. **POCKET BAND:** Work in pattern st for 10(14-18-18) sts, put a marker on needle, K 1, P 1 on next 26 sts, put a marker on needle, work to end of row. Working the 26 sts between markers in seed st and remaining sts in pattern as established, work even for 11 rows more, ending with Row 1 of pattern st. **POCKET**

OPENING: Work to first marker, bind off the 26 sts of pocket band, work to end of row. **INSERT POCKET:** Work to bound off sts, work in pattern st across 26 sts of one pocket lining, work to end of row. Continue in pattern as established on 59(63-67-69) sts until piece measures 14(14-14½-14½) inches, ending with Row 1 of pattern st. **SHAPE ARMHOLE:** Row 1: At arm edge P 2, sl 1, K 1, pssso, work to end of row — 1 st dec. Row 2: Work to last 3 sts, P 1, K 2. Row 3: P 2, sl 1, K 1, pssso, P 1, work to end of row — 1 st dec. Row 4: Work to last 4 sts, K 1, P 1, K 2. Row 5: Repeat Row 1. Row 6: Repeat Row 2. Row 7: P 2, * sl 1, K 1, pssso, repeat from * once more, work to end of row — 1 st dec. Row 8: Work in pattern as established. Repeat these 8 rows 1(1-2-2) times more. **ON SIZE 14 ONLY:** Repeat Rows 1 through 4 once more. **ON ALL SIZES:** Work even on 51(53-55-57) sts until armhole measures 5½(5¾-6-6¼) inches, ending at arm edge. **SHAPE NECK:** Work to last 9(9-9-11) sts, sl these 9(9-9-11) sts onto a holder. At neck edge bind off 3 sts 4 times and 2(2-3-2) sts once. Work even on 28(30-31-32) sts until armhole measures 7½(7¾-8-8¼) inches. **SHAPE SHOULDERS:** Being sure to decrease the y o's of pattern st, at arm edge bind off 10 sts twice and 8(10-11-12) sts once.

RIGHT FRONT: Work to correspond to left front, reversing placing of pocket and all shaping and forming first buttonhole when piece measures 1 inch. **BUTTONHOLE:** Starting at front edge, work 4 sts, bind off the next 3 sts, work to end of row. On next row cast on 3 sts over those bound off previous row. Make 4 more buttonholes, evenly spaced — the last one to be made 15 inches above lower edge. Dec at arm edge as follows: Rows 1, 3 and 5: Work to last 4 sts, K 2 tog, P 2 — 1 st dec. Row 7: Work to last 6 sts, sl 1, K 1, pssso, K 2 tog, P 2 — 1 st dec.

SLEEVES: Cast on 49(53-57-61) sts. Work in seed st for 4 rows, inc 1 st at end of last row — 50(54-58-62) sts. Work in pattern st, inc 1 st each end of needle every 1 inch 12 times, forming new pattern as sts are increased. Work even on 74(78-82-86) sts until piece measures 18(18-18½-18½) inches, ending with Row 1 of pattern st. **SHAPE CAP:** Dec in same manner as on back. At the beg of each of the next 10 rows bind off 4 sts. Bind off remaining 18(18-18-22) sts.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. **COLLAR:** With wrong side facing you, pick up 88(88-92-96) sts around neck, including sts from holders. Row 1: Join yarn at right front edge and work in seed st on first 9(9-9-11) sts, work Row 1 of pattern st on next 70(70-74-74) sts, work last 9(9-9-11) sts in seed st. Keeping 9(9-9-11) sts each end of needle in seed st and remaining sts in pattern st, work even for 4 inches, ending with Row 1 of pattern st. On next row work in seed st on all sts, inc 1 st at centre of row. Work even in seed st on 89(89-93-97) sts for 3 rows more. Bind off Sew pocket linings in place. Block. Sew on buttons.



Style No. 705-65

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Nylo Germantown (2 oz. skeins) — 8(8-9-9)
1 pair straight knitting needles No. 8 OR ANY SIZE
NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW
6 buttons

GAUGE: 5 sts = 1 inch 8 rows = 1 inch

PATTERN STITCH: Multiple of 2 sts.

Rows 1 and 3: Knit.

Row 2: * K 1, P 1, repeat from * across row.

Row 4: * P 1, K 1, repeat from * across row.

Repeat these 4 rows for pattern stitch.

BACK: Cast on 66(70-74-78) sts. K 10 rows (5 ridges) in garter st. K 1 row, inc at even intervals to 74 (78-80-84) sts. P 1 row. Work in pattern st, inc 1 st each end of needle every $\frac{3}{4}$ inch 8(8-9-9) times, forming new patterns as sts are increased. Work even on 90(94-98-102) sts until piece measures 9(9-9 $\frac{1}{2}$ -9 $\frac{1}{2}$) inches, ending with a wrong side row. **SHAPE RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 2(2-3-3) sts. Then work as follows: Row 1: P 1, K 2 tog (dec), K to last 3 sts, K 2 tog (dec), P 1. Row 2: K 1, work in pattern as established to last st, K 1. Repeat these 2 rows 30(31-32-33) times more. Sl remaining 22(26-26-28) sts onto a holder.

LEFT FRONT: Cast on 44(46-48-50) sts. K 10 rows (5 ridges) in garter st. **INC ROW:** * K 5, inc 1 st in next st, repeat from * 3 times more, K to end of row — 48(50-52-54) sts. On next row K 18 (front panel), put a marker on needle, P to end of row. Keeping 18 sts of front panel in garter st and remaining sts in pattern st, inc 1 st at arm edge every $\frac{3}{4}$ inch 8(8-9-9) times. Work even on 56(58-61-63) sts

until piece measures 9(9-9 $\frac{1}{2}$ -9 $\frac{1}{2}$) inches, ending with same row of pattern st as on back at underarm. **SHAPE RAGLAN ARMHOLE:** At arm edge bind off 2(2-3-3) sts, work to end of row. Then work as follows: Row 1: Work in pattern as established to last st, K 1. Row 2: P 1, K 2 tog (dec), K to end of row. Repeat these 2 rows 25(26-27-28) times more. **SHAPE NECK:** At front edge bind off 9 sts. Continuing to dec 1 st at arm edge every other row 5 times more, at neck edge bind off 5(6-7-8) sts once and 3 sts 3 times.

RIGHT FRONT: Work to correspond to left front, reversing all shaping and working first double buttonhole when piece measures $\frac{1}{2}$ inch. **DOUBLE BUTTONHOLE:** Starting at front edge, K 3, bind off the next 2 sts, K until there are 8 sts after bound off sts, bind off next 2 sts, K to end of row. On next row cast on 2 sts over each group of sts bound off previous row. Make 2 more double buttonholes, evenly spaced, the last one to be made 7 $\frac{1}{2}$ inches above lower edge.

SLEEVES: Cast on 44(46-50-52) sts. K 10 rows (5 ridges) in garter st. K 1 row, inc at even intervals to 50(52-56-58) sts. P 1 row. Work in pattern st, inc 1 st each end of needle every 1 inch 10 times, forming new patterns as sts are increased. Work even on 70(72-76-78) sts until piece measures 12(12-12 $\frac{1}{2}$ -12 $\frac{1}{2}$) inches, ending with a wrong side row. **SHAPE RAGLAN CAP:** At the beg of each of the next 2 rows bind off 2(2-3-3) sts. Dec in same manner as on back 31(32-33-34) times. Sl remaining 4 sts onto a holder.

FINISHING: Sew sleeves to back and front armholes. Sew underarm and sleeve seams. **COLLAR:** With wrong side facing you, starting at 9th st from left front edge, pick up 80(84-88-92) sts around neck, to within 8 sts of right front edge, including sts from holder. K even in garter st for 36 rows (18 ridges). Bind off. Block. Sew on buttons.



Style No. 708-65

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Glengarry English Tweed (2 oz. skeins) — 12
(13-13-14)
1 pair straight knitting needles No. 6 OR ANY SIZE
NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW
7 buttons

GAUGE: 11 sts = 2 inches 7 rows = 1 inch

PATTERN STITCH: Multiple of 14 sts plus 9.

Rows 1 and 3: P 2, * K 5, P 2, repeat from * across row.
Row 2 and all even rows: K 2, * P 5, K 2, repeat from *
across row.

Row 5: P 1, P inc 1 st in next st, K 1, P 3 tog, K inc 1 st
in next st (P twist made), P 2, * K 5, P 1, make a P twist
on next 6 sts, P 2, repeat from * across row.

Row 6: Repeat Row 2.

Repeat these 6 rows for pattern stitch.

BACK: Cast on 95(101-107-113) sts. Work even in seed st
for 7 rows. Then work as follows: Row 1: K 1(4-0-3), P 2
(2-0-0), K 5(5-0-0), put a marker on needle, work Row 1
of pattern st on next 79(79-107-107) sts, put a marker on
needle, K 5(5-0-3), P 2(2-0-0), K 1(4-0-0). Row 2:
P 1(4-0-3), K 2(2-0-0), P 5(5-0-0), work Row 2 of pattern
st to next marker, P 5(5-0-3), K 2(2-0-0), P 1(4-0-0).
Keeping sts between markers in pattern st and remaining
sts in pattern as established, work even until piece meas-
ures 14(14-14½-14½) inches, ending with a wrong side
row. **SHAPE FULL-FASHIONED ARMHOLES:** At the
beg of each of the next 2 rows bind off 2 sts. Then work as
follows: Row 1: P 2, sl 1, work 1 st, pss0 (dec), work in pat-
tern st to last 4 sts, K 2 tog (dec), P 2. Row 2: K 2, P 1,
work in pattern st to last 3 sts, P 1, K 2. Repeat these 2
rows 9(10-11-11) times more. Work even in pattern as
established on 71(75-79-85) sts until armholes measure
7½(7¾-8-8¼) inches. **SHAPE SHOULDERS:** At the
beg of each of the next 4 rows bind off 8(8-9-9) sts. At the
beg of each of the next 2 rows bind off 7(9-8-10) sts. Bind
off remaining 25(25-27-29) sts.

POCKET LININGS: Make 2. Cast on 26 sts. Work even in
stockinette st for 5 inches, ending with a P row. Sl sts onto
a holder.

LEFT FRONT: Cast on 55(59-61-65) sts. Work even in seed
st for 7 rows, inc 1 st at end of last row on SIZES 12 AND
16 ONLY — 56(59-62-65) sts. **ON ALL SIZES:** Row 1:
K 1(4-0-3), P 2(2-0-0), K 5(5-0-0), work Row 1 of pattern
st on next 37(37-51-51) sts, work in seed st on last 11 sts
(front border). Row 2: Work in seed st on first 11 sts, work
Row 2 of pattern st on next 37(37-51-51) sts, P 5(5-0-3),
K 2(2-0-0), P 1(4-0-0). Work in pattern as established
until piece measures 4½ inches, ending with a wrong side
row. **POCKET BAND:** On next row work in pattern as
established on 3(6-9-12) sts, put a marker on needle, work
in seed st on next 26 sts, put a marker on needle, work in
pattern as established to end of row. Keeping 26 sts between

markers in seed st and remaining sts in pattern as estab-
lished, work even until piece measures 6 inches, ending with
a right side row. **POCKET OPENING:** Work in pattern
as established to first marker, bind off next 26 sts, work in
pattern st to end of row. **INSERT POCKET:** Work to
pocket opening, work in pattern st across the 26 sts of one
pocket lining work to end of row. Continue in pattern as es-
tablished until piece measures 14(14-14½-14½) inches,
ending with same row of pattern st as on back at underarm.
SHAPE FULL-FASHIONED ARMHOLE: At arm edge
bind off 2 sts, work to end of row. Then work as follows: Row
1: Work in pattern as established to last 3 sts, P 1, K 2.
Row 2: P 2, sl 1, work 1 st, pss0 (dec), work to end of row.
Repeat these 2 rows 9(10-11-11) times more. Work even on
44(46-48-51) sts until armhole measures 6(6¼-6¼-6¾)
inches. **SHAPE NECK:** At front edge bind off 15(15-16-17)
sts once and 2 sts 3 times. Work even on 23(25-26-28) sts
until armhole measures 7½(7¾-8-8¼) inches. **SHAPE
SHOULDER:** At arm edge bind off 8(8-9-9) sts twice and
7(9-8-10) sts once.

RIGHT FRONT: Work to correspond to left front, reversing
all shaping, placing of pattern st and pocket and forming
first buttonhole when piece measures 1 inch. **BUTTON-
HOLE:** Starting at front edge, work 4 sts, bind off next 3
sts, work to end of row. On next row cast on 3 sts over those
bound off previous row. Make 6 more buttonholes, evenly
spaced — the last one to be made ½ inch below start of
neck shaping. Armhole decs are to be made as follows:
Work in pattern st to last 4 sts, K 2 tog (dec), P 2. On next
row K 2, P 1, work in pattern as established to end of row.

SLEEVES: Cast on 51 sts. Work even in seed st for 7 rows.
Then work in pattern st, inc 1 st each end of needle every
1½ inches 8(9-10-11) times, forming new patterns as sts
are increased. Work even on 67(69-71-73) sts until piece
measures 18(18-18½-18½) inches, ending with same row
of pattern st as on back at underarm. **SHAPE FULL-
FASHIONED CAP:** At the beg of each of the next 2 rows
bind off 2 sts. Dec in same manner as on back 10(11-12-12)
times. At the beg of each of the next 10 rows bind off 3 sts.
Bind off remaining sts.

COLLAR: Cast on 77(77-81-81) sts. Row 1: Work in seed
st on first 4 sts, K 2(2-4-4), put a marker on needle, work
Row 1 of pattern st on 65 sts, put a marker on needle, K 2
(2-4-4), work in seed st to end of row. Row 2: Work in
seed st on first 4 sts, P to first marker, work Row 2 of pattern
st to next marker, P 2(2-4-4), work in seed st to end of row.
Keeping sts between markers in pattern st and remaining
sts in pattern as established, work even until piece measures
4 inches. Work even in seed st for 7 rows. Bind off.

FINISHING: Sew underarm, shoulder and sleeve seams. Set
in sleeves. Sew cast on edge of collar to neck edge to within
1¼ inches of each front edge. Sew pocket linings in place.
Finish buttonholes. Block. Sew on buttons.

Antique Pattern Library



Style No. 710-65

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Nylo Germantown (2 oz. skeins) — 7(8-8-9)
1 pair straight knitting needles No. 8 OR ANY SIZE
NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW

GAUGE: 5 sts = 1 inch 7 rows = 1 inch

PATTERN STITCH: To be worked on 10 sts as designated.

Row 1: P 2, K 2, P 2, K 2, P 2.

Rows 2 and 4: K 2, P 2, K 2, P 2, K 2.

Row 3: P 2, * skip 1 st, insert needle in BACK LOOP of next st and K this st, do not drop st off needle, then K skipped st and drop both sts off left hand needle, P 2, repeat from *, once more.

Repeat these 4 rows for pattern stitch.

BACK: Cast on 80(86-90-96) sts. K 1, P 1 in ribbing for 10 rows. Then work as follows: Row 1: K 35(38-40-43), put a marker on needle, work Row 1 of pattern st on next 10 sts, put a marker on needle, K 35(38-40-43). Row 2: P to marker, work Row 2 of pattern st on next 10 sts, P to end of row. Keeping 10 sts between markers in pattern st and remaining sts in stockinette st, inc 1 st each end of needle every 1 inch 6 times. Work even on 92(98-102-108) sts until piece measures 9(9-9½-9½) inches, ending with a wrong side row. **SHAPE RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 3(4-4-5) sts. Row 3: K 2, sl 1, K 1, pss0 (dec), work in pattern as established to last 4 sts, K 2 tog (dec), K 2. Row 4: K 1, P work in pattern as established to last st, K 1. Repeat the last 2 rows 28(29-30-32) times more. Sl remaining 28(30-32-32) sts onto a holder.

LEFT FRONT: Cast on 47(49-51-53) sts. Row 1: P 1, * K 1, P 1, repeat from * across row. Put a marker in work to mark front edge. Row 2: Dec 1 st at front edge, K 1, P 1 in ribbing to end of row. Continue in ribbing, dec 1 st at front edge every other row 4 times more — 42(44-46-48) sts. On next row K to last 12 sts, put a marker on needle, work Row 1 of pattern st on next 10 sts, put a marker on needle, K 2. Keeping the 10 sts between markers in pattern st and remaining sts in stockinette st, inc 1 st at arm edge every 1 inch 6 times. Work even on 48(50-52-54) sts until

piece measures 9(9-9½-9½) inches, ending with a wrong side row. **SHAPE RAGLAN ARMHOLE:** Row 1: At arm edge bind off 3(4-4-5) sts. Row 2: Work in pattern as established to last st, K 1. Row 3: K 2, sl 1, K 1, pss0 (dec), work to end of row. Repeat the last 2 rows 12(13-13-16) times more. **SHAPE NECK:** Continuing to dec 1 st at arm edge every other row in same manner as before, dec 1 st at neck edge every other row 16(16-17-16) times. Fasten off.

RIGHT FRONT: Work to correspond to left front, reversing all shaping and placing of pattern.

SLEEVES: Cast on 52(56-58-62) sts. K 1, P 1 in ribbing for 10 rows. P 1 row, inc at even intervals to 60(64-66-72) sts. On next row K 25(27-28-31) sts, put a marker on needle, work Row 1 of pattern st on next 10 sts, put a marker on needle, K 25(27-28-31). 10 sts between markers in pattern st and remaining sts in stockinette st, inc 1 st each end of needle every 1 inch 11 times. Work even on 82(86-88-94) sts until piece measures 13(13-13½-13½) inches, ending with a wrong side row. **SHAPE RAGLAN CAP:** Continuing in pattern as established, at the beg of each of the next 2 rows bind off 3(4-4-5) sts. Dec in same manner as on back 21(22-23-25) times — 34 sts. On next K row, K 2, sl 1, K 1, pss0, K to 2 sts before first marker, K 2 tog, work to next marker, sl 1, K 1, pss0, K to last 4 sts, K 2 tog, K 2. Continuing to dec 1 st each end of needle in same manner as before every other row 7 times more, dec 1 st at each marker every 4th row 3 times more. Sl remaining 10 sts onto a holder.

FINISHING: Sew sleeves to back and front armholes. Sew underarm and sleeve seams. **RIGHT FRONT BAND:** With right side facing you and beg at start of neck shaping, pick up 61(61-63-63) sts on front edge to top of waistband. P 1, K 1 in ribbing, inc 1 st each end of needle every other row 4 times — 69(69-71-71) sts. Work 1 row even. Bind off as if to K. **LEFT FRONT BAND:** Work to correspond to right front band. **NECKBAND:** With right side facing you, starting at neck shaping, pick up 81(83-85-85) sts around neck edge, including sts from holders. K 1, P 1 in ribbing, inc 1 st each end of needle every other row 4 times. Work 1 row even. Bind off as if to K. Seam bands. Block to size.



Style No. 716-65

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Nylo Sports (2 oz. balls) — 9(10-10-11)
1 pair straight knitting needles No. 5 OR ANY SIZE
NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW
5 buttons

GAUGE: 6 sts = 1 inch 8 rows = 1 inch

PATTERN STITCH: Multiple of 2 sts plus 1.

Row 1: Knit.

Rows 2 and 4: Purl.

Row 3: K 1, * P 1, K 1, repeat from * across row.

Repeat these 4 rows for pattern stitch.

BACK: Cast on 111(117-123-129) sts. Work in seed st for 16 rows. Then work even in pattern st until piece measures 12(12-12½-12½) inches, ending with a P row. **SHAPE RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 7 sts. Row 3: K 1, K 2 tog (dec), work to last 3 sts, sl 1, K 1, pssso (dec), K 1. Row 4: K 1, P to last st, K 1. Repeat these last 2 rows 34(36-38-40) times more. Bind off remaining 27(29-31-33) sts.

POCKET LINING: Make 2. Cast on 23 sts. Work even in stockinette st for 3 inches, ending with a P row. Sl sts onto a holder.

LEFT FRONT: Cast on 63(67-71-73) sts. Work in seed st for 16 rows. On next row work Row 1 of pattern st on 51(55-59-61) sts, continue in seed st on last 12 sts (front band). Keeping 12 sts of front band in seed st and remaining sts in pattern st, work even until piece measures 5 inches, ending with Row 2. **POCKET BAND:** Work in pattern st on 7(11-13-15) sts, put a marker on needle, P 1, K 1 on next 23 sts, put a marker on needle, work in pattern as established to end of row. Working the 23 sts between markers in seed st and remaining sts in pattern as established, work even for 6 rows more, ending with a right side row. **POCKET OPENING:** Work to first marker, bind off 23

sts of pocket band, work to end of row. **INSERT POCKET:** Work to bound off sts, work in pattern st across the 23 sts of one pocket lining, work to end of row. Work even in pattern as established on 63(67-71-73) sts until piece measures 12(12-12½-12½) inches, ending with a P row. **SHAPE RAGLAN ARMHOLE:** Row 1: At arm edge bind off 7 sts. Row 2: Work even. **SHAPE NECK:** Row 3: K 1, K 2 tog (armhole dec), work to 2 sts before front band, K 2 tog (neck dec), work front band. Row 4: Work front band, P to last st, K 1. Continuing to dec 1 st at arm edge every other row 34(36-38-40) times more, dec 1 st inside of front band every 6th row 0(4-10-8) times and every 8th row 8(6-2-4) times. Work even in seed st on remaining 12 sts for 2¼(2½-2½-2¾) inches. Bind off.

RIGHT FRONT: Work to correspond to left front, reversing placing of pocket and all shaping and forming first buttonhole when piece measures 1½ inch. **BUTTONHOLE:** Starting at front edge, work 4 sts, bind off the next 4 sts, work to end of row. On next row cast on 4 sts over those bound off previous row. Make 4 more buttonholes, evenly spaced — the last one to be made at start of neck shaping. To dec at arm edge work to last 3 sts, sl 1, K 1, pssso, K 1. To dec at front edge, work front band, sl 1, K 1, pssso.

SLEEVES: Cast on 53(55-57-59) sts. Work in seed st for 2 inches. Then work in pattern st, inc 1 st each end of needle every ¼ inch 16(17-18-19) times. Work even on 85(89-93-97) sts until piece measures 18(18-18½-18½) inches, ending with a P row. **SHAPE RAGLAN CAP:** At the beg of each of the next 2 rows bind off 7 sts. Row 3: K 1, K 2 tog, work to last 3 sts, sl 1, K 1, pssso, K 1. Row 4: K 1, P to last st, K 1. Repeat these last 2 rows until 7 sts remain. Mark one edge as front of sleeve. Continuing to dec 1 st at back edge every other row 3 times more, at front edge bind off 2 sts twice. On second sleeve reverse top shaping.

FINISHING: Sew sleeves to back and front armholes. Sew underarm and sleeve seams. Seam neckband at centre back and sew in place. Sew pocket linings in place. Block. Finish buttonholes. Sew on buttons.



Style No. 704-65

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Jaeger Classic Fingering (1 oz. pull skeins) —
10(10-11-11)
1 pair each straight knitting needles Nos. 1 and 3 OR ANY
SIZE NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW
5 buttons

GAUGE: 8 sts = 1 inch 10 rows = 1 inch

PATTERN STITCH: Multiple of 2 sts plus 1.

Row 1 (right side): P 1, * K 1, P 1, repeat from * across row.

Row 2: Knit.

Repeat these 2 rows for pattern stitch.

BACK: Using No. 1 needles, cast on 136(144-152-160) sts. K 1, P 1 in ribbing for 2½ inches, inc 1 st at end of last row. Change to No. 3 needles and work even in pattern st on 137 (145-153-161) sts until piece measures 10½ inches, ending with a right side row. **SHAPE RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 5(7-7-7) sts. Then work as follows: Row 1: K 1, K 2 tog (dec), K to last 3 sts, K 2 tog (dec), K 1. Row 2: P 1, work in pattern as established to last st, P 1. Repeat these 2 rows 39(40-42-44) times more. Sl remaining 47(49-53-57) sts onto a holder.

LEFT FRONT: Using No. 1 needles, cast on 80(84-88-92) sts. Row 1: * P 1, K 1, repeat from * across row. Row 2: K 2, * P 1, K 1, repeat from * across row. Repeat these 2 rows until piece measures 2½ inches, ending with Row 2. Change to No. 3 needles and work in pattern st to last 17 sts, sl these 17 sts onto a holder to be worked later for front band. Work even in pattern st on 63(67-71-75) sts until piece measures 10½ inches, ending with a wrong side row. **SHAPE RAGLAN ARMHOLE:** At arm edge bind off 5 (7-7-7) sts. Then work as follows: Row 1: Knit. Row 2: P 1, work in pattern as established across row. Row 3: K to last 3 sts, K 2 tog (dec), K 1. Repeat the last 2 rows 32(33-35-37) times more, ending at front edge — 25(26-28-30) sts. **SHAPE NECK:** At front edge bind off 4(5-7-9) sts. Continuing to dec 1 st at arm edge every other row 7 times more, at neck edge dec 1 st EVERY ROW 14 times. **FRONT BAND:** Sl 17 sts of front band onto No. 1 needles.

Join yarn at inner edge. Working first st at front edge in garter st in same manner as before, continue in ribbing on remaining 16 sts until piece measures 9 inches above lower edge, ending at inner edge. **SHAPE LAPEL:** P 1, K 1 in ribbing to last 3 sts, in next st P 1, K 1, and P 1 (2 sts increased), K 2. Continuing in pattern as established inc 2 sts in same manner as before every 8th row 10 times more — 39 sts. Work even until piece is same length as front to start of neck shaping, ending at front edge. At the beg of next row bind off 20 sts, sl remaining 19 sts onto a holder.

RIGHT FRONT AND RIGHT FRONT BAND: Work to correspond to left front and left front band, reversing all shaping and forming first buttonhole when piece measures ¾ inch. **BUTTONHOLE:** Starting at front edge, work 6 sts, bind off next 3 sts, work to end of row. On next row cast on 3 sts over those bound off previous row. Make 4 more buttonholes, evenly spaced — the last one to be made at start of lapel shaping.

SLEEVES: Using No. 1 needles, cast on 72(76-80-84) sts. K 1, P 1 in ribbing for 1½ inches, inc 1 st at end of last row — 73(77-81-85) sts. Change to No. 3 needles and work in pattern st, inc 1 st each end of needle every 6th row 16 times, forming new patterns as sts are increased. Work even on 105(109-113-117) sts until piece measures 12(12-12½-12½) inches, ending with a right side row. **SHAPE RAGLAN CAP:** At the beg of each of the next 2 rows bind off 5(7-7-7) sts. Dec in same manner as on back 40(41-43-45) times. Sl remaining 15(13-13-13) sts onto a holder.

FINISHING: Sew sleeves to back and front armholes. Sew underarm and sleeve seams. Sew front bands in place. **COLLAR:** Using No. 1 needles, with right side facing you, pick up 123(127-131-135) sts around neck, including sts from holders. Row 1: K 1, work in ribbing as established to last st, K 1. Row 2: K 1, work in ribbing as established to last st, K 1. Repeat these 2 rows 4 times more. On next row work 2 sts, inc 2 sts in next st, work in ribbing as established to last 3 sts, inc 2 sts in next st, work to end of row. Continue in this manner to inc 4 sts every 4th row 5 times more. Work even on 147(151-155-159) sts until piece measures 3½ inches. Bind off. Block. Sew on buttons.

Antique
Pattern
Library



Style No. 714-65

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Nylo Germantown (2 oz. skeins) — 9(10-10-11)
Main Color (M C); 1 Contrasting Color (C C)
1 pair each straight knitting needles Nos. 3 and 5 OR ANY
SIZE NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW
1 d p needle or cable holder
7 buttons

GAUGE: 7 sts = 1 inch 7 rows = 1 inch in pattern st

PATTERN STITCH: Multiple of 19(20-21-22) sts plus 9.

Rows 1, 5 and 7: P 1, K 3, P 1, K 3, P 1, * K 10(11-12-13)
P 1, K 3, P 1, K 3, P 1, repeat from * across row.

Rows 2, 4 and 6: K 1, P 3, K 1, P 3, K 1, * P 10(11-12-13)
K 1, P 3, K 1, P 3, K 1, repeat from * across row.

Row 3: P 1, sl next 3 sts onto d p needle and hold in front
of work, P next st, K next 3 sts, K 3 sts from d p needle
(cable twist), P 1, * K 10(11-12-13), P 1, work a cable
twist on next 7 sts, P 1, repeat from * across row.

Row 8: Repeat Row 2.

Repeat these 8 rows for cable pattern stitch.

BACK: Using No. 3 needles and M C, cast on 114(122-130-
134) sts. K 1, P 1 in ribbing for 2½ inches, inc 1 st at end
of last row on SIZES 14 AND 18 ONLY — 114(123-130-
135) sts. P 1 row. Break off M C. Change to No. 5 needles
and join C C. Row 1: K 5(7-8-8), put a marker on needle,
work Row 1 of pattern st on next 104(109-114-119) sts,
put a marker on needle, K 5(7-8-8). Row 2: P 5(7-8-8),
work Row 2 of pattern st on next 104(109-114-119), P 5
(7-8-8). Keeping the 104(109-114-119) sts between mark-
ers in pattern st and remaining sts in stockinette st, work
even until 8 C C rows have been completed. Break off
C C. Join M C and work even in pattern as established for
8 rows. Break off M C. Join C C. On next row inc 1 st each
end of needle and continue in pattern until 8 C C rows have
been completed. Break off C C. Using M C ONLY, con-
tinue in pattern, inc 1 st each end of needle every 1½ inches
5 times, working inc sts in stockinette st. Work even on 126
(135-142-147) sts until piece measures 12½(12½-13-13)
inches. SHAPE ARMHOLES: At the beg of each of the
next 2 rows bind off 2 sts. Dec 1 st each end of needle every
other row 3(4-5-6) times. Work even on 116(123-128-131)
sts until armholes measure 7½(7¾-8-8¼) inches. SHAPE
SHOULDERS: At the beg of each of the next 4 rows bind
off 13(14-15-15) sts. At the beg of each of the next 2 rows
bind off 14 sts. Sl remaining 36(39-40-43) sts onto a holder.

LEFT FRONT: Using No. 3 needles and M C, cast on 70
(74-78-80) sts. Row 1: K 1, P 1 in ribbing to last 2 sts, K 2
(front edge). Row 2: K 1, P 1 in ribbing across row. Repeat
these 2 rows for 2½ inches, ending with Row 1. P 1 row.

Break off M C. Change to No. 5 needles and join C C. Row
1: K 5(7-8-8), put a marker on needle, work Row 1 of pat-
tern st on next 47(49-51-53), put a marker, K 1, P 1 in
ribbing on 18(18-19-19) sts (front band). Continue in pat-
tern as established until 8 C C rows have been completed.
Break off C C. Join M C and work even for 8 rows. Break off
M C. Join C C. On next row inc 1 st at arm edge and con-
tinue in pattern as established for 8 rows. Break off C C.
USING M C ONLY, continue in pattern as established,
inc 1 st each end of needle every 1½ inches 5 times. Work
even on 76(80-84-86) sts until piece measures 12½(12½-
13-13) inches. SHAPE ARMHOLE: At arm edge bind off
2 sts. Dec 1 st at same edge every other row 3(4-5-6) times.
Work even on 71(74-77-78) sts until armhole measures 5
(5¼-5½-5¾) inches, ending at front edge. SHAPE
NECK: Work 18(18-19-19) sts of front band and sl these 18
(18-19-19) sts onto a holder, work to end of row. At neck
edge bind off 1(2-2-3) sts once and 3 sts 4 times. Work even
on 40(42-44-44) sts until armhole measures 7½(7¾-8-8¼)
inches. SHAPE SHOULDER: At arm edge bind off 13
(14-15-15) sts twice and 14 sts once.

RIGHT FRONT: Work to correspond to left front, reversing
placing of pattern and all shaping and forming first button-
hole on 3rd row of first C C stripe. **BUTTONHOLE:** Start-
ing at front edge, work 7 sts, bind off the next 4 sts, work to
end of row. On next row cast on 4 sts over those bound off
previous row. Make 6 more buttonholes, evenly spaced —
the last one to be made in last 2 rows before start of neck
shaping.

SLEEVES: Using No. 3 needles and M C, cast on 56(58-60-
62) sts. K 1, P 1 in ribbing in same manner as before for
3 inches. P 1 row, inc at even intervals to 69(73-75-79) sts.
Break off M C. Change to No. 5 needles and join C C. Row
1: K 11(12-12-13), put a marker on needle, work Row 1 of
pattern st on next 47(49-51-53), put a marker on needle,
K 11(12-12-13). Continue in pattern as established, work-
ing 8 rows C C, 8 rows M C, 8 rows C C and remainder of
sleeve in M C, inc 1 st each end of needle every ¾ inch 18
(18-19-19) times, working increased sts in stockinette st.
Work even on 105(109-113-117) sts until piece measures
18(18-18½-18½) inches. SHAPE CAP: At the beg of each
of the next 22(22-24-24) rows bind off 3 sts. Bind off re-
maining sts.

FINISHING: Sew underarm, shoulder and sleeve seams. Set
in sleeves. **COLLAR:** Using No. 3 needles and M C, with
right side facing you, pick up 133(135-137-139) sts around
neck, including sts from holders. Work in K 1, P 1 ribbing as
follows: 6 rows M C, 2 rows C C, 12 rows M C, 2 rows C C
and 6 rows M C. Bind off. Fold collar in half and hem to
inside neck edge. Finish buttonholes. Block. Sew on buttons.



Style No. 697-65

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Nylo Germantown (2 oz. skeins) — 8(8-9-9)
1 pair each straight knitting needles Nos. 3 and 5 OR ANY
SIZE NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW
1 button

GAUGE: 11 sts = 2 inches 7 rows = 1 inch

BACK: Using No. 3 needles, cast on 101(107-113-119) sts. Rows 1 and 4: K 1, * P 1, K 1, repeat from * across row. Rows 2 and 3: P 1, * K 1, P 1, repeat from * across row. Repeat these 4 rows once more. Change to No. 5 needles and work even in stockinette st until piece measures 12 (12-12½-12½) inches. **SHAPE ARMHOLES:** At the beg of each of the next 4 rows bind off 5(6-6-7) sts. Dec 1 st each end of needle every other row 5(4-5-4) times. Work even on 71(75-79-83) sts until armholes measure 7½(7¾-8-8¼) inches. **SHAPE SHOULDERS:** At the beg of each of the next 4 rows bind off 8(8-9-9) sts. At the beg of each of the next 2 rows bind off 8(9-8-9) sts. Bind off remaining 23(25-27-29) sts.

LACE PATTERN STITCH: To be worked on 5 sts as designated.

Row 1: P 1, * y o, P 1, repeat from * 3 times more — 9 sts.
Row 2 (right side): K 2 tog, y o, K 1, y o, K 3, y o, K 1, y o, sl 1, K 1, pss0 — 11 sts.
Row 3: P 3, y o, P 5, y o, P 3 — 13 sts.
Row 4: K 2 tog, y o, K 1, y o, K 1, K 2 tog, K 1, sl 1, K 1, pss0, K 1, y o, K 1, y o, sl 1, K 1, pss0 — 13 sts.
Row 5: P 3, P 2 tog, P 2, sl 1, P 1, pss0, P 4 — 11 sts.
Row 6: K 2 tog, y o, K 1, K 2 tog, K 1, sl 1, K 1, pss0, K 1, y o, sl 1, K 1, pss0 — 9 sts.
Row 7: Purl — 9 sts.
Row 8: K 2 tog twice, K 1, sl 1, K 1, pss0 twice — 5 sts.
Repeat these 8 rows for lace pattern stitch.

LEFT FRONT: Using No. 3 needles, cast on 55(57-61-63) sts. Rows 1 and 4: K 1, * P 1, K 1, repeat from * across row. Rows 2 and 3: P 1, * K 1, P 1, repeat from * across row. Repeat these 4 rows once more. Change to No. 5 needles and work as follows: Row 1: K 1, * P 1, K 1, repeat from * once more, P 2, put a marker on needle, work Row 1 of


lace pattern st on next 5 sts, put a marker on needle, P 43 (45-49-51). Row 2: K to marker, work Row 2 of lace pattern st to next marker, K 2, P 1, * K 1, P 1, repeat from * once more. Row 3: P 1, * K 1, P 1, repeat from * once more, P 2, work Row 3 of lace pattern st to next marker, P to end of row. Row 4: K to marker, work Row 4 of lace pattern st to next marker, K 3, * P 1, K 1, repeat from * once more. Work even in pattern as established until piece measures 12(12-12½-12½) inches. **SHAPE ARMHOLE:** At arm edge bind off 5(6-6-7) sts twice. Dec 1 st at same edge every other row 5(4-5-4) times. Work even on 40 (41-44-45) sts until armhole measures 6(6¼-6½-6¾) inches. **SHAPE NECK:** At front edge bind off 10(10-12-12) sts once and 3 sts twice. Work even on 24(25-26-27) sts until armhole measures 7½(7¾-8-8¼) inches. **SHAPE SHOULDER:** At arm edge bind off 8(8-9-9) sts twice and 8(9-8-9) sts once.

RIGHT FRONT: Work to correspond to left front, reversing placing of lace pattern and all shaping and making a buttonhole ½ inch below start of neck shaping. **BUTTONHOLE:** Starting at front edge, work 2 sts, bind off next 2 sts, work to end of row. On next row cast on 2 sts over those bound off previous row.

SLEEVES: Using No. 3 needles, cast on 49(51-53-55) sts. Rows 1 and 4: K 1, * P 1, K 1, repeat from * across row. Rows 2 and 3: P 1, * K 1, P 1, repeat from * across row. Repeat these 4 rows once more. Change to No. 5 needles and work in stockinette st, inc 1 st each end of needle every 1 inch 10(10-11-11) times. Work even on 69(71-75-77) sts until piece measures 13(13-13½-13½) inches. **SHAPE CAP:** At the beg of each of the next 4 rows bind off 5(6-6-7) sts. Dec 1 st each end of needle every 4th row 0(1-0-2) times and every other row 16(15-18-15) times. At the beg of each of the next 4 rows bind off 2 sts. Bind off remaining sts.

COLLAR: Using No. 3 needles, cast on 63(63-67-67) sts. Rows 1 and 4: K 1, * P 1, K 1, repeat from * across row. Rows 2 and 3: P 1, * K 1, P 1, repeat from * across row. Repeat these 4 rows once more. Bind off.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. Sew collar to neck to within ¼ inch of each front edge. Finish buttonhole. Block. Sew on button.



Style No. 712-65

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 14 (15-16-16) Main Color (M C); 1 each Colors A, B and C.
1 pair straight knitting needles No. 8 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 circular needle No. 8
7 buttons

GAUGE: 5 sts = 1 inch 9 rows = 1 inch

PATTERN STITCH: Multiple of 2 sts plus 1.

Row 1 (wrong side): P 1, * throw yarn to back of work and sl 1, bring yarn to front of work and P 1, repeat from * across row.

Row 2: Purl.

Repeat these 2 rows for pattern stitch.

BACK: Using M C and straight needles cast on 93(97-103-107) sts. Row 1: P 1, * K 1, P 1, repeat from * across row. Row 2: K 1, * P 1, K 1, repeat from * across row. Work even in pattern st until piece measures 16½(16½-17-17) inches, ending with Row 1. **SHAPE RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 2 sts. Then work as follows: Row 1: P 2, sl 1, K 1, pss0 (dec), P to last 4 sts, K 2 tog (dec), P 2. Row 2: K 2, P 1, work in pattern as established to last 3 sts, P 1, K 2. Repeat these 2 rows 32(33-35-37) times more. Bind off remaining 23 (25-27-27) sts.

POCKET LININGS: Make 2. Using M C and straight needles, cast on 25 sts. Work even in stockinette st for 4 inches, ending with a P row. Sl sts onto a holder.

LEFT FRONT: Using M C and straight needles, cast on 51 (53-55-57) sts. Row 1: P 1, * K 1, P 1, repeat from * across row. Row 2: K 1, * P 1, K 1, repeat from * across row. Then work even in pattern st until piece measures 4½ inches, ending with Row 2. **POCKET OPENING:** On next row work 40 sts and sl last 25 sts just worked onto a holder, work last 11(13-15-17) sts. **INSERT POCKET:** On next row P 11(13-15-17) sts, P across 25 sts of one pocket lining, P last 15 sts. Work even on 51(53-55-57) sts until piece measures 16½(16½-17-17) inches, ending with Row 1. **SHAPE RAGLAN ARMHOLE:** At arm edge bind off 2 sts. Work to end of row. Work 1 row even. Then work as follows: Row 1: P 2, sl 1, K 1, pss0 (dec), P to end of row. Row 2: Work to last 3 sts, P 1, K 2. Repeat these last 2 rows 25(25-27-29) times more — 23(25-25-25) sts. **SHAPE NECK:** Continuing to dec 1 st at arm edge in same manner as before 7(8-8-8) times more, at front edge dec 1 st EVERY ROW 14(15-15-15) times. Bind off remaining 2 sts.

RIGHT FRONT: Work to correspond to left front, reversing placing of pocket and all shaping. Dec at arm edge as follows: P to last 4 sts, K 2 tog, P 2.

SLEEVES: Using Color A and straight needles cast on 46 (48-50-52) sts. K 1, P 1 in ribbing for 3 rows. Break off Color A. Join Color B and work 2 rows in ribbing. Break off Color B. Join Color C and work 2 rows in ribbing. Break off Color C. Join M C and continue in ribbing until piece measures 3 inches. P 1 row, inc at even intervals to 49(51-55-59) sts. Work in pattern st, inc 1 st each end of needle every 1 inch 14 times, forming new patterns as sts are increased. Work even on 77(79-83-87) sts until piece measures 18(18-18½-18½) inches, ending with Row 1. **SHAPE RAGLAN CAP:** At the beg of each of the next 2 rows bind off 2 sts. Dec in same manner as on back 33(34-36-38) times. Bind off remaining 7 sts.

COLLAR: Using M C and straight needles cast on 59(61-63-65) sts. Work even in pattern st for 3 inches, ending with Row 1. Break off and sl sts onto a holder. Using Color A, with right side facing you, pick up 15 sts on side edge of collar, K the 59(61-63-65) sts from holder, pick up 15 sts on other side — 89(91-93-95) sts. Break off Color A and sl sts onto a holder.

FINISHING: Sew sleeves to front and back armholes. Sew underarm and sleeve seams. **POCKET BANDS:** Sl 25 sts of pocket opening onto needle. Join Color A and K 1, P 1 in ribbing for 2 rows. Break off Color A. Continuing in ribbing, work 2 rows each of Colors B and C. Bind off. Sew pocket bands and pocket linings in place. Sew cast on edge of collar to neck edge. **BORDER:** Using circular needle and Color A, with right side facing you, pick up 112(112-118-120) sts on right front edge to start of collar, break off Color A; with wrong side facing you, sl the 89(91-93-95) sts of collar onto same needle; join Color A and, with right side facing you, pick up 112(112-118-120) sts on left front edge — 313(315-329-335) sts. Row 1: K 1, P 1 in ribbing for 126(126-132-134) sts, work 3 sts in next (corner) st, (2 sts increased), P 1, K 1 in ribbing on next 59 (61-63-65) sts, inc 2 sts in next (corner) st, P 1, K 1 in ribbing to end of row. Row 2: **BUTTONHOLES:** P 1, K 1 in ribbing for 2(2-2-4) sts, bind off the next 2 sts, * work in ribbing across next 16(16-17-17) sts, bind off the next 2 sts, repeat from * 5 times more, continue in ribbing to end of row. Break off Color A. Row 3: Join Color B and work in ribbing, inc 2 sts in each corner and casting on 2 sts over each group of 2 sts bound off previous row. Work 1 row more in ribbing. Break off Color B. Row 5: Join Color C and work in ribbing, inc 2 sts in each corner. Bind off. Steam. Sew on buttons.



Style No. 696-65

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 12(12-13-13) Main Color (M C); 1 Contrasting Color (C C)
1 circular needle No. 10 OR ANY SIZE NEEDLE WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
5 buttons

GAUGE: 4 sts = 1 inch 6 rows = 1 inch

PATTERN STITCH: Multiple of 4 sts plus 3.

Row 1: K 3, * P 1, K 3, repeat from * across row.

Rows 2 and all even rows: Purl.

Rows 3 and 7: Knit.

Row 5: K 1, * P 1, K 3, repeat from *, ending P 1, K 1.

Row 8: Purl.

Repeat these 8 rows for pattern stitch.

BACK: Using M C, cast on 70(74-78-82) sts. Work back and forth, in K 1, P 1 ribbing for 1 inch. P the next row, inc 1 st at end of row. Work even in pattern st on 71(75-79-83) sts until piece measures 12(12-12½-12½) inches, ending with a P row. **SHAPE FULL-FASHIONED ARMHOLES:** At the beg of each of the next 2 rows bind off 2(2-3-3) sts. Row 3: K 1, K 2 tog (dec), work to last 3 sts, sl 1, K 1, pssso (dec), K 1. Row 4: K 1, P to last st, K 1. Repeat last 2 rows 4 times more — 57(61-63-67) sts. Keeping 1 st each end of needle in garter st, work even until armholes measure 7½(7¾-8-8¼) inches. **SHAPE SHOULDERS:** At the beg of each of the next 4 rows bind off 7 sts. At the beg of each of the next 2 rows bind off 5(7-7-8) sts. Bind off remaining 19(19-21-23) sts.

LEFT FRONT: Using M C, cast on 30(34-38-38) sts. Work back and forth in P 1, K 1 ribbing for 1 inch. P 1 row, inc 1 st at end of row. Work even in pattern st on 31(35-39-39) sts until piece measures 12(12-12½-12½) inches, ending with a P row. **SHAPE FULL-FASHIONED ARMHOLE:** Row 1: At arm edge bind off 2(2-3-3) sts, work to end of row. Row 2: P to last st, K 1. Row 3: K 1, K 2 tog (dec), work to end of row. Row 4: Repeat Row 2. Repeat last 2 rows 4 times more — 24(28-31-31) sts. **SHAPE NECK:** K 1, work to last 3 sts, K 2 tog (dec), K 1. Continuing in pattern as established, dec 1 st at neck edge every 4th row

4(6-9-8) times more. Work even on 19(21-21-22) sts until armhole measures 7½(7¾-8-8¼) inches. **SHAPE SHOULDER:** At arm edge bind off 7 sts twice and 5(7-7-8) sts once.

RIGHT FRONT: Work to correspond to left front, reversing all shaping. **FOR FULL-FASHIONED ARMHOLE** dec by working to last 3 sts, sl 1, K 1, pssso, K 1.

SLEEVES: Using M C, cast on 34(34-38-38) sts. K 1, P 1 in ribbing for 2½ inches. P 1 row, inc 1 st at end of row — 35(35-39-39) sts. Work in pattern st, inc 1 st each end of needle every 1¼ inches 10(11-10-11) times, forming new patterns as sts are increased. Work even on 55(57-59-61) sts until piece measures 18(18-18½-18½) inches, ending with a P row. **SHAPE FULL-FASHIONED CAP:** At the beg of each of the next 2 rows bind off 2(2-3-3) sts. Dec in same manner as on back 5 times. Bind off remaining 41(43-43-45) sts.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. **FRONT BAND AND COLLAR:** Using M C, with right side facing you, pick up 101(101-104-104) sts on right front edge to shoulder seam, put a marker on needle, pick up 33 sts across back of neck, put a marker on needle, pick up 101(101-104-104) sts on left front edge. K 1 row. Then work as follows: Row 1 (right side): K 5, * P 3, K 3, repeat from *, ending P 3, K 5. Row 2: K 2, * P 3, K 3, repeat from *, ending P 3, K 2. Row 3: K 5, * P 3, K 3, repeat from * to 6 sts after second marker; turn. Row 4: Sl 1 st, work in ribbing to 6 sts after second marker; turn. Row 5: Sl 1 st, work in ribbing to 12 sts after second marker; turn. Row 6: Sl 1 st, work in ribbing to 12 sts after second marker; turn. Continue in this manner to work 6 sts more EVERY ROW 6 times more. Row 13: Sl 1, work in pattern as established to end of row. Row 14: K 2, work in pattern as established to end of row. Work even for 4 rows more. **BUTTONHOLES:** Starting at lower right front edge, K 2, * bind off the next 3 sts, work in ribbing until there are 9 sts on needle after last bound off sts, repeat from * 4 times more, work to end of row. On next row cast on 3 sts over each group of 3 sts bound off previous row. Break off M C. Join C C and continue in pattern as established for 9 rows more, ending with a right side row. K the next row. Bind off. Block. Sew on buttons.



Style No. 713-65

These directions are for small size (10-12). Changes for medium size (14-16) and large size (18-20) are in parentheses.

MATERIALS

BERNAT Nylo Germantown (2 oz. skeins) — 7(8-8)
1 pair straight knitting needles No. 8 OR ANY SIZE
NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW
1 circular needle No. 4
8 buttons

GAUGE: 9 sts = 2 inches 6 rows = 1 inch

PATTERN STITCH: Multiple of 7 sts plus 0(2-2).

Row 1: Knit.

Rows 2 and 4: Purl.

Row 3: K 2(3-3), * y o, sl 1, K 2 tog, pssso, y o, K 4, * repeat
between *'s, ending K 2(3-3) instead of K 4.

Repeat these 4 rows for pattern stitch.

BACK: Using circular needle, cast on 84(92-100) sts. Work
back and forth in K 1, P 1 ribbing for 2½ inches, inc 1 st
at end of last row on MEDIUM SIZE ONLY. Change to
No. 8 needles and work even in pattern st on 84(93-100) sts
until piece measures 11½(12-12) inches, ending with a
wrong side row. **SHAPE ARMHOLES:** At the beg of each
of the next 2 rows bind off 3 sts. Then work as follows:
Row 1: P 1, K 2 tog (dec), work in pattern as established to
last 3 sts, sl 1, K 1, pssso (dec), P 1. Row 2: K 1, P to last st,
K 1. Repeat these 2 rows 6(7-8) times more, dec 1 st at end
of last row on SMALL AND LARGE SIZES ONLY. Sl
remaining 63(71-75) sts unto a holder.

LEFT FRONT: Using circular needle, cast on 48(52-56) sts.
Row 1: P 1, K 1 in ribbing to last 8(11-8) sts, put a marker
on needle, K 8(11-8) (front band). Row 2: K 8(11-8), work
in ribbing across row. Repeat these 2 rows until piece meas-
ures 2½ inches, ending with a wrong side row. Change to
No. 8 needles. Row 1: Knit. Row 2: K to marker (front
band), P to end of row. Row 3: K 2(3-3), repeat between
*'s of Row 3 of pattern st, ending K 8(11-8) instead of K 4.
Row 4: Repeat Row 2. Repeat these 4 rows until piece
measures 11½(12-12) inches, ending with a wrong side
row. **SHAPE ARMHOLE:** At arm edge bind off 3 sts,
work to end of row. Work 1 row even. Then work as fol-
lows: Row 1: At arm edge P 1, K 2 tog (dec), work to end
of row. Row 2: K to marker, P to last st, K 1. Repeat these
2 rows 6(7-8) times more. Sl remaining 38(41-44) sts onto
a holder.

RIGHT FRONT: Work to correspond to left front, reversing
placing of pattern and all shaping and forming first button-
hole when piece measures ½(1-1) inch. **BUTTONHOLE:**
Starting at front edge, K 3, bind off the next 3 sts, work to
end of row. On next row cast on 3 sts over those bound off
previous row. Make 4 more buttonholes, evenly spaced —
the last one to be made 1½ inches below start of yoke.
Dec at arm edge as follows: Work to last 3 sts, sl 1, K 1,
pssso, P 1.

SLEEVES: Using circular needle, cast on 48(50-50) sts. Work
back and forth in K 1, P 1 ribbing for 2½ inches, inc 1 st
at end of last row — 49(51-51) sts. Change to No. 8 needles
and work in pattern st, inc 1 st each end of needle every
2(2-1½) inches 6(7-9) times, forming new patterns as sts
are increased. Work even on 61(65-69) sts until piece meas-
ures 18 inches, ending with Row 4. **SHAPE CAP:** At the
beg of each of the next 2 rows bind off 3 sts. Dec in same
manner as on back 7(8-9) times. Sl remaining 41(43-45)
sts onto a holder.

YOKE: With right side facing you, sl onto circular needle
the 38(41-44) sts of right front, 41(43-45) sts of one sleeve,
63(71-75) sts of back, 41(43-45) sts of other sleeve and
38(41-44) sts of left front. Join yarn at right front edge and
K 8 rows (4 ridges) in garter st on 221(239-253) sts, forming
6th buttonhole on 5th row in same manner as before. Row
9: K 9(12-9), * P 3, K 1, repeat from * to last 8(11-8) sts,
K 8(11-8). Row 10: K 8(11-8), P 1, * K 3, P 1, repeat from
* to last 8(11-8) sts, K 8(11-8). Repeat last 2 rows until
yoke measures 2 inches, ending with a wrong side row.
FIRST DEC ROW: K 9(12-9), * P 2 tog, P 1, K 1, repeat
from * to last 8(11-8) sts, K 8(11-8). Continue in new pat-
tern on 170(185-194) sts until yoke measures 3½ inches,
forming 7th buttonhole in same manner as before and end-
ing with a wrong side row. **SECOND DEC ROW:** K 9
(12-9), * P 2 tog, K 1, repeat from * to last 8(11-8) sts,
K 8(11-8). Work in new pattern on 119(131-135) sts until
yoke measures 5 inches, ending with a right side row.
NECKBAND: K even in garter st for 8 rows, forming last
buttonhole on 4th row. Bind off tightly as if to K.

FINISHING: Sew sleeves to front and back armholes. Sew
underarm and sleeve seams. Block. Finish buttonholes. Sew
on buttons.



Style No. 715-65

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Nylo Germantown (2 oz. skeins) — 8(8-9-9)
1 pair each straight knitting needles Nos. 5 and 8 OR ANY
SIZE NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW
1 button

GAUGE: 5 sts = 1 inch 7 rows = 1 inch

PATTERN STITCH: Multiple of 4 sts plus 3.

Row 1: Knit.

Row 2 and all even rows: Purl.

Row 3: K 3, * P 1, K 3, repeat from * across row.

Row 5: Knit.

Row 7: K 1, * P 1, K 3, repeat from *, ending P 1, K 1.

Row 8: Purl.

Repeat these 8 rows for pattern stitch.

BACK: Using No. 5 needles, cast on 88(92-100-104) sts. K 2, P 2 in ribbing for $1\frac{1}{4}$ inches, dec 1 st at end of last row. Change to No. 8 needles and work even in pattern st on 87(91-99-103) sts until piece measures 15($15-15\frac{1}{2}-15\frac{1}{2}$) inches, ending with a P row. **SHAPE RAGLAN ARM-HOLES:** At the beg of each of the next 2 rows bind off 4(4-5-5) sts. Then work as follows: Row 1: P 1, sl 1, K 1, pss0 (dec), work to last 3 sts, K 2 tog (dec), P 1. Row 2: K 1, P to last st, K 1. Repeat these 2 rows 27(28-30-32) times more. Sl remaining 23(25-27-27) sts onto a holder.

FRONT: Work to correspond to back until armholes measure $3(3\frac{1}{4}-3\frac{3}{4}-4)$ inches, ending with a right side row — 59 (61-63-65) sts. **FRONT OPENING:** On the next row K 1, P 21(22-23-24), K 7 (front border) and sl these 29(30-31-

32) sts just worked onto a holder for right front, bind off the next st, K 7 (front border), P to last st, K 1. **LEFT FRONT:** Working the 7 sts of front border in garter st, continue to dec 1 st at arm edge every other row 13(13-13-14) times more — 16(17-18-18) sts. **SHAPE NECK:** Starting at front edge, K 7 and sl these 7 sts onto a holder. Continuing to dec 1 st at arm edge every other row 5 times more, dec 1 st at neck edge every other row 2(3-4-4) times. Bind off remaining 2 sts. **RIGHT FRONT:** Join yarn at centre edge and work to correspond to left front, reversing all shaping.

SLEEVES: Using No. 5 needles, cast on 42(46-50-50) sts. K 2, P 2 in ribbing for $2\frac{1}{2}$ inches, inc 1 st at end of last row. Change to No. 8 needles and work in pattern st on 43(47-51-51) sts until piece measures $3\frac{1}{2}$ inches. On the next row inc 1 st each end of needle and repeat this inc every 1 inch 12(11-12-14) times more, forming new patterns as sts are increased. Work even on 69(71-77-81) sts until piece measures 18($18-18\frac{1}{2}-18\frac{1}{2}$) inches, ending with a P row. **SHAPE RAGLAN CAP:** At the beg of each of the next 2 rows bind off 4(4-5-5) sts. Dec 1 st each end of needle every other row in same manner as on back 28(29-31-33) times. Bind off remaining 5 sts.

FINISHING: Sew sleeves to front and back armholes. Sew underarm and sleeve seams. **NECKBAND:** Using No. 5 needles, cast on 6 sts, with right side facing you pick up and K 71(73-75-77) sts around neck, including sts from holders. K 5 rows (3 ridges) in garter st. **BUTTONHOLE:** Starting at right front edge, K 3, bind off the next 2 sts, K to end of row. On the next row cast on 2 sts over those bound off previous row. Work 4 rows more in garter st. Bind off. Block to size. Finish buttonhole. Sew on button.



Style No. 717-65

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 11(11-12-12) Main Color (M C); 1 each Colors A and B
1 pair each straight knitting needles Nos. 5 and 9 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 set d p needles No. 5

GAUGE: 9 sts = 2 inches 6 rows = 1 inch

PATTERN STITCH: Multiple of 14(14-15-15) sts plus 4.

Row 1: Sl 2 sts onto d p needle and hold in back of work, K next 2 sts, K 2 sts from d p needle (cable twist), * P 10(10-11-11), work a cable twist on next 4 sts, repeat from * across row.

Rows 2 and 4: P 4, * K 10(10-11-11), P 4, repeat from * across row.

Rows 3 and 5: K 4, * P 10(10-11-11), K 4, repeat from * across row.

Row 6: Repeat Row 2.

Repeat these 6 rows for pattern stitch.

BACK: Using No. 5 needles and M C, cast on 70(74-80-84) sts. Row 1: Purl. Rows 2 through 6: K 1, P 1 in ribbing. Break off M C. Join Color A and K 1 row. Continue in Color A stockinette st for 3 rows more. Break off Color A. Join Color B and work 4 rows in stockinette st. Break off Color B. Change to No. 9 needles. Row 1: Using M C, P 5 (7-8-10), put a marker on needle, work Row 1 of pattern st on next 60(60-64-64) sts, put a marker on needle, P 5 (7-8-10). Row 2: K to marker, work Row 2 of pattern st on next 60(60-64-64) sts, K to end of row. Keeping the 60(60-64-64) sts between markers in pattern st and remaining sts in reverse stockinette st, inc 1 st each end of needle every 2 inches 4 times. Work even on 78(82-88-92) sts until piece measures 13(13-13½-13½) inches, ending with a wrong side row. **SHAPE RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 3(4-4-5) sts. Row 3: P 1, P 2 tog (dec), work to last 3 sts, P 2 tog (dec), P 1. Row 4: K to marker, work in pattern st to next marker, K to end of row. Repeat last 2 rows 23(25-27-28) times more. Sl remaining 22(22-24-24) sts onto a holder.

FRONT: Work to correspond to back until piece measures 13(13-13½-13½) inches, ending with a wrong side row. **SHAPE RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 3(4-4-5) sts. **SHAPE NECK:** On next row P 1, P 2 tog (dec), work until there are 34(35-38-39) sts on needle, join another ball of yarn and bind off centre 2 sts, work to last 3 sts, P 2 tog (dec), P 1. Continuing to dec 1 st at each arm edge 24(25-27-28) times more, dec 1 st at each neck edge every 4th row 10(10-11-11) times. Fasten off.

SLEEVES: Using No. 5 needles and M C, cast on 38(40-42-44) sts. K 1, P 1 in ribbing for 3 inches. Break off M C. Join Color A and K 1 row. Continue in stockinette st for 3 rows more. Break off Color A. Join Color B and work 4 rows in stockinette st. Break off Color B. Change to No. 9 needles. Row 1: Using M C, P 3(4-4-5), put a marker on needle, work Row 1 of pattern st on next 32(32-34-34) sts, put a marker on needle, P 3(4-4-5). Working the 32(32-34-34) sts between markers in pattern st and remaining sts in reverse stockinette st, inc 1 st each end of needle every 1 (1-¾-¾) inch 12(13-14-15) times. Work even on 62(66-70-74) sts until piece measures 18(18-18½-18½) inches, ending with a wrong side row. **SHAPE RAGLAN CAP:** At the beg of each of the next 2 rows bind off 3(4-4-5) sts. Dec 1 st each end of needle in same manner as on back 25 (26-28-29) times. Sl remaining 6 sts onto a holder.

FINISHING: Sew sleeves to back and front armholes. Sew underarm and sleeve seams. **NECKBAND:** Using d p needles and M C, with right side facing you, on first needle pick up 6 sts from right sleeve holder, 22(22-24-24) sts from back holder and 6 sts from left sleeve holder; on second needle pick up and K 41(43-45-49) sts along left front neck; on third needle pick up and K 40(42-44-48) sts along right front neck. Round 1: Purl. Break off M C and join Color B. Round 2: K 1, P 1 in ribbing to last 3 sts of second needle, K 3; on third needle K 3, P 1, * K 1, P 1, repeat from * to end of round. Round 3: K 1, P 1 in ribbing to last 3 sts of second needle, K 2 tog, K 1; on third needle K 1, sl 1, K 1, pss0, P 1, * K 1, P 1, repeat from * to end of round. Round 4: K 1, P 1 in ribbing being sure to follow pattern at point of V. Round 5: Repeat Round 3. Break off Color B and join Color A. Round 6: Repeat Round 4. Repeat Rounds 3 and 4 once more. Round 9: Purl. Bind off. Block.



Style No. 711-65

These directions are for small size (10-12). Changes for medium size (14-16) and large size (18-20) are in parentheses.

MATERIALS

BERNAT Nylo Germantown (2 oz. skeins) — 6(6-7-7)
1 pair each straight knitting needles Nos. 3 and 5 OR ANY
SIZE NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW
1 set d p needles No. 3

GAUGE: 6 sts = 1 inch 8 rows = 1 inch

PATTERN STITCH: Multiple of 12 sts plus 1.

Row 1 K 1, * sl 1, K 1, pssso, K 3, y o, K 1, y o, K 3, K 2 tog, K 1, repeat from * across row.

Row 2 P 1, * P 2 tog, P 2, y o, P 3, y o, P 2, P 1, holding yarn in front of work sl this st back to left hand needle, pass next st over P st just worked and sl the st back to right hand needle (a st passed), P 1, repeat from * across row.

Row 3 K 1, * sl 1, K 1, pssso, K 1, y o, K 5, y o, K 1, K 2 tog, K 1, repeat from * across row.

Row 4 P 1, * y o, P 2 tog, P 7 work a passed st, y o, P 1, repeat from * across row.

Row 5 K 2, * y o, K 2, K 2 tog, K 1, sl 1, K 1, pssso, K 3, y o, K 2, repeat from *, ending K 1 instead of K 2.

Row 6 P 2, * y o, P 2, work a passed st, P 1, P 2 tog, P 1, y o, P 4, repeat from *, ending P 3 instead of P 4.

Row 7 K 4, * y o, K 2 tog, K 1, sl 1, K 1, pssso, y o, K 7, repeat from *, ending K 4 instead of K 7.

Row 8 P 2, * P 2 tog, P 2, y o, P 1, y o, P 3, work a passed st, P 2, repeat from *, ending P 1 instead of P 2.

Repeat these 8 rows for pattern stitch.

BACK: Using No. 3 needles, cast on 96(108-120) sts. Work in K 1, P 1 ribbing, being sure to K IN BACK OF K STS, for 2(2½-2½) inches, inc 1 st at end of last row. Change to No. 5 needles and work even in pattern st on 97(109-121) sts until piece measures 11(11½-11½) inches, ending with Row 6. **SHAPE ARMHOLES:** At the beg of each of the next 2 rows bind off 12 sts. Work even in pattern st on 73(85-97) sts until armholes measure 6½(7-7½) inches. **SHAPE SHOULDERS:** At the beg of each of the next 4 rows bind off 8(9-10) sts. At the beg of each of the next 2 rows bind off 9 sts. Sl remaining 23(31-39) sts onto a holder.

FRONT: Using No. 3 needles, cast on 108(120-132) sts. Work in K 1, P 1 ribbing, being sure to K IN BACK OF K STS for 2(2½-2½) inches, inc 1 st at end of last row. Change to No. 5 needles and work even in pattern st on

109(121-133) sts until piece measures 11(11½-11½) inches, ending with Row 6. **SHAPE ARMHOLES:** At the beg of each of the next 2 rows bind off 12 sts. Work even in pattern st on 85(97-109) sts until armholes measure 2(2-3) inches, ending with Row 8. **SHAPE NECK: LEFT SIDE:** Row 1: Work in pattern st for 25(25-37) sts, K 0(4-0). Sl remaining 60(68-72) sts onto a holder. Row 2: P 0(4-0), work Row 2 of pattern st on remaining 25(25-37) sts. Continue in pattern as established until armhole measures 6½(7-7½) inches. **SHAPE SHOULDER:** At arm edge bind off 8(10-12) sts twice and 9(9-13) sts once. **RIGHT FRONT:** Sl centre 35(39-35) sts onto a holder. Join yarn at neck edge, K 0(4-0), work Row 1 of pattern st on next 25(25-37) sts. Finish to correspond to left front, reversing all shaping.

SLEEVES: Using No. 3 needles, cast on 60 sts. Work in K 1, P 1 ribbing being sure to K IN BACK OF K STS for 1 inch, inc 1 st at end of last row — 61 sts. Change to No. 5 needles and work in pattern st, inc 1 st each end of needle every 4th row 7 times and every other row 5 times, ending with Row 6 — 85 sts. **SHAPE CAP:** At the beg of each of the next 2 rows bind off 12 sts. Dec 1 st each end of needle every other row 0(0-8) times. At the beg of each of the next 24(24-16) rows bind off 2 sts, ending with Row 8. **SHAPE TOP PIECE:** Work even in pattern st on remaining 12 sts for 4¼(4½-5) inches. Sl sts onto a holder.

FINISHING: Sew sleeves to back and front armholes; top of sleeve to back and front shoulders. Sew underarm and sleeve seams. **NECKBAND:** Using d p needles, with right side facing you K 23(31-39) sts from back holder onto one needle; on second needle K 9 sts of left sleeve top, pick up and K 27 sts along left neck edge, put a marker on needle, K 17(19-17) sts from front holder; on 3rd needle K remaining 18(20-18) sts from front holder, put a marker on needle, pick up and K 27 sts along right neck edge, K 9 sts of right sleeve top. Round 1: * K 1, P 1 *, repeat between *'s to 2 sts before next marker, P 2 tog, K 2 tog, P 1, repeat between *'s to 2 sts before next marker, K 2 tog, P 2 tog, repeat between *'s to end of round. Round 2: * P 1, K 1, repeat from * to end of round. Round 3: * P 1, K 1 *, repeat between *'s to 2 sts before next marker, P 2 tog, K 2 tog, repeat between *'s to 2 sts before next marker, K 2 tog, P 2 tog, K 1, repeat between *'s to end of round. Round 4: * K 1, P 1, repeat from * to end of round. Round 5: Repeat Round 1. Round 6: Repeat Round 2. Round 7: Repeat Round 3. Bind off. Block.



Style No. 707-65

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Glengarry English Tweed (2 oz. skeins) — 11
(11-12-12)
1 pair straight knitting needles No. 5 OR ANY SIZE
NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW

GAUGE: 6 sts = 1 inch 8 rows = 1 inch

PATTERN STITCH: Multiple of 3 sts plus 1.

Row 1: K 1, * P 2, K 1, repeat from * across row.

Row 2 (right side): P 1, * K 1, y o, K 1, P 1, repeat from * across row.

Row 3: K 1, * P 3, K 1, repeat from * across row.

Row 4: P 1, * sl 1, K 2, pass sl st over the 2 K sts just worked, P 1, repeat from * across row.

Repeat these 4 rows for pattern stitch.

BACK: Cast on 102(108-114-120) sts. K 1, P 1 in ribbing for 1 inch, inc 1 st at end of last row. Then work in pattern st on 103(109-115-121) sts until piece measures 13¼(13¼-13¾-13¾) inches, ending with Row 2. **SHAPE ARMHOLES:** At the beg of each of the next 2 rows bind off 3 sts. Work 1 row even. Then work as follows: Row 1: P 2, sl 1, K 1, pss0 (armhole dec), work in pattern as established to last 4 sts, K 2 tog (armhole dec), P 2. Row 2: K 2, P 1, work to last 3 sts, P 1, K 2. Being sure to dec the extra y o's of pattern st, repeat these 2 rows 6 times more. Work even

on 83(89-95-101) sts until armholes measure 7¾(7¾-8¼-8¼) inches, ending with Row 4. **SHAPE SHOULDERS:** Being sure to dec the extra y o's of pattern st, at the beg of each of the next 2 rows bind off 5(7-8-10) sts. At the beg of the next 2 rows bind off 6(7-9-10) sts, ending with Row 4 — 61 sts. **NECKBAND:** Row 1: P 1, * K 1, P 1, repeat from * across row. Continue in K 1, P 1 ribbing, dec 1 st each end of needle every other row 4 times. Work even on 53 sts until neckband measures 3 inches. Continue in ribbing, inc 1 st each end of needle every other row 4 times — 61 sts. Bind off.

FRONT: Work to correspond to back.

SLEEVES: Cast on 50(50-56-56) sts. K 1, P 1 in ribbing for 3 inches, inc 1 st each end of needle on last row — 52(52-58-58) sts. Work in pattern st, inc 1 st each end of needle every ¾ inch 16(18-17-19) times, forming new patterns as sts are increased. Work even on 84(88-92-96) sts until piece measures 18(18-18½-18½) inches. **SHAPE CAP:** At the beg of each of the next 2 rows bind off 3 sts. Work 1 row even. Being sure to dec the extra y o's of pattern st, repeat Rows 1 and 2 of back armhole shaping until 60(64-68-72) sts remain, ending with Row 4. Bind off.

FINISHING: Sew underarm, shoulder, neckband and sleeve seams. Set in sleeves. Fold neckband in half and hem to wrong side. Block.



These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Nylo Sports (2 oz. balls) — 7(8-8-9) Main Color (M C); 2 Contrasting Color (C C)
 1 pair straight knitting needles No. 3 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
 1 set d p needles No. 3
 Bobbins

GAUGE: 7 sts = 1 inch 10 rows = 1 inch

BACK: Using straight needles and C C, cast on 102(110-116-124) sts. K 1, P 1 in ribbing for 3½ inches, inc 1 st at end of last row — 103(111-117-125) sts. Join M C and, following chart, work design in stockinette st, inc 1 st each end of needle every 1 inch 5 times. Work even on 113(121-127-135) sts until 60 rows of chart have been completed. Break off C C. USING M C ONLY, K the next row, inc 1 st each end of needle and continuing in stockinette st, repeat this inc every 1 inch twice more. Work even on 119(127-133-141) sts until piece measures 13(13-13½-13½) inches. **SHAPE ARMHOLES:** At the beg of each of the next 2 rows bind off 4 sts. Dec 1 st each end of needle every other row 3(4-5-6) times. Work even on 105(111-115-121) sts until armholes measure 7½(7¾-8-8¼) inches. **SHAPE SHOULDERS:** At the beg of each of the next 6 rows bind off 9(10-10-10) sts. At the beg of each of the next 2 rows bind off 10(9-10-12) sts. Sl remaining 31(33-35-37) sts onto a holder.

FRONT: Work to correspond to back until armholes measure 5(5¼-5½-5¾) inches, ending with a P row — 105(111-115-121) sts. **SHAPE NECK:** K 42(44-45-47), sl centre 21(23-25-27) sts onto a holder, join another ball of yarn

and K last 42(44-45-47) sts. Working on both sides at once, at each neck edge dec 1 st every other row 5 times. Work even on 37(39-40-42) sts of each side until armholes measure 7½(7¾-8-8¼) inches. **SHAPE SHOULDERS:** At each arm edge bind off 9(10-10-10) sts 3 times and 10(9-10-12) sts once.

SLEEVES: Using straight needles and C C, cast on 50(52-54-56) sts. K 1, P 1 in ribbing for 4 inches, inc 1 st at end of last row — 51(53-55-57) sts. Break off C C. Join M C and K 16(17-18-19) M C, put a marker on needle, join C C and K 19 C C, put a marker on needle, join another ball of M C and K 16(17-18-19) M C. Following chart and working the 19 sts between markers in design and remaining sts in M C stockinette st, inc 1 st each end of needle every 6th row 10 times. Break off C C. Then work in M C stockinette st, inc 1 st each end of needle every 6th row 17(18-19-20) times. Work even on 105(109-113-117) sts until piece measures 20(20-20½-20½) inches. Bind off.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. **NECKBAND:** Using d p needles and M C, with right side facing you and starting at front neck, pick up and K 21(23-25-27) sts from front holder and 81(83-85-87) sts on remainder of neck edge, including sts from back holder — 102(106-110-114) sts. Put a marker on needle and beg of round, K 21(23-25-27), put another on needle, K to end of round. Break off M C. Join C C and K to end of round, cast on 21(23-25-27) sts at end of last needle, turn, — 123(129-135-141) sts. P 1, * K 1, P 1, repeat from * across row. Working back and forth in K 1, P 1 ribbing, at the beg of each of the next 6(4-2-0) rows bind off 4 sts, at the beg of each of the next 10(12-14-16) rows bind off 5 sts. Bind off remaining 49(53-57-61) sts. Sew underlap of neckband to front neck edge to second marker. Block.



← (Left) **STYLE NO. 709**
 (Right) **STYLE NO. 4326**
 Directions on page 58

DIRECTIONS ON USE OF CHART

For Size 12: Repeat between A's For Size 16: Repeat between C's
 For Size 14: Repeat between B's For Size 18: Repeat between D's
 www.amigurami.com/RobbysBlog/2019/08



Style No. 4325-65

Shown in color on cover

These directions are for small size (36-38). Changes for medium size (40-42) and large size (44-46) are in parentheses.

MATERIALS

BERNAT Glengarry English Tweed (2 oz. skeins) — 12
(13-14)

1 pair each straight knitting needles Nos. 3 and 5 OR ANY
SIZE NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW

1 set d p needles No. 3

GAUGE: 6 sts = 1 inch 8 rows = 1 inch

PATTERN STITCH: Multiple of 5 sts plus 1(3-5).

Row 1: K 2(3-4), * bring yarn to front of work, sl 1, y o,
P 1, (1 st increased) K 3, repeat from *, ending K 2(3-4)
instead of K 3.

Row 2 (right side): P 2(3-4), * sl 1, K 2, pass sl st over the
2 K sts just worked (1 st decreased), P 3, repeat from *,
ending P 2(3-4) instead of P 3.

Repeat these 2 rows for pattern stitch.

BACK: Using No. 3 straight needles, cast on 110(122-134)
sts. K 1, P 1 in ribbing for 1 inch, inc 1 st at end of last row.
Change to No. 5 needles and work even in pattern st on 111
(123-135) sts until piece measures 16(16½-16½) inches,
ending with Row 1. **SHAPE RAGLAN ARMHOLES:**
Being sure to dec the extra sts of pattern stitch, at the beg of
each of the next 2 rows bind off 2(4-6) sts. Row 3: P 2 tog
(dec), work to last 2 sts, P 2 tog (dec). Row 4: K 1, work to
last st, K 1. Repeat these last 2 rows 34(37-41) times more.
Sl remaining 37(39-39) sts onto a holder.

FRONT: Work to correspond to back until piece measures
16(16½-16½) inches, ending with Row 1. **SHAPE RAG-**
LAN ARMHOLES: At the beg of each of the next 2 rows
bind off 2(4-6) sts. **SHAPE NECK:** Work 53(57-61) sts,

join another ball of yarn and bind off centre st, work last
53(57-61) sts. Working on both sides at once, at each arm
edge dec 1 st every other row 35(38-42) times and at each
neck edge dec 1 st every other row 3(2-0) times and every
4th row 15(17-19) times. Fasten off.

SLEEVES: Using No. 3 straight needles, cast on 56(58-60)
sts. K 1, P 1 in ribbing for 2½ inches. Change to No. 5
needles and work in pattern st, inc 1 st each end of needle
every ¾ inch 17(20-22) times, forming new patterns as sts
are increased. Work even on 90(98-104) sts until piece
measures 19(19¼-19½) inches, ending with a wrong side
row. **SHAPE RAGLAN CAP:** At the beg of each of the
next 2 rows bind off 2(4-6) sts. Dec in same manner as on
back 35(38-42) times — 16(14-8) sts. K 1 row, dec at even
intervals to 8 sts. Sl these 8 sts onto a holder.

FINISHING: Sew sleeves to front and back armholes. Sew
underarm and sleeve seams. **NECKBAND:** Using d p
needles, with right side facing you, pick up and K 37(39-39)
sts from back holder onto first needle; on second needle
pick up and K 8 sts from left sleeve holder and 60(64-70)
sts along left front neck; on 3rd needle pick up and K 60
(64-70) sts along right front neck and pick up and K 8 sts
from right sleeve holder. Round 1: Purl. Round 2: K 1, P 1
in ribbing to last 3 sts of second needle, K 1, P 2; on third
needle P 2, * K 1, P 1 repeat from * to end of needle.
Round 3: K 1, P 1 in ribbing to last 3 sts of second needle,
sl 1, K 1, psso, P 1; on third needle P 1, K 2 tog, P 1, *
K 1, P 1, repeat from * to end of round. Round 4: K 1,
P 1 in ribbing to last 2 sts of second needle, sl 1, K 1, psso;
on third needle K 2 tog, P 1, * K 1, P 1, repeat from * to
end of round. Continue in this manner to dec 1 st each side
of centre front EVERY ROW 7 times more, being sure to
follow pattern at point of V. Bind off. Block.

Antique
Pattern
Library



Style No. 4327-65

These directions are for small size (36-38). Changes for medium size (40-42) and large size (44-46) are in parentheses.

MATERIALS

BERNAT Nylo Germantown (2 oz. skeins) — 10(11-12)
1 pair each straight knitting needles Nos. 3 and 5 OR ANY
SIZE NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW
1 set d p needles No. 3

GAUGE: 11 sts = 2 inches 7 rows = 1 inch

PATTERN STITCH: Multiple of 10 sts plus 3.

Row 1: Knit.

Row 2: Purl.

Row 3: P 3, * K 7, P 3, repeat from * across row.

Row 4: K 3, * P 7, K 3, repeat from * across row.

Row 5: Repeat Row 1.

Row 6: Repeat Row 2.

Row 7: K 5, * P 3, K 7, repeat from *, ending P 3, K 5.

Row 8: P 5, * K 3, P 7, repeat from *, ending K 3, P 5.

Repeat these 8 rows for pattern stitch.

BACK: Using No. 3 needles, cast on 102(112-122) sts. K 1, P 1 in ribbing for 1 inch, inc 1 st at end of last row. Change to No. 5 needles and work even in pattern st on 103 (113-123) sts until piece measures 15(15½-15½) inches. **SHAPE ARMHOLES:** At the beg of each of the next 2 rows bind off 4(6-7) sts. Dec 1 st each end of needle every other row 3(4-5) times. Work even on 89(93-99) sts until armholes measure 8½(9-9½) inches. **SHAPE SHOUL-**

DERS: At the beg of each of the next 4 rows bind off 10 (10-11) sts. At the beg of each of the next 2 rows bind off 8(10-11) sts. Sl remaining 33 sts onto a holder.

FRONT: Work to correspond to back until armholes measure 6½(7-7½) inches — 89(93-99) sts. **SHAPE NECK:** Work 33(35-38) sts, sl centre 23 sts onto a holder; join another ball of yarn and work last 33(35-38) sts. Working on both sides at once, at each neck edge dec 1 st every other row 5 times. Work even on 28(30-33) sts of each side until armholes measure 8½(9-9½) inches. **SHAPE SHOULDERS:** At each arm edge bind off 10(10-11) sts twice and 8(10-11) sts once.

SLEEVES: Using No. 3 straight needles, cast on 50(54-58) sts. K 1, P 1 in ribbing for 3 inches. P 1 row, inc at even intervals to 63 sts. Change to No. 5 needles and work in pattern st, inc 1 st each end of needle every 1 inch 10(13-15) times, forming new patterns as sts are increased. Work even on 83(89-93) sts until piece measures 19(19¼-19½) inches. **SHAPE CAP:** At the beg of each of the next 2 rows bind off 4(6-7) sts. Dec 1 st each end of needle every other row for 5½(6-6½) inches. At the beg of each of the next 6 rows bind off 3 sts. Bind off remaining sts.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. **NECKBAND:** Using d p needles, with right side facing you, pick up 98 sts around neck, including sts from holders. K 1, P 1 in ribbing for 2 inches. Bind off loosely. Fold neckband in half and hem to wrong side. Block.



Style No. 4328-65

These directions are for small size (36-38). Changes for medium size (40-42) and large size (44-46) are in parentheses.

MATERIALS

BERNAT Nylo Germantown (2 oz. skeins) — 10(11-12)
1 pair each straight knitting needles Nos. 3 and 5 OR ANY
SIZE NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW

1 set d p needles No. 3

GAUGE: 7 sts = 1 inch 7 rows = 1 inch

PATTERN STITCH: Multiple of 9 sts plus 6.

Row 1: K 6, * P 3, K 6, repeat from * across row.

Rows 2 and 4: P 6, * K 3, P 6, repeat from * across row.

Row 3: * Skip 2 sts, K 3rd st on left hand needle but do not drop sts from needle, K each of the 2 slipped sts and drop from left hand needle *, repeat between *'s once more, P 3, repeat from *, ending repeat between *'s twice.

Repeat these 4 rows for pattern stitch.

BACK: Using No. 3 straight needles, cast on 134(142-158) sts. K 1, P 1 in ribbing for 1 inch, inc 1 st at end of last row on MEDIUM SIZE ONLY — 134(143-158) sts. Change to No. 5 needles. Row 1: P 1(1-4), put a marker on needle, work Row 1 of pattern st on next 132(141-150) sts, put a marker on needle, P 1(1-4). Row 2: K 1(1-4), work Row 2 of pattern st on next 132(141-150) sts, K 1(1-4). Keeping the sts between markers in pattern st and remaining sts in reverse stockinette st, work even until piece measures 15 (15½-15½) inches, ending with a wrong side row. **SHAPE RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 6(7-8) sts. Row 3: P 1, K 1, sl 1, K 1, pss0 (dec), work to last 4 sts, K 2 tog (dec), K 1, P 1. Row 4: K 1, P 2, work to last 3 sts, P 2, K 1. Repeat these last 2 rows 35(39-43) times more — 50(49-54) sts. K 1 row, dec at even intervals to 43 sts. Sl these 43 sts onto a holder.

FRONT: Work to correspond to back until piece measures 15(15½-15½) inches, ending with a wrong side row. **SHAPE RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 6(7-8) sts. **SHAPE NECK:** Row 1:

P 1, K 1, sl 1, K 1, pss0 (dec), work in pattern as established until there are 56(60-66) sts on needle, K 2 tog (neck dec), K 1; sl remaining 62(65-72) sts onto a holder. Row 2: P 2, work to last 3 sts, P 2, K 1. Continuing to dec 1 st at arm edge every other row 35(39-43) times more, at neck edge dec 1 st in same manner as before every other row 7(3-3) times more and every 4th row 14(18-20) times. Bind off remaining 3 sts. **RIGHT FRONT:** Row 1: Join yarn at centre and bind off centre 2(1-2) sts, K 1, sl 1, K 1, pss0 (neck dec), work to last 4 sts, K 2 tog (dec), K 1, P 1. Row 2: K 1, P 2, work to last 2 sts, P 2. Finish right front to correspond to left front, reversing all shaping.

SLEEVES: Using No. 3 straight needles, cast on 60 sts. K 1, P 1 in ribbing for 3½ inches. Change to No. 5 needles and work in pattern st, inc 1 st each end of needle every ½ inch 22(26-30) times, forming new patterns as sts are increased. Work even on 104(112-120) sts until piece measures 19 (19¼-19½) inches, ending with a wrong side row. **SHAPE RAGLAN CAP:** At the beg of each of the next 2 rows bind off 6(7-8) sts. Dec in same manner as on back 36(40-44) times — 20(18-16) sts. K 1 row, dec at even intervals to 10 sts. Sl these 10 sts onto a holder.

FINISHING: Sew sleeves to front and back armholes. Sew underarm and sleeve seams. **NECKBAND:** Using d p needles, with right side facing you, pick up and K 43 sts from back holder; on second needle pick up and K 10 sts from left sleeve holder, pick up and K 70(76-82) sts along left front; on third needle pick up and K 70(76-82) sts along right front, pick up and K 10 sts from right sleeve holder. Round 1: K 1, P 1 in ribbing to last 3 sts of second needle, K 3; on third needle K 3, P 1, * K 1, P 1, repeat from * to end of round. Round 2: K 1, P 1 in ribbing to last 3 sts of second needle, K 2 tog, K 1; on 3rd needle K 1, sl 1, K 1, pss0, P 1, * K 1, P 1, repeat from * to end of round. Round 3: K 1, P 1 in ribbing, being sure to follow pattern at point of V. Repeat Rounds 2 and 3 until band measures 1 inch. Bind off. Block to size.



Style No. 5937-65

These directions are for small size (26-28). Changes for medium size (3-32) and large size (34-36) are in parentheses.

MATERIALS

BERNAT Nylo Sports (2 oz. balls) — 6(7-8)
1 pair each straight knitting needles Nos. 3 and 5 OR ANY
SIZE NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW
1 set d p needles No. 3

GAUGE: 8 sts = 1 inch 8 rows = 1 inch

PATTERN STITCH: Multiple of 9 sts plus 6.

Row 1: K 6, * P 3, K 6, repeat from * across row.

Rows 2 and 4: P 6, * K 3, P 6, repeat from * across row.

Row 3: * Skip 2 sts, K 3rd st on left hand needle, but do not drop sts from needle, K each of the 2 skipped sts and sl from left hand needle *, repeat between *'s once more, P 3, repeat from *, ending repeat between *'s twice.

Repeat these 4 rows for pattern stitch.

BACK: Using No. 3 straight needles, cast on 108(124-142) sts. K 1, P 1 in ribbing for 1 inch, inc 1 st at end of last row — 109(125-143) sts. Change to No. 5 needles. Row 1: P 2 (1-1), put a marker on needle, work Row 1 of pattern st on next 105(123-141) sts, put a marker on needle, P 2(1-1). Row 2: K 2(1-1), work Row 2 of pattern st on next 105(123-141) sts, K 2(1-1). Keeping the sts between markers in pattern st and remaining sts in reverse stockinette st, work even until piece measures 11½(12½-14) inches, ending with a wrong side row. **SHAPE RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 3(5-7) sts. Row 3: P 1, K 1, sl 1, K 1, pssso (dec), work to last 4 sts, K 2 tog (dec), K 1, P 1. Row 4: K 1, P 2, work to last 3 sts, P 2, K 1. Repeat these last 2 rows 27(30-34) times more — 47(53-59) sts. K 1 row, dec at even intervals to 37(37-41) sts. Sl these sts onto a holder.

FRONT: Work to correspond to back until piece measures 11(12½-14) inches, ending with a wrong side row. **SHAPE RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 3(5-7) sts. **SHAPE NECK:** Row 1: P 1,

K 1, sl 1, K 1, pssso (dec), work in pattern as established until there are 47(53-60) sts on needle, K 2 tog (neck dec), K 1; sl remaining 52(58-65) sts onto a holder. Row 2: P 2, work to last 3 sts, P 2, K 1. Continuing to dec 1 st at arm edge every other row 27(30-34) times more, at neck edge dec 1 st in same manner as before every other row 11(15-17) times more and every 4th row 8(7-8) times. Bind off remaining 3 sts. **RIGHT FRONT:** Row 1: Join yarn at centre, bind off centre st, sl 1, K 1, pssso (neck dec), work to last 4 sts, K 2 tog (dec), K 1, P 1. Row 2: K 1, P 2, work to last 2 sts, P 2. Finish right front to correspond to left front, reversing all shaping.

SLEEVES: Using No. 3 straight needles, cast on 48(50-52) sts. K 1, P 1 in ribbing for 2 inches. P 1 row, inc at even intervals to 60 sts. Change to No. 5 needles and work in pattern st, inc 1 st each end of needle every ¾ inch 15(17-19) times, forming new patterns as sts are increased. Work even on 90(94-98) sts until piece measures 14(15½-17) inches, ending with a wrong side row. **SHAPE RAGLAN CAP:** At the beg of each of the next 2 rows bind off 3(5-7) sts. Dec in same manner as on back 28(31-35) times — 28(22-14) sts. K 1 row, dec at even intervals to 14 sts. Sl these 14 sts onto a holder.

FINISHING: Sew sleeves to front and back armholes. Sew underarm and sleeve seams. **NECKBAND:** Using d p needles, with right side facing you, pick up and K 37(37-41) sts from back holder; on second needle, pick up and K 14 sts from left sleeve holder, pick up and K 54(58-62) sts along left front neck edge; on third needle pick up and K 54(58-62) sts along right front neck edge, pick up and K 14 sts from right sleeve holder. Round 1: K 1, P 1 in ribbing to last 3 sts of second needle, K 3; on third needle K 3, P 1, * K 1, P 1, repeat from * to end of round. Round 2: K 1, P 1 in ribbing to last 3 sts of second needle, K 2 tog, K 1; on third needle K 1, sl 1, K 1, pssso, P 1, * K 1, P 1, repeat from * to end of round. Round 3: K 1, P 1 in ribbing being sure to follow pattern at point of V. Repeat Rounds 2 and 3 until band measures 1 inch. Bind off. Block to size.



Style No. 749-65

(Shown at top)

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 12(13-14-14)
1 pair straight knitting needles No. 10 OR ANY SIZE
NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW

5 buttons

GAUGE: 7 sts = 2 inches 5 rows = 1 inch

PATTERN STITCH: Multiple of 6 sts plus 4(0-4-4).

Rows 1, 5, 7 and 11: Knit.

Rows 2 and all even rows: Purl.

Row 3: K 1(2-1-1), * P 2, K 4, repeat from *, ending P 2, K 1(2-1-1).

Row 9: K 4(5-4-4), * P 2, K 4, repeat from *, ending P 2, K 4(5-4-4).

Row 12: Purl.

Repeat these 12 rows for pattern stitch.

BACK: Cast on 64(66-70-76) sts. Work even in stockinette st for 1 inch, ending with a K row. K the next row to form hemline. Then work even in pattern st until piece measures 14(14-14½-14½) inches above hemline. **SHAPE ARMHOLES:** At the beg of each of the next 2 rows bind off 2(2-3-4) sts. Dec 1 st each end of needle every other row 5 times. Work even on 50(52-54-58) sts until armholes measure 7½(7¾-8-8¼) inches. **SHAPE SHOULDERS:** At the beg of each of the next 4 rows bind off 6 sts. At the beg of each of the next 2 rows bind off 5(6-6-7) sts. Bind off remaining 16(16-18-20) sts.

POCKET LINING: Make 2. Cast on 18 sts. Work even in stockinette st for 4 inches, ending with a K row. Sl sts onto a holder.

LEFT FRONT: Cast on 40(42-44-46) sts. Work even in stockinette st for 1 inch, ending with a K row. K the next row to form hemline. Row 1: Work Row 1 of pattern st on 28(30-34-34) sts, put a marker on needle, K 2(2-0-2), P 1, K 1 in ribbing on last 10 sts (front band). Row 2: K 1, P 1 in ribbing for 10 sts, P to end of row. Continue in pattern as established until piece measures 5 inches above hemline, ending with a P row. **POCKET OPENING:** Work 6(8-8-10) sts, bind off next 18 sts, work to end of row. **INSERT POCKET:** Work to bound off sts, P across the 18 sts of one pocket lining, P to end of row. Continue in

pattern st on 40(42-44-46) sts until piece measures 14(14-14½-14½) inches above hemline. **SHAPE ARMHOLE:** At arm edge bind off 2(2-3-4) sts. Dec 1 st at same edge every other row 5 times. Work even on 33(35-36-37) sts until armhole measures 5½(5¾-6-6¼) inches. **SHAPE NECK:** At front edge bind off 10 sts. Dec 1 st at neck edge EVERY ROW 6(7-8-8) times. Work even on 17(18-18-19) sts until armhole measures 7½(7¾-8-8¼) inches. **SHAPE SHOULDER:** At arm edge bind off 6 sts twice and 5(6-6-7) sts once.

RIGHT FRONT: Work to correspond to left front, reversing placing of pattern and pocket and all shaping and forming first buttonhole when piece measures 1 inch above hemline. **BUTTONHOLE:** Starting at front edge, work 4 sts, bind off the next 2 sts, work to end of row. On next row cast on 2 sts over those bound off previous row. Make 4 more buttonholes, evenly spaced — the last one to be made 3 inches below start of neck shaping.

SLEEVES: Cast on 34(36-40-40) sts. K 1, P 1 in ribbing for 3 inches. Work in pattern st, inc 1 st each end of needle every 1½ inches 8(8-7-8) times, forming new patterns as sts are increased. Work even on 50(52-54-56) sts until piece measures 18(18-18½-18½) inches. **SHAPE CAP:** At the beg of each of the next 2 rows bind off 2(2-3-4) sts. Dec 1 st each end of needle every other row for 4½(4¾-5-5¼) inches. At the beg of each of the next 6 rows bind off 2 sts. Bind off remaining sts.

COLLAR: Cast on 51(53-55-57) sts. K 1, P 1 in ribbing for 3 inches. Then K 1 row, P 1 row, K 1 row. K the next 2 rows to form hemline and continue in stockinette st for 4 rows more. Bind off.

POCKET FLAP: Make 2. Cast on 30 sts. Row 1: * K 1, P 1, repeat from * across row. Row 2: P 2, * K 1, P 1, repeat from * to last 2 sts, P 2. Repeat these 2 rows for 2 inches. Bind off.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. Fold under and hem lower edge and outer edge of collar. Sew cast on edge of collar to neck edge to within 2 inches of each front edge. Sew pockets and pocket flaps in place. Block. Sew on buttons.



Style No. 5936-65

These directions are for size 4. Changes for sizes 6, 8, 10 and 12 are in parentheses.

MATERIALS

BERNAT Nylo Germantown (2 oz. skeins) — 4(5-5-6-6)
Main Color (M C); 1 Contrasting Color (C C)
1 pair each straight knitting needles Nos. 4 and 8 OR ANY
SIZE NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW
1 steel crochet hook No. 0
4 small buttons

GAUGE: 5 sts = 1 inch 7 rows = 1 inch


BACK: Using No. 4 needles and M C, cast on 58(62-66-70-74) sts. K 1, P 1 in ribbing for 1½ inches. Change to No. 8 needles. Row 1: Knit. Row 2: Purl. Row 3: Join C C and K 2 C C, * K 2 M C, K 2 C C, repeat from * across row. Row 4: P 2 M C, * P 2 C C, P 2 M C, repeat from * across row. Row 5: Using M C, repeat Row 1. Row 6: Repeat Row 2, inc 1 st at end of last row on SIZE 12 ONLY. Following chart, work design in stockinette st on 58(62-66-70-76) sts until chart has been completed. Dec 1 st each end of needle on SIZE 12 ONLY. Repeat Rows 1 through 4. Break off C C. Work even in M C stockinette st on 58(62-66-70-74) sts until piece measures 9(10-11-11½-12) inches, ending with a K row. **BACK OPENING:** P 29(31-33-35-37) and sl these sts onto a holder, P remaining 29(31-33-35-37) sts. **RIGHT BACK: SHAPE RAGLAN ARMHOLE:** At the beg of row bind off 2 sts. On next K row K 2, sl 1, K 1, pss0 (dec), K to end of row. Continue to dec 1 st at arm edge in this manner every other row 11(13-15-16-18) times more. Sl remaining 15(15-16-16-16) sts onto a holder. **LEFT BACK:** Join yarn at centre and K 1 row. **SHAPE RAGLAN ARMHOLE:** At arm edge bind off 2 sts. On next K row, K to last 4 sts, K 2 tog (dec), K 2. Finish left back to correspond to right back, reversing all shaping.

FRONT: Work to correspond to back, omitting back opening until 36(36-38-38-38) sts remain, ending with a P row. **SHAPE NECK:** K 2, sl 1, K 1, pss0 (dec), K until there are 10 sts on needle, sl centre 14(14-16-16-16) sts onto a holder, join another ball of yarn, K to last 4 sts, K 2 tog (dec), K 2. Working on both sides at once, continue to dec 1 st at each arm edge twice more and at each neck edge bind off 5 sts twice.

SLEEVES: Using No. 4 needles and M C, cast on 42 sts. K 1, P 1 in ribbing for 1½ inches. Row 1: Knit. Row 2: Purl. Row 3: K 2 M C, * K 2 C C, K 2 M C, repeat from * across

row. Row 4: P 2 C C, * P 2 M C, P 2 C C, repeat from * across row. Row 5: Using M C, repeat Row 1. Row 6: Using M C, repeat Row 2. Then following chart, work design in stockinette st until chart has been completed. Repeat Rows 1 through 4 once more. Break off C C. Using M C ONLY, continue in stockinette st, inc 1 st each end of needle every 1(1-1-¾-¾) inch 4(6-7-9-11) times. Work even on 50(54-57-60-64) sts until piece measures 10½(11½-12½-13½-15) inches, ending with a P row. **SHAPE RAGLAN CAP:** At the beg of each of the next 2 rows bind off 2 sts. Dec in same manner as on front 12(14-15-17-19) times. Sl remaining 22(22-23-22-22) sts onto a holder.

FINISHING: Sew sleeves to back and front armholes. Sew underarm and sleeve seams. **YOKE:** Using No. 8 needles and M C, with right side facing you, pick up 126(126-130-130-134) sts around neck, including sts from holders. K 1 row, P 1 row. **BORDER:** Row 1: Join C C and K 2 C C, * K 2 M C, K 2 C C, repeat from * across row. Row 2: P 2 M C, * P 2 C C, P 2 M C, repeat from * across row. **USING M C ONLY,** K 1 row, dec at even intervals to 107(111-108-112-118) sts. P 1 row. Following chart, work design in stockinette st on next 5 rows. **USING M C ONLY,** K 1 row, dec at even intervals to 90(94-94-98-102) sts. P 1 row. Using C C, P 1 row. Break off C C. Using M C, P 1 row, dec at even intervals to 64(68-70-72-74) sts. Change to No. 4 needles and K 1, P 1 in ribbing for ¾ inch. Bind off. Work 1 row s c around back opening, making 4 buttonloops, evenly spaced on right back edge. Block. Sew on buttons.

**DIRECTIONS ON USE OF CHART**

For Size 4: Start at A, work to C, repeat between B and C, ending as between B and D
For Size 6: Start at E, work to C, repeat between B and C, ending as between B and F
For Size 8: Start at G, work to C, repeat between B and C, ending as between B and H
For Size 10: Start at I, work to C, repeat between B and C, ending as between B and J
For Size 12: Start at K, work to C, repeat between B and C, ending as between B and L

For sleeves: On all sizes, repeat between B and C.



Catherine E. La'Bounty
HCR 69, Box 14A
Sanbornton, NH 03269

Style No. 5933-65

These directions are for size 4. Changes for sizes 6, 8, 10 and 12 are in parentheses.

MATERIALS

BERNAT Nylo Germantown (2 oz. skeins) — 6(6-7-7-8)
1 pair each straight knitting needles Nos. 5 and 10 OR
ANY SIZE NEEDLES WHICH WILL GIVE THE
STITCH GAUGE GIVEN BELOW
1 set d p needles No. 5
2 buttons

GAUGE: 5 sts (2 patterns) = 1 inch 6 rows = 1 inch

PATTERN STITCH: Multiple of 3 sts.

Row 1: K 4, sl 2nd st on right hand needle over last 2 sts,
* K 3, sl first of these 3 sts over last 2 sts *, repeat between
*'s, ending K 2.

Row 2: P 2, * insert needle in thread lying between left
and right hand needles, sl this st onto left hand needle and
P this st, P 2 *, repeat between *'s, ending P 1.

Row 3: K 2, repeat between *'s of Row 1, ending K 1.

Row 4: P 3, repeat between *'s of Row 2.

Repeat these 4 rows for pattern stitch.

BACK: Using No. 5 straight needles, cast on 56(60-66-68-
74) sts. K 1, P 1 in ribbing for $\frac{3}{4}$ inch, inc 1 st at end of
last row on SIZES 4, 10 AND 12 ONLY — 57(60-66-69-
75) sts. Change to No. 10 needles and work even in pattern
st until piece measures 9(10-11-11 $\frac{1}{2}$ -12) inches. **SHAPE
ARMHOLES:** At the beg of each of the next 2 rows bind
off 2(2-3-3-4) sts. Dec 1 st each end of needle every other
row 2(2-3-3-3) times. Work even on 49(52-54-57-61) sts
until armholes measure 4 $\frac{1}{2}$ (5-5 $\frac{1}{2}$ -6-6 $\frac{1}{2}$) inches. **SHAPE
SHOULDERS:** At the beg of each of the next 2 rows bind
off 6(6-6-7-7) sts. At the beg of each of the next 2 rows bind
off 5(6-7-7-8) sts. Sl remaining 27(28-28-29-31) sts onto
a holder.

FRONT: Work to correspond to back until armholes measure
3(3 $\frac{1}{2}$ -4-4 $\frac{1}{2}$ -5) inches, ending with a wrong side row —
49(52-54-57-61) sts. **SHAPE NECK:** Work 14(15-16-17-
18) sts, put a marker in work, sl next 21(22-22-23-25) sts
onto a holder, join another ball of yarn and work last 14
(15-16-17-18) sts. Working on both sides at once, dec 1 st
at each neck edge every other row 3 times. Work even on

11(12-13-14-15) sts of each side until armholes measure
4 $\frac{1}{2}$ (5-5 $\frac{1}{2}$ -6-6 $\frac{1}{2}$) inches. **SHAPE SHOULDERS:** At each
arm edge bind off 6(6-6-7-7) sts once and 5(6-7-7-8) sts
once.

SLEEVES: Using No. 5 needles, cast on 32(36-38-38-42)
sts. K 1, P 1 in ribbing for 1 $\frac{1}{2}$ inches, inc 1 st at end of last
row on SIZES 4, 8 AND 10 ONLY — 33(36-39-39-42) sts.
Change to No. 10 needles and work in pattern st, inc 1 st
each end of needle every 1 $\frac{1}{2}$ inches 6(6-6-7-7) times, form-
ing new patterns as sts are increased. Work even on 45
(48-51-53-56) sts until piece measures 10 $\frac{1}{2}$ (11 $\frac{1}{2}$ -12 $\frac{1}{2}$ -
13 $\frac{1}{2}$ -15) inches, ending with same row of pattern st as on
back at underarm. **SHAPE CAP:** At the beg of each of
the next 2 rows bind off 2(2-3-3-4) sts. Dec 1 st each end
of needle every other row 3(4-7-8-12) times and EVERY
ROW 10(10-8-8-4) times. At the beg of each of the next
4 rows bind off 2 sts. Bind off remaining sts.

FINISHING: Sew shoulder seams. **HOOD:** Using d p needles
cast on 8 sts (overlap); with right side facing you and start-
ing at marker pick up 60(60-64-64-68) sts around neck,
including sts on holders. Work back and forth in K 1, P 1
ribbing on 68(68-72-72-76) sts for 3 rows. **BUTTON-
HOLE:** Starting at overlap, work 2 sts, bind off next 2 sts,
work to end of row. On next row cast on 2 sts over those
bound off previous row. Work even for 6 rows more. On next
row work another buttonhole in same manner as before.
Work even for 1 row more, ending at overlap. **SHAPE
NECK:** At the beg of next row bind off 28 sts, K, inc at even
intervals to 69(69-72-72-75) sts. Change to No. 10 needles
and P 1 row. Then work even in pattern st until piece meas-
ures 5 $\frac{1}{2}$ inches above ribbing, ending with a wrong side
row. **SHAPE TOP:** At the beg of each of the next 2 rows
bind off 24 sts. Work even on remaining 21(21-24-24-27)
sts for 4 $\frac{1}{2}$ (4 $\frac{1}{2}$ -5-5 $\frac{1}{2}$) inches, ending with a wrong side
row. Sl sts onto a holder. Sew side seams. **FRONT BAND:**
Using No. 5 straight needles, with right side facing you, pick
up 100(100-104-104-108) sts around front of hood, includ-
ing sts from holder. K 1, P 1 in ribbing for 1 inch. Bind off.
Turn back ribbing and tack in place. Sew underarm and
sleeve seams. Set in sleeves. Block. Sew on buttons.



Style No. 748-65

Shown at right

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Nylo Germantown (2 oz. skeins) — 6(7-7-8)
Main Color (M C)
BERNAT Cuddlespun (2 oz. skeins) — 1 Contrasting Color
(C C)
1 pair each straight knitting needles No. 5 and 10 OR
ANY SIZE NEEDLES WHICH WILL GIVE THE
STITCH GAUGE GIVEN BELOW
6 buttons

GAUGE: 9 sts = 2 inches 6 rows = 1 inch

PATTERN STITCH: Multiple of 6 sts plus 5.

Row 1: K 5 M C, * K 1 C C, K 5 M C, repeat from *
across row.

Row 2: Using M C ONLY, P 5, * sl 1, P 5, repeat from *
across row.

Rows 3, 5 and 7: Using M C ONLY, knit.

Rows 4 and 6: Using M C ONLY, purl.

Row 8: P 2 M C, * P 1 C C, P 5 M C, repeat from *, ending
P 1 C C, P 2 M C.

Row 9: Using M C ONLY, K 2, * sl 1, K 5, repeat from *,
ending sl 1, K 2.

Rows 10 and 12: Using M C ONLY, purl.

Rows 11 and 13: Using M C ONLY, knit.

Row 14: Using M C ONLY, purl.

Repeat these 14 rows for pattern stitch.

NOTE: Always carry yarn not in use LOOSELY across
wrong side of work.

BACK: Using No. 5 needles and M C, cast on 64(70-76-82)
sts. K 1, P 1 in ribbing for 2 inches, inc 1 st at end of last
row — 65(71-77-83) sts. P 1 row. Change to No. 10 needles
and work in pattern st, inc 1 st each end of needle every
1 inch 6 times, forming new patterns as sts are increased.
Work even on 77(83-89-95) sts until piece measures 9½
(9½-10-10) inches. SHAPE ARMHOLES: At the beg of
each of the next 2 rows bind off 4(5-6-7) sts. Dec 1 st each
end of needle every other row 3(4-4-5) times. Work even
on 63(65-69-71) sts until armholes measure 7½(7¾-8-
8¼) inches. SHAPE SHOULDERS: At the beg of each
of the next 4 rows bind off 7(7-8-8) sts. At the beg of each
of the next 2 rows bind off 7(8-7-8) sts. Bind off remaining
21(21-23-23) sts.

LEFT FRONT: Using No. 5 needles and M C, cast on 42(44-
46-48) sts. Row 1: * P 1, K 1, repeat from * across row.
Row 2: K 2, * P 1, K 1 repeat from * across row. Repeat
these 2 rows for 2 inches, ending with Row 1. On next row
work first 9 sts and sl these 9 sts onto a holder to be worked
later for front band, P to end of row — 33(35-37-39) sts.
Change to No. 10 needles and work as follows: Row 1: Work

Row 1 of pattern st on 29(29-35-35) sts, K 1 C C, K 3(5-1-
3) M C. Continue in pattern as established, inc 1 st at arm edge
every 1 inch 6 times, forming new patterns as sts are in-
creased. Work even on 39(41-43-45) sts until piece measures
9½(9½-10-10) inches. SHAPE ARMHOLE: At arm edge
bind off 4(5-6-7) sts. Dec 1 st at same edge every other row
4 times. Work even on 31(32-33-34) sts until armhole
measures 5½(5¾-6-6¼) inches. SHAPE NECK: At front
edge bind off 4 sts. Dec 1 st at neck edge EVERY ROW 6
times. Work even on 21(22-23-24) sts until armhole meas-
ures 7½(7¾-8-8¼) inches. SHAPE SHOULDER: At arm
edge bind off 7(7-8-8) sts twice and 7(8-7-8) sts once.
FRONT BAND: Sl 9 sts of front band onto No. 5 needle.
Join M C at inner edge and work in pattern as established
until piece is same length as front to start of neck shaping.
Bind off.

RIGHT FRONT AND RIGHT FRONT BAND: Work to cor-
respond to left front and left front band, reversing placing of
pattern and all shaping and forming first buttonhole when
piece measures ½ inch. BUTTONHOLE: Starting at front
edge, work 4 sts, bind off the next 2 sts, work to end of row.
On next row cast on 2 sts over those bound off previous row.
Make 5 more buttonholes, evenly spaced — the last one to
be made 2 rows below start of neck shaping.

SLEEVES: Using No. 5 needles and M C, cast on 40(40-46-
46) sts. K 1, P 1 in ribbing for 1½ inches, inc 1 st at end of
last row — 41(41-47-47) sts. P 1 row. Change to No. 10
needles and work in pattern st, inc 1 st each end of needle
every 1 inch 8(9-7-8) times, forming new pattern as sts are
increased. Work even on 57(59-61-63) sts until piece meas-
ures 12(12-12½-12½) inches. SHAPE CAP: At the beg
of each of the next 2 rows bind off 4(5-6-7) sts. Dec 1 st
each end of needle every other row for 4½(4¾-5-5¼)
inches. At the beg of each of the next 4 rows bind off 2 sts.
Bind off remaining sts.

COLLAR: Using No. 5 needles and M C, cast on 59(59-61-
61) sts. Rows 1 and 3: K 2, P 1, K 1, P to last 4 sts, K 1,
P 1, K 2. Row 2: K 1, P 1, K 1, P 1, K to last 4 sts, P 1,
K 1, P 1, K 1. Row 4: K 1, P 1, K 1, P 1, * K 4, inc 1
st in next st, repeat from * 8 times more, K to last 4 sts,
P 1, K 1, P 1, K 1 — 68(68-70-70) sts. Repeat Rows 1 and
2 until piece measures 2 inches, ending with Row 1. Break
off M C. Change to No. 10 needles. Join C C and K 1, * K 1,
bring yarn to front of work, sl the next st as if to P, throw
yarn to back of work, repeat from * to last st, K 1. Repeat
this row 9 times more. Bind off.

FINISHING: Sew underarm, shoulder and sleeve seams. Set
in sleeves. Sew front bands in place. Sew cast on edge of
collar to neck edge to within ½ inch of each front edge.
Block. Sew on buttons.



Style No. 5932-65

These directions are for size 4. Changes for sizes 6, 8, 10 and 12 are in parentheses.

MATERIALS

BERNAT Nylo Germantown (2 oz. skeins) — 4(5-5-6-6)
1 pair straight knitting needles No. 8 OR ANY SIZE
NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW
1 cable holder or d p needle
1 Talon Neckline Type Zipper — 5(5-6-6-7) inch length

GAUGE: 5 sts = 1 inch 7 rows = 1 inch

BACK: Cast on 58(60-66-70-76) sts. K 1, P 1 in ribbing for 1½ inches. Then work in stockinette st until piece measures 9(10-11-11½-12) inches, ending with a P row. **SHAPE RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 2(2-3-3-3) sts. **BACK OPENING: RIGHT SIDE:** On next row K 2, sl 1, K 1, pss0 (dec), K 23(24-26-28-31) sts, sl last 27(28-30-33-35) sts onto holder for left side. Working on **RIGHT SIDE ONLY**, continue to dec 1 st at arm edge every other row 15(16-18-20-22) times more. Sl remaining 11(11-11-11-12) sts onto a holder. **LEFT SIDE:** Join yarn at centre, K to last 4 sts, K 2 tog (dec), K 2. Finish to correspond to right side, reversing all shaping.

CABLE PATTERN STITCH: To be worked on 18 sts as designated.

Row 1: P 1, K 1, P 1, sl next 3 sts onto d p needle and hold in back of work, K 3, K 3 sts from d p needle, sl next 3 sts onto d p needle and hold in front of work, K 3, K 3 sts from d p needle (horseshoe cable twist), P 1, K 1, P 1.

Row 2 and all even rows: P 1, K 1, P 1, K 1, P 1.

Rows 3, 5 and 7: P 1, K 1, P 1, K 1, P 1, K 1, P 1.

Row 8: Repeat Row 2.

Repeat these 8 rows for cable pattern stitch.

FRONT: Work to correspond to back until ribbing is completed. Then work as follows: Row 1: K 20(21-24-26-29) sts, put a marker on needle, work Row 1 of cable pattern st on next 18 sts, put a marker on needle, K last 20(21-24-26-29) sts. Row 2: P to marker, work Row 2 of cable pattern st to next marker, P to end of row. Keeping 18 sts between markers in cable pattern st and remaining sts in stockinette st, work even until piece measures 9(10-11-11½-12) inches, ending with a P row. **SHAPE RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 2(2-3-3-3) sts. Row 3: K 2, sl 1, K 1, pss0 (dec), work in pattern as established to last 4 sts, K 2 tog (dec), K 2. Row 4: Work even in pattern as established. Repeat these last 2 rows 12(13-15-17-19) times more, ending with a wrong side row — 28(28-28-28-30) sts. **SHAPE NECK:** K 2, sl 1, K 1, pss0, K 1, sl next 18(18-18-18-20) sts onto a holder, join another ball of yarn, K 1, K 2 tog, K 2. Working on both sides at once and continuing to dec 1 st at each arm edge every other row twice more, dec 1 st at each neck edge every other row twice.

SLEEVES: Cast on 36(36-38-38-40) sts. K 1, P 1 in ribbing for 1½ inches. Work in stockinette st, inc 1 st each end of needle every 1½ inches 5(6-6-8-9) times. Work even on 46(48-50-54-58) sts until piece measures 10½(11½-12½-13½-15) inches, ending with a P row. **SHAPE RAGLAN CAP:** At the beg of each of the next 2 rows bind off 2(2-3-3-3) sts. Dec in same manner as on front 16(17-19-21-23) times. Sl remaining 10(10-6-6-6) sts onto a holder.

FINISHING: Sew sleeves to front and back armholes. **NECKBAND:** With right side facing you, pick up 66(66-68-68-70) sts around neck, including sts on holders. K 1, P 1 in ribbing for 2 inches. Bind off. Sew underarm and sleeve seams. Block to size. Fold neckband in half and sew in place at each centre edge. Sew in zipper.

Style No. 5931-65

Shown at left on page 46

These directions are for size 4. Changes for sizes 6, 8, 10 and 12 are in parentheses.

MATERIALS

BERNAT Nylo Germantown (2 oz. skeins) — 6(7-7-8-8)
Main Color (M C)

BERNAT Bob-o-Germantown (20 yd. cards) — 1 Con-
trasting Color (C C)

1 pair each straight knitting needles Nos. 3 and 5 OR ANY
SIZE NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW

6 buttons

GAUGE: 6 sts = 1 inch 7 rows = 1 inch

PATTERN STITCH: Multiple of 7(8-8-9-10) sts plus 2.

Row 1: P 3(3-3-4-5), * skip next st, K next st from front of work but do not take off left hand needle, P skipped st and sl both sts off left hand needle (right twist made), P 5(6-6-7-8), repeat from *, ending make a right twist, P 4(5-5-5-5).
Row 2: K 5(6-6-6-6), P 1, * K 6(7-7-8-9), P 1, repeat from *, ending K 3(3-3-4-5).

Row 3: P 3(3-3-4-5), skip next st, K next st from back but do not take off left hand needle, K skipped st and sl both sts off left hand needle (left twist made), * P 5(6-6-7-8), make a left twist, repeat from *, ending P 4(5-5-5-5).

Row 4: K 4(5-5-5-5), P 1, * K 6(7-7-8-9), P 1, repeat from *, ending K 4(4-4-5-6).

Repeat these 4 rows for pattern stitch.

BACK: Using No. 3 needles and M C, cast on 65(66-74-74-82) sts. K 1, P 1 in ribbing for 2 inches. Change to No. 5 needles and P 1 row, K 1 row. Then work in pattern st, inc 1 st each end of needle every $1\frac{1}{2}$ ($1\frac{1}{2}$ - $1\frac{1}{2}$ - $1\frac{1}{2}$) inches 4(6-4-7-6) times, working inc sts in reverse stockinette st. Work even on 73(78-82-88-94) sts until piece measures 9(10-11-11 $\frac{1}{2}$ -12) inches, ending with wrong side row. **SHAPE RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 5(5-5-6-7) sts. Row 3: P 1, K 1, sl 1, K 1, pss0 (dec), work in pattern st to last 4 sts, K 2 tog (dec), K 1, P 1. Row 4: K 1, P 2, work in pattern st to last 4 sts, P 2, K 1. Repeat these last 2 rows 18(19-21-23-25) times more. Bind off remaining 25(28-28-28-28) sts.

LEFT FRONT: Using No. 3 needles and M C, cast on 40(44-44-48-52) sts. Row 1: * K 1, P 1, repeat from * to last 2 sts, K 2. Row 2: * K 1, P 1, repeat from * across row. Repeat these 2 rows until piece measures 2 inches, ending with Row 2. Change to No. 5 needles and work as follows: Row 1: P to last 10 sts, put a marker on needle, * K 1, P 1, repeat from * 3 times more, K 2 (front border). Row 2: * K 1, P 1, repeat from * to marker, K to end of row. Row 3: Work Row 1 of pattern st to marker, * K 1, P 1, repeat from * 3

times more, K 2. Row 4: * K 1, P 1, repeat from * to marker, work Row 2 of pattern st to end of row. Keeping 10 sts at front edge in pattern as established and remaining sts in pattern st, inc 1 st at arm edge every $1(1-1-1-1\frac{1}{2})$ inches 6(6-7-7-6) times. Work even on 46(50-51-55-58) sts until piece measures 9(10-11-11 $\frac{1}{2}$ -12) inches, ending with same row of pattern st as on back at underarm. **SHAPE RAGLAN ARMHOLE:** At arm edge bind off 5(5-5-6-7) sts. Then work as follows: Row 1: Work in pattern as established to last 4 sts, P 2, K 1. Row 2: P 1, K 1, sl 1, K 1, pss0 (dec), work to end of row. Repeat these 2 rows 10(11-13-15-17) times more. **SHAPE NECK:** Continuing to dec 1 st at arm edge every other row 8 times more, at neck edge bind off 13(16-15-16-16) sts once and 3 sts 3 times.

RIGHT FRONT: Work to correspond to left front, reversing all shaping and placing of pattern st and making first buttonhole when piece measures $\frac{1}{2}$ inch. **BUTTONHOLE:** Starting at front edge, work 4 sts, bind off next 2 sts, work to end of row. On next row cast on 2 sts over those bound off previous row. Make another buttonhole on last row of ribbing, and 4 more buttonholes evenly spaced above ribbing — the last one to be made $\frac{1}{2}$ inch below start of neck shaping. Armhole decreases are to be made as follows: Work in pattern as established to last 4 sts, K 2 tog (dec), K 1, P 1.

SLEEVES: Using No. 3 needles and M C, cast on 44(50-50-56-62) sts. K 1, P 1 in ribbing for $1\frac{3}{4}$ inches. Change to No. 5 needles and P 1 row, K 1 row. Then work in pattern st, inc 1 st each end of needle every $1\frac{1}{2}$ ($1\frac{1}{2}$ - $1\frac{1}{2}$ - $2-2\frac{1}{2}$) inches 5(4-5-4-4) times, working increased sts in reverse stockinette st. Work even on 54(58-60-64-70) sts until piece measures 10 $\frac{1}{2}$ (11 $\frac{1}{2}$ -12 $\frac{1}{2}$ -13 $\frac{1}{2}$ -15) inches, ending with same row of pattern st as on back at underarm. **SHAPE RAGLAN CAP:** At the beg of each of the next 2 rows bind off 5(5-5-6-7) sts. Dec in same manner as on back 19(20-22-24-26) times. Bind off remaining 6(8-6-4-4) sts.

COLLAR: Using No. 5 needles and M C, cast on 60(60-60-64-64) sts. Work even in stockinette st for 2 rows. K next row, inc at even intervals to 74(74-74-78-78) sts. Work even until piece measures 2 inches, ending with a K row. Break off M C. Using C C with wrong side facing you, pick up and K 8 sts along end of collar, K 74(74-74-78-78) sts, pick up and K 8 sts along other end of collar — 90(90-90-94-94) sts. P 1 row, K 1 row. Bind off.

FINISHING: Sew sleeves to front and back armholes. Sew underarm and sleeve seams. Sew collar to neck edge to within $\frac{3}{4}$ inch of each front edge. Finish buttonholes. Block. Sew on buttons.

Style No. 5934-65

Shown at left on page 46

These directions are for size 4. Changes for sizes 6, 8, 10 and 12 are in parentheses.

MATERIALS

BERNAT Nylo Germantown (2 oz. skeins) — 7(8-8-9-9)
Main Color (M C); 2 Contrasting Colors (C C)
1 pair straight knitting needles No. 5 OR ANY SIZE
NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW
9 buttons

GAUGE: 6 sts = 1 inch 8 rows = 1 inch

PATTERN STITCH: Multiple of 4 sts plus 3.

Row 1: Using M C, knit.

Row 2 and all even rows: Using M C, purl.

Row 3: K 3 M C, * K 1 C C, K 3 M C, repeat from * across row.

Row 5: Repeat Row 1.

Row 7: K 1 M C, * K 1 C C, K 3 M C, repeat from *, ending K 1 C C, K 1 M C.

Row 8: Repeat Row 2.

Repeat these 8 rows for pattern stitch.

SLIPON

BACK: Cast on 70(74-78-82-90) sts. K 1, P 1 in ribbing for 1½ inches, inc 1 st at end of last row. Work even in pattern st on 71(75-79-83-91) sts until piece measures 7(7½-8-8½-9) inches, ending with a P row. **SHAPE RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 3(3-3-3-5) sts. Row 3: P 1, K 2 tog (dec), work to last 3 sts, sl 1, K 1, pss0 (dec), P 1. Row 4: K 1, work to last st, K 1. Repeat these last 2 rows 12(14-15-17-19) times more — 39(39-41-41-41) sts. **BACK OPENING:** Row 1: Dec 1 st at arm edge in same manner as before, work until there are 20(20-21-21-21) sts on needle, sl remaining 18(18-19-19-19) sts onto a holder. Row 2: K 3 (buttonhole band), work to last st, K 1. Repeat these 2 rows 6 times more, forming first buttonhole when back opening measures 1 inch. **BUTTONHOLE:** Starting at centre edge, K 1, bind off the next 2 sts, work to end of row. On next row cast on 2 sts over those bound off previous row. Make 2 more buttonholes, evenly spaced — the last one to be made at start of neckband. Sl remaining 14(14-15-15-15) sts onto a holder. **LEFT BACK:** Cast on 3 sts (underlap); starting at centre back, work remaining 18(18-19-19-19) sts onto same needle, dec 1 st at arm edge in same manner as before. Finish to correspond to right back, omitting buttonholes and reversing all shaping.

FRONT: Work to correspond to back, omitting back opening, until 33(33-35-35-35) sts remain on needle, ending with a right side row. **SHAPE NECK:** Work 10 sts, sl centre 13(13-15-15-15) sts onto a holder, join another ball of yarn and work last 10 sts. Working on both sides at once, continue to dec 1 st at each arm edge every other row 4 times more and at each neck edge bind off 2 sts 3 times. Fasten off.

SLEEVES: Cast on 40(42-44-48-50) sts. K 1, P 1 in ribbing for ½ inch. K 1 row, inc at even intervals to 47(51-51-55-55) sts. Work in pattern st, inc 1 st each end of needle every other row 4(3-5-6-8) times, forming new patterns as sts are increased. Work even on 55(57-61-67-71) sts until piece measures 2(2-2½-2½-3) inches, ending with a P row. **SHAPE RAGLAN CAP:** At the beg of each of the next 2 rows bind off 3(3-3-3-5) sts. Dec in same manner as on back every other row 20(22-23-25-28) times. Sl remaining 9(7-9-11-5) sts onto a holder.

FINISHING: Sew sleeves to front and back armholes. Sew underarm and sleeve seams. **NECKBAND:** With right side facing you, pick up 49(51-53-55-57) sts around neck, including sts on holders. Row 1: K 3, P 1, K 1 in ribbing to last 3 sts, K 3. Row 2: K 3, work in ribbing to last 3 sts, K 3. Continue in pattern as established until band measures ½ inch. Bind off. Sew underlap in place. Block. Sew on buttons.

CARDIGAN

BACK: Cast on 70(74-78-86-94) sts. K 1, P 1 in ribbing for 1 inch, inc 1 st at end of last row. Work even in pattern st on 71(75-79-87-95) sts until piece measures 7½(8-8½-9-9½) inches, ending with a P row. **SHAPE RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 3(3-3-4-5) sts. Row 3: P 1, K 2 tog (dec), work to last 3 sts, sl 1, K 1, pss0 (dec), P 1. Row 4: K 1, work to last st, K 1. Repeat these last 2 rows 19(21-22-24-27) times more. Sl remaining 25(25-27-29-29) sts onto a holder.

LEFT FRONT: Cast on 42(46-50-54-54) sts. Row 1: K 1, P 1 in ribbing to last 2 sts, K 2 (front edge). Row 2: K 1, P 1 in ribbing across row. Repeat these 2 rows for 1 inch, ending with Row 2. On next row work in pattern st or 35(39-43-43-47) sts, put a marker on needle, work in pattern as established on last 7(7-7-11-7) sts (front band). Keeping the 7(7-7-11-7) sts of front band in ribbing and remaining sts in pattern st, work even until piece measures 7½(8-8½-9-9½) inches, ending with a wrong side row. **SHAPE RAGLAN ARMHOLE:** Row 1: At arm edge bind off 3(3-3-4-5) sts, work to end of row. Row 2: Work even. Row 3: P 1, K 2 tog (dec), work to end of row. Row 4: Work to last st, K 1. Repeat these last 2 rows 14(16-17-19-22) times more, ending at front edge — 24(26-29-30-26) sts. **SHAPE NECK:** Work 7(7-7-11-7) sts of front band and sl these sts onto a holder, work to end of row. Continuing to dec 1 st at arm edge every other row 5 times more, at neck edge bind off 3(5-5-5-5) sts once and 3(3-4-3-3) sts 3 times.

RIGHT FRONT: Work to correspond to left front, reversing placing of front band and all shaping and forming first buttonhole when piece measures 1 inch. **BUTTONHOLE:** Starting at front edge, work 3(3-3-5-3) sts, bind off the next

(Continued on page 59)

Style No. 4326-65

Shown at right on page 36

These directions are for small size (36-38). Changes for medium size (40-42) and large size (44-46) are in parentheses.

MATERIALS

BERNAT Nylo Sports (2 oz. balls) — 8(9-10) Main Color (M C); 2 Contrasting Color (C C)

1 pair straight knitting needles No. 3 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW

1 set d p needles No. 3

Bobbins

GAUGE: 7 sts = 1 inch 10 rows = 1 inch


BACK: Using straight needles and C C, cast on 120(134-148) sts. K 1, P 1 in ribbing for $\frac{3}{4}$ inch, inc 1 st at end of last row — 121(135-149) sts. Join M C and, following chart, work design in stockinette st, inc 1 st each end of needle every $1\frac{1}{2}$ inch 3 times. Work even on 127(141-155) sts until chart has been completed. Break off C C. **USING M C ONLY**, K the next row, inc 1 st each end of needle. Continue in M C stockinette, repeating this inc every $1\frac{1}{2}$ inches once more. Work even on 131(145-159) sts until piece measures 13($13\frac{1}{2}$ - $13\frac{1}{2}$) inches. **SHAPE ARMHOLES:** At the beg of each of the next 2 rows bind off 4 sts. Dec 1 at each end of needle every other row 5(8-11) times. Work even on 113(121-129) sts until armholes measure 9($9\frac{1}{2}$ -10) inches. **SHAPE SHOULDERS:** At the beg of each of the next 6 rows bind off 9(10-11) sts. At the beg of each of the next 2 rows bind off 8(9-10) sts. Sl remaining 43 sts onto a holder.

FRONT: Work to correspond to back until armholes measure 7($7\frac{1}{2}$ -8) inches, ending with a P row — 113(121-129) sts. **SHAPE NECK:** K 44(48-52), sl centre 25 sts onto a holder; join another ball of yarn and K last 44(48-52) sts. Working

on both sides at once, at each neck edge bind off 3 sts 3 times. Work even on 35(39-43) sts of each side until armholes measure 9($9\frac{1}{2}$ -10) inches. **SHAPE SHOULDERS:** At each arm edge bind off 9(10-11) sts 3 times and 8(9-10) sts once.

SLEEVES: Using straight needles and C C, cast on 60(64-66) sts. K 1, P 1 in ribbing for $3\frac{1}{2}$ inches. P 1 row, inc at even intervals to 65(69-75) sts. Break off C C. Join M C and K 23(25-28) M C, put a marker on needle, join C C and K 19, put a marker on needle, join another ball of M C and K 23(25-28) M C. Following chart and working the 19 sts between markers in design and remaining sts in M C stockinette st, inc 1 st each end of needle every 6th row 10 times. Break off C C. Then work in M C stockinette st, inc 1 st each end of needle every 6th row 21(22-23) times. Work even on 127(133-141) sts until piece measures 20($20\frac{1}{2}$ -21) inches. Bind off.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. **NECKBAND:** Using d p needles and M C, with right side facing you and starting at front neck, pick up and K 25 sts from front holder and 97 sts on remainder of neck edge, including sts from back holder — 122 sts. Put a marker on needle at beg of round, K 25, put another marker on needle, K to end of round. Break off M C. Join C C. K to end of round, casting on 25 sts at end of last needle — 147 sts. Turn. P 1, * K 1, P 1, repeat from * across row. Working back and forth in K 1, P 1 ribbing, at the beg of each of the next 8 rows bind off 4 sts and at the beg of each of the next 8 rows bind off 5 sts. Bind off remaining 75 sts. Sew underlap of neck band to front neck edge to second marker. Block.



DIRECTIONS FOR USE OF CHART

For Small Size: Repeat between A's
For Medium Size: Repeat between B's

For Large Size: Repeat between C's
For Sleeves: Repeat between D's

Style No. 5935-65

Shown on page 52

These directions are size 4. Changes for sizes 6, 8, 10 and 12 are in parentheses.

MATERIALS

BERNAT Nylo Germantown (2 oz. skeins) — 4(4-5-5-6)
Main Color (M C)
BERNAT Bob-o-Germantown (20 yd cards) — 4(4-5-5-5)
Contrasting Color (C C)
1 pair straight knitting needles No. 8 OR ANY SIZE
NEEDLES WHICH WILL GIVE THE STITCH
GAUGE GIVEN BELOW
5 buttons

GAUGE: 5 sts = 1 inch 7 rows = 1 inch

BACK: Using M C, cast on 60(62-66-70-76) sts. K 1, P 1 in ribbing for 2 inches. Then work even in stockinette st until piece measures 9(10-11-11½-12) inches. **SHAPE ARMHOLES:** At the beg of each of the next 2 rows bind off 4(3-4-4-6) sts. Dec 1 st each end of needle every other row twice. Work even on 48(52-54-58-60) sts until armholes measure 4¾(5¼-5¾-6¼-6¾) inches. **SHAPE SHOULDERS:** At the beg of each of the next 2 rows bind off 6(7-8-9-9) sts. At the beg of each of the next 2 rows bind off 7(8-8-9-9) sts. Bind off remaining 22(22-22-22-24) sts.

LEFT FRONT: Using M C, cast on 35(37-39-43-45) sts. Row 1: P 1, * K 1, P 1, repeat from * to last 2 sts, K 2. Row 2: K 1, * P 1, K 1, repeat from * across row. Repeat these 2 rows until piece measures 2 inches, ending with Row 2. Then work as follows: Row 1: Using M C, K 22 (24-26-30-32) sts, put a marker on needle following Chart A, K 6 sts, put a marker on needle, using M C, P 1, * K 1, P 1, repeat from * once more, K 2 (front band). Row 2: Using M C, K 1, * P 1, K 1, repeat from * twice more, following Chart A, P 6 sts, using M C, P to end of row. Repeat these 2 rows until piece measures 9(10-11-11½-12) inches, ending with Row 2. **SHAPE ARMHOLE AND NECK:** At arm edge bind off 4(3-4-4-6) sts, K to 2 sts before first marker K 2 tog, K 1 (neck dec), work in pattern as established to end of row. Continuing in this manner to dec 1 st at neck edge every other row 8(9-9-11-11) times more, dec 1 st at arm edge every other row twice. Work even on 20 (22-23-25-25) sts until armhole measures 4¾(5¼-5¾-6¼-6¾) inches. **SHAPE SHOULDER:** At arm edge bind off 6(7-8-9-9) sts once and 7(8-8-9-9) sts once. Work in ribbing on remaining 7 sts until band measures 2(2-2-2-2½) inches. Bind off.

RIGHT FRONT: Work to correspond to left front, reversing all shaping, placing of front border, working Chart B instead of Chart A and forming first buttonhole when piece measures 1 inch. **BUTTONHOLE:** Starting at front edge, work 3 sts, bind off next 2 sts, work to end of row. On next row cast on 2 sts over those bound off previous row. Make 4 more buttonholes, evenly spaced — the last one to be

made at beg of neck shaping. Neck decs are to be made as follows: Starting at front edge, work to 2nd marker, using M C, K 1, sl 1, K 1, pssso, work to end of row.

SLEEVE: Using M C, cast on 30(32-34-36-38) sts. K 1, P 1 in ribbing for 1½ inches. Then work in stockinette st, inc 1 st each end of needle every 1 inch 8(8-8-9-10) times. Work even on 46(48-50-54-58) sts until piece measures 10½(11½-12½-13½-15) inches. **SHAPE CAP:** At the beg of each of the next 2 rows bind off 4(3-4-4-6) sts. Dec 1 st each end of needle every 4th row 0(0-3-3-5) times and every other row 9(11-7-9-7) times. At the beg of each of the next 6 rows bind off 2 sts. Bind off remaining sts.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. Seam band and sew to back of neck. Finish buttonholes. Block. Sew on buttons.




Chart A




Chart B

Key to Charts
□ = MC
× = CC

Directions on Use of Charts A and B
Start at A, work to C, repeat between B and C

STYLE NO. 5934 (Continued from page 57)

2 sts, work to end of row. On next row cast on 2 sts over those bound off previous row. Make 5 more buttonholes, evenly spaced — the last one to be made at start of neck shaping. To dec at arm edge, work to last 3 sts, sl 1, K 1, pssso, P 1.

SLEEVES: Cast on 34(36-38-40-42) sts. K 1, P 1 in ribbing for 1½ inches. P 1 row, inc at even intervals to 39(43-43-47-51) sts. Work in pattern st, inc 1 st each end of needle every ¾(1-1-1) inch 9(8-9-10-11) times, forming new patterns as sts are increased. Work even on 57(59-61-67-73) sts until piece measures 10½(11½-12½-13½-15) inches, ending with a P row. **SHAPE RAGLAN CAP:** At the beg of each of the next 2 rows bind off 3(3-3-4-5) sts. Dec in same manner as on back every other row 20(22-23-25-28) times. Sl remaining 11(9-9-9-7) sts onto a holder.

FINISHING: Sew sleeves to front and back armholes. Sew underarm and sleeve seams. **NECKBAND:** With right side facing you, pick up 71(73-73-77-79) sts around neck, including sts on holders. Keeping front edges in pattern as established, K 1, P 1 in ribbing for ½ inch. Bind off. Block. Sew on buttons.

STITCH GAUGE

The term "STITCH GAUGE" is the most important part of all knitting directions, since the sizing of any knitted garment is planned on this gauge. You **MUST** work to the gauge which is given or your finished work will not be the size indicated in the directions.

TO CHECK STITCH GAUGE

Cast on approximately 20 sts, using the yarn and needles which will be used for the body of your work. Work in specified pattern stitch for 3 inches. Bind off all sts. Block this knitted swatch and then, using a ruler as a guide, count the number of sts to 1 inch. If your stitch gauge is **MORE** sts to 1 inch than that given in the directions, try the next size larger needle and again check your gauge. If your st gauge is **LESS** sts to 1 inch than that given in the directions, try the next size smaller needle and again check your gauge. The **IMPORTANT THING** to remember is that the size needle used does not matter, as long as your stitch gauge is correct.

GARTER STITCH

Knit every row. It will take 2 rows to make 1 ridge.

STOCKINETTE STITCH

K 1 row, P 1 row alternately when working on a straight needle. When working round and round on a circular needle or double point needles, knit every round.

SEED STITCH

On the first row * K 1, P 1, repeat from * to end of row. On all subsequent rows, K over the P st and P over the K st.

TO SLIP A STITCH

Whenever the directions specify a sl st, always insert the right hand needle in the st to be slipped as if to P, unless otherwise directed.

MARKERS

When work specifies the use of a marker, use a small round paper clip for this purpose. In working, always slip this marker from one needle to the other.

JOINING YARN

If possible, always join a new ball of yarn at the beginning of row. When it is necessary to join yarn while working across a row, leave an end about 4 inches long; then work from the new ball of yarn

on the next st, also leaving a 4 inch end. After working for 1 inch more, tie these two ends in a square knot, so that tension will be the same as all other sts. When finishing work, run these ends in for 1 inch on wrong side of work.

TO WORK DUPLICATE STITCH

Thread yarn in a tapestry needle. * Insert needle from wrong side to right side through centre of st and draw yarn through. Then insert from right to left through top of st, drawing yarn under double strand of st (do not draw yarn tightly). Then insert needle through centre of st once more, thus completely covering st. Repeat from * for each st indicated.

KNIT-IN DESIGNS

When changing colors, always hold color, which has just been worked, to the left and pick up new color from underneath. This twists colors so there are no holes.

TO WEAVE STITCHES

Thread a tapestry needle with end of yarn. Holding two needles together, wrong sides touching, * insert tapestry needle as if to K into first st of front needle, draw yarn through this st and slip the st off knitting needle; insert tapestry needle as if to P into second st of front needle, draw yarn through this st and let the st remain on knitting needle; insert tapestry needle as if to P into first st of back needle, draw yarn through this st and slip this st off the knitting needle; insert tapestry needle as if to K into second st of back needle, draw yarn through this st and let st remain on needle; repeat from * until all sts have been worked off knitting needle. Draw up all sts to same tension as knitted sts. Fasten off.

ABBREVIATIONS

| | |
|-------------------|-------------------------------------|
| K.....knit | sl.....slip |
| P.....purl | sl st.....slip stitch |
| inc.....increase | psso.....pass slip stitch over K st |
| dec.....decrease | d p.....double point |
| tog.....together | ch.....chain |
| beg.....beginning | sc.....single crochet |
| y.o.....yarn over | st(s).....stitch(es) |

* — this symbol indicates that the directions immediately following are to be repeated a given number of times.

"Work even" means to work without increasing or decreasing, always keeping pattern as established.

FOR CANADIANS

Equivalent British and American Needle Sizes

| | | | | | | | | |
|----------|----|----|----|----|-----|----|----|-----|
| American | 0 | 1 | 2 | 3 | 4 | 5 | 6 | |
| British | 13 | 12 | 11 | 10 | 9 | 8 | 7 | |
| American | 7 | 8 | 9 | 10 | 10½ | 11 | 13 | 15 |
| British | 6 | 5 | 4 | 3 | 2 | 1 | 0 | 000 |

| | |
|----------------------------|-------------------------------|
| K.....tricoter à l'endroit | sl.....glissez |
| P.....tricoter à l'envers | sl st.....glissez 1 maille |
| Inc.....augmenter | psso.....passez la maille |
| dec.....diminuer | glissée par dessus |
| tog.....ensemble | d p.....aiguille à deux bouts |
| beg.....commencement | ch.....chaîne |
| y.o.....passez la maille | sc.....simple crochet |
| par dessus l'aiguille | st.....maille |
| | sts.....mailles |

POUR LES CANADIENS

WOMEN'S SIZES

| | | | | |
|-------------------------------|-----|------|------|------|
| Size..... | 12 | 14 | 16 | 18 |
| Bust..... | 34" | 36" | 38" | 40" |
| Waist..... | 25" | 26" | 28" | 30" |
| Hip..... | 35" | 37" | 39" | 41" |
| Shoulder Back..... | 13" | 13¾" | 14½" | 15¼" |
| Shoulder..... | 4¼" | 4½" | 4¾" | 5" |
| Back of Neck..... | 4½" | 4¾" | 5" | 5¼" |
| Armhole Depth..... | 7¼" | 7½" | 7¾" | 8" |
| Waist to Underarm..... | 8" | 8" | 8½" | 8½" |
| Underarm Sleeve Length..... | 18" | 18" | 18½" | 18½" |
| Sleeve Width at Underarm..... | 12" | 12½" | 13" | 13½" |

GIRLS' SIZES

| | | | | | |
|-------------------------------|------|------|------|------|------|
| Size..... | 4 | 6 | 8 | 10 | 12 |
| Chest..... | 23" | 24" | 26" | 28" | 30" |
| Shoulder Back..... | 9¾" | 10¼" | 10¾" | 11¼" | 12" |
| Shoulder..... | 2¾" | 3" | 3¼" | 3½" | 3¾" |
| Back of Neck..... | 4¼" | 4¼" | 4¼" | 4¼" | 4½" |
| Armhole Depth..... | 4½" | 5" | 5½" | 6" | 6½" |
| Bottom to Underarm..... | 9" | 10" | 11" | 11½" | 12" |
| Underarm Sleeve Length..... | 10½" | 11½" | 12½" | 13½" | 15" |
| Sleeve Width at Underarm..... | 9" | 9½" | 10" | 11" | 11½" |

MEN'S SIZES

| Sizes..... | SLIPON | | | SLEEVELESS | | |
|------------------------|---------------|----------------|---------------|---------------|----------------|---------------|
| | Small (36-38) | Medium (40-42) | Large (44-46) | Small (36-38) | Medium (40-42) | Large (44-46) |
| Chest..... | 37" | 41" | 45" | 41" | 45" | 49" |
| Shoulder Back.. | 16" | 17" | 18" | 15" | 16" | 17" |
| Shoulder..... | 5" | 5½" | 6" | 4½" | 5" | 5½" |
| Back of Neck... | 6" | 6" | 6" | 6" | 6" | 6" |
| Armhole Depth.. | 8½" | 9" | 9½" | 9½" | 10" | 10½" |
| Length to Underarm.... | 15" | 15½" | 15½" | 13" | 13½" | 13½" |
| Sleeve Width... 15" | 15" | 16" | 17" | | | |
| Sleeve Length.. 19" | 19¼" | 19½" | | | | |

BOYS' SIZES

| Sizes..... | SLIPON | | | SLEEVELESS | | |
|------------------------|---------------|----------------|---------------|---------------|----------------|---------------|
| | Small (26-28) | Medium (30-32) | Large (34-36) | Small (26-28) | Medium (30-32) | Large (34-36) |
| Chest..... | 27" | 31" | 35" | 27" | 31" | 35" |
| Shoulder Back.. | 11" | 12" | 13" | 10" | 11" | 12" |
| Shoulder..... | 4½" | 4½" | 5" | 4½" | 4½" | 5" |
| Back of Neck... | 4½" | 4½" | 5" | 4½" | 4½" | 5" |
| Armhole Depth.. | 6½" | 7" | 7½" | 7½" | 8" | 8½" |
| Length to Underarm.... | 11" | 12½" | 14" | 10½" | 11" | 12½" |
| Sleeve Width... 11" | 11" | 11½" | 12" | | | |
| Sleeve Length.. 14" | 14" | 15½" | 17" | | | |



The Bernat tradition of the Master Dyer

Have you wondered why the colors of Bernat yarns always seem to be beautiful beyond all others?

As a boy in Europe, Emile Bernat learned an art which, even before 1900, was nearly a lost art. He learned how to blend dyes that would reproduce the colors of the world's great tapestries. The original colors, of course, had been changed in appearance by the passage of centuries. Emile Bernat reproduced hundreds of these changed colors with uncanny accuracy. He dyed cotton, silk and wool, almost thread by thread. Thus he was able to repair these works of art so that they retained all their mellowed beauty. (An early tribute to his mastery of color came from the Austro-Hungarian royal court, which presented him with two gold medals in 1904 and 1905.)

Soon afterwards, in the United States, he was restoring priceless tapestries in Boston's Museum of Fine Arts, in other museums and for private collectors such as Marshall Field and the Vanderbilts.

In time, and with his sons, Emile Bernat founded the company which you know as Bernat Yarns. His family continues his tradition of the Master Dyer. The "dyer's bench" of the Master Dyers' Guild in the Middle Ages has evolved into our Bernat color laboratory, here in Boston at our own Dye House.

This Bernat Dye House is one of the few centers of ages-old artistry remaining in a standardized world. Our Master Dyers are true craftsmen, proud of their work and jealous of their high standards. It is they who bring you the enchanting colors, the beautiful colors that come to you in Bernat yarns.

All Bernat directions call for a certain Bernat yarn. That yarn falls into a certain group, as shown below. You may use those same directions for any other Bernat yarn IN THAT GROUP.

| GROUP | OUNCES | GAUGE | | NEEDLES |
|----------|---------------------------|------------------|-------------------|---------|
| A | 1 Boucle de Laine | *8 sts = 1 inch | 12 rows = 1 inch | No. 2 |
| | 1 Dainty Fleurette® | 9 sts = 1 inch | 14 rows = 1 inch | No. 1 |
| B | 1 Baby Wool (3 ply) | *7 sts = 1 inch | 10 rows = 1 inch | No. 3 |
| | 1 Meadowspun® | 8 sts = 1 inch | 12 rows = 1 inch | No. 2 |
| | 1 Nylo Baby Yarn® | 9 sts = 1 inch | 14 rows = 1 inch | No. 1 |
| | 1 Pompadour | | | |
| | 1 Super Baby Wool | | | |
| | 1 Cashmere | | | |
| C | 2 Nylo Sports® | 6 sts = 1 inch | 8 rows = 1 inch | No. 5 |
| | 2 Sportsyarn | | | |
| D | 2 Willowspun | 5½ sts = 1 inch | 7 rows = 1 inch | No. 5 |
| | 1 Baby Germantown | | | |
| E | 4 Bernat Knitting Worsted | | | |
| | 2 Glengarry English Tweed | *4½ sts = 1 inch | 6 rows = 1 inch | No. 10 |
| | 2 Super Morshire® | *5 sts = 1 inch | 7 rows = 1 inch | No. 8 |
| | 2 Nylo Germantown® | 5½ sts = 1 inch | 7 rows = 1 inch | No. 5 |
| | 4 Nylo Knitting Worsted | | | |
| | 2 Super Knitting Worsted | | | |
| | 1 Venitian® | | | |
| F | 2 Cuddlespun | 4 sts = 1 inch | 6 rows = 1 inch | No. 9 |
| | 2 Cuddleshire® | | | |
| G | 1 Mohairlaine | 5 sts = 1 inch | 6 rows = 1 inch | No. 8 |
| H | 2 Astrakhan Yarn | 4 sts = 1 inch | 6 rows = 1 inch | No. 8 |
| | 1 Brushed Mohairspon® | 4 sts = 1 inch | 5 rows = 1 inch | No. 8 |
| | ½ Mohair Plus | | | |
| J | 2 Shakerspun® | 3 sts = 1 inch | 4 rows = 1 inch | No. 11 |
| | 2 Montessa | " " | " " | No. 10½ |
| | 2 Opal Spun | " " | " " | No. 10½ |
| K | 2 Scandia® | 5 sts = 2 inches | 7 rows = 2 inches | No. 13 |

POUR LES CANADIENS

K.....tricoter à l'endroit
 P.....tricoter à l'envers
 Inc.....augmenter
 dec.....diminuer
 tog.....ensemble
 beg.....commencement
 y.o.....passez la maille
 par dessus l'aiguille
 sl.....glissez
 sl st.....glissez 1 maille
 pso.....passez la maille
 glissée par dessus
 d p.....aiguille à deux bouts
 ch.....chaîne
 s c.....simple crochet
 st.....maille
 sts.....mailles

Where more than one needle size and gauge is given for a group of yarns, the preferred gauge is marked with an *. Although these yarns as grouped are interchangeable as to gauge, the amounts of yarn needed for a given garment will vary with yardage of that particular yarn.

STITCH GAUGES and NEEDLE SIZES for YARNS IMPORTED by BERNAT

| OUNCES | | GAUGE | | NEEDLES |
|---------------|--------------------------|------------------|------------------|---------|
| 1 | JAEGER CLASSIC FINGERING | 8 sts = 1 inch | 12 rows = 1 inch | No. 2 |
| 1 | PRINGLE SHETLAND | 7 sts = 1 inch | 9 rows = 1 inch | No. 3 |
| 1 | JAEGER CRINKLE SPUN | 6 sts = 1 inch | 9 rows = 1 inch | No. 2 |
| 1 | JAEGER SUNLIN SPUN | 9 sts = 2 inches | 7 rows = 1 inch | No. 6 |
| 50 gram balls | BERNAT DUNDEE | 9 sts = 2 inches | 6 rows = 1 inch | No. 8 |
| 2 | BLARNEY-SPUN | 9 sts = 2 inches | 6 rows = 1 inch | No. 8 |
| 1 | JAEGER MOLIN SPUN | 4 sts = 1 inch | 6 rows = 1 inch | No. 6 |
| 1 | JAEGER PEBBLE SPUN | 4 sts = 1 inch | 6 rows = 1 inch | No. 8 |
| 1 | JAEGER TROPIC SPUN | 3 sts = 1 inch | 4 rows = 1 inch | No. 10 |

When interchanging any Bernat Import Yarn with a Bernat Domestic Yarn from the upper chart, be sure to use the needles shown for the import yarn.

FOR CANADIANS

Equivalent British and American Needle Sizes

| | | | | | | | |
|----------|----|----|----|----|---|---|---|
| American | 0 | 1 | 2 | 3 | 4 | 5 | 6 |
| British | 13 | 12 | 11 | 10 | 9 | 8 | 7 |

| | | | | | | | | |
|----------|---|---|---|----|--------|----|----|-----|
| American | 7 | 8 | 9 | 10 | 10½ | 11 | 13 | 15 |
| British | 6 | 5 | 4 | 3 | 2 or 3 | 1 | 0 | 000 |