


My Fashion

Rick Rack Book



Volume 3
10 Cents



OTHER *Nufashond* PRODUCTS

Nufashond TRADE MARK REGD Stickerei Trimming

Nufashond TRADE MARK REGD Lingerie Braid

Nufashond TRADE MARK REGD Elastic Braid

Nufashond TRADE MARK REGD Silk Oxford Laces

Nufashond TRADE MARK REGD No. 5 & *Nufashond* TRADE MARK REGD No. 10 Boot Laces

Nufashond TRADE MARK REGD Middy Lacers

Nysilk
SKIRT BRAID.

& *Nubraid*
SKIRT BINDING.

Mercerized Skirt Braids

Aurora Silk Binding Braid

EXPLANATORY

Stitches

Chain: Make a loop, insert the hook, throw thread over hook, and draw a loop through first one made. Each loop is a chain stitch.

Single Crochet: Make chain, insert hook through second last chain, throw thread over hook, draw through, throw thread over hook and draw through both loops at once.

Double Crochet: Throw thread over hook and draw a loop through the foundation chain; throw thread over hook and draw through two loops, thread over hook and draw through last two loops.

Treble Crochet: Throw thread over twice, draw a loop through foundation chain, throw thread over again and draw through the two loops, throw thread over and draw through two, thread over and draw through last two.

Slip Stitch: Insert hook in foundation chain and draw a loop through it and the loop on hook.

Picot: Chain four and make one single crochet in fourth chain from hook.

Abbreviations

ch. for chain.

s. c. for single crochet.

d. c. for double crochet.

tr. c. for treble crochet.

sl. st. for slip stitch.

p. for picot.

st. for stitch or stitches.

* signifies that repetition begins at this point.

Address: Nufashond, Reading, Pa.

13
17
21
25
29
33
37
41
45
49
53

21
25
29
33
37
41
45
49
53
57

Nufashond Rick Rack Braid

Herewith we illustrate the true sizes and their designations for both Rick Rack and Wave Braids.

To secure satisfactory results in making the articles illustrated in this manual, the sizes designated in the descriptions should be used.


When buying Nufashond you are safe in ordering by number.

If buying other makes compare sizes, as some manufacturers have other size designations.

Nufashond, Reading, Pa.

Nufashond Wave Braid





A **Materials:** Nufashond Rick Rack Braid No. 13; Crochet Cotton No. 50; Steel Hook No. 11.
 Top of edge—Fasten thread in 1st point of braid * chain 4, 1 slip stitch in next point.
 Repeat from * until you have the required length, chain 3, turn.
 2d row: 1 slip stitch in centre of chain of last loop, * chain 5, 1 slip stitch in centre of chain of next loop. Repeat from * chain 5, turn.
 3d row: 1 slip stitch in centre of chain of last loop, * chain 5, 1 slip stitch in centre of chain of next loop. Repeat from * chain 1 turn.
 4th row: Crochet * 3 single crochets over chain, crochet 4, slip stitch in first chain thereby forming a picot, 3 single crochets in same chain * repeat.
 Bottom of edge—Fasten thread in 1st point of braid * chain 4, 1 slip stitch in next point. Repeat from * until you have the required length.

B **Materials:** Nufashond Rick Rack Braid No. 29; Crochet Cotton No. 40; Steel Hook No. 11.
 Top and Bottom of edge the same—Crochet 12 s. c. around each point of braid, turn * chain 7 and slip stitch to next high point of braid * turn * 4 single crochets over chain, crochet 4, slip stitch in first chain thereby forming a picot, 4 single crochets in same chain * repeat.

C **Materials:** Nufashond Rick Rack Braid No. 29; Crochet Cotton No. 40; Steel Hook No. 11.
 Top of edge—* chain 3, one treble crochet in lowest curve of braid, chain 3, slip stitch in point of braid * repeat. Turn chain 5, skip two stitches and d. c. in third stitch * chain 2, skip two stitches and d. c. in third stitch * repeat.
 Bottom of edge—Crochet 12 s. c. around each point of braid, turn * chain 7 and slip stitch to next high point of braid * turn * 4 single crochets over chain, crochet 4, slip stitch in first chain thereby forming a picot, 4 single crochets in same chain * repeat.

D **Materials:** Nufashond Rick Rack Braid No. 13; Crochet Cotton No. 40 or 50; Steel Hook No. 11.
 First inside edge—Fasten on point, ch. 4 and d. c. 3 times in same point * ch. 3 and d. c. 4 times in next point, d. in next point, ch. 3 and d. in next point d. c. 4 times in next point and continue from * long as desired.
 2d inside edge—Fasten on point of another piece of braid. Ch. 4 and d. c. 3 times in same point, * ch. 2 and d. in chain between 2 and 4 d. c. on other braid ch. 2 and 4 d. c. in next point d. in next point chain 3, d. in chain on opposite braid ch. 3, d. in next point, 4 d. c. in next point and repeat from * long as desired.
 Upper and Lower edges—Fasten thread in point ch. 6 and d. c. in next point, ch. 3 and d. c. in next point, continue long as desired.

E **Materials:** Nufashond Rick Rack Braid No. 13; Crochet Cotton No. 40 or 50; Steel Hook No. 11.
 Upper edge—1st row: Fasten thread in point, make ch. of 6 and d. c. in next point, ch. 3 and d. c. in next point, continue long as desired.
 Lower edge—1st row: Fasten thread in point, ch. 4 and d. c. 3 times in same point, * ch. 3 and d. c. 4 times in next point, d. in next point, ch. 3 and d. in next point, d. c. 4 times in next point and continue from * long as desired.
 2d row: Fasten thread in 1st d. c. on 1st point, * ch. 3 make 1 d. c. ch. 5 and draw together in picot, 2 d. c. picot 2 d. c. picot 1 d. c. picot, 1 d. c. ch. 3 d. in next loop, ch. 3 and repeat from * long as desired.

F **Materials:** Nufashond Braid No. 33; Crochet Cotton No. 40; Steel Crochet Hook No. 9.
 Insertions for lace with picot.
 Upper edge—1st row: Fasten thread in 1st point, ch. 3 and make 3 d. c. in same point. * ch. 3 wrap and d. c. to right of curve, then d. c. in centre of curve and d. c. to left of curve, ch. 3 and make 4 d. c. in next point. Repeat from * long as desired.
 2d row: Make 4 d. c. over 4 d. c. on 1st point ch. 3 and d. t. in centre 1 of 3 d. c., ch. 3 and make 4 d. c. on top of 4 d. c. Repeat from * long as desired.
 Make lower rows same as upper.

G **Materials:** Nufashond Rick Rack Braid No. 33; Crochet Cotton No. 40; Steel Hook No. 9.
 Upper edge—1st row: Fasten thread in point, ch. 3 and make 3 d. c. in same point * ch. 3, make 1 d. c. to right of curve, 1 in centre of curve and 1 to left of curve, ch. 3 and make 3 d. c. in top of next point. Repeat from * until length desired.
 2d row: Make 5 d. c. on top of 4 d. c., ch. 2 * then 1 d. t. in centre 1 of 3 d. c., ch. 3 and make 5 d. c. on top of 4 d. c. Repeat from *, etc.
 Lower edge—1st row: Make same as 1st upper row.
 2d row: Make * 3 d. c. between 4 d. c., ch. 5 and picot by drawing ch. together. Make 3 d. c. in same hole, ch. 2 make 1 d. c. in next ch. and 1 d. c. in ch. over 3 d. c., ch. 2 and repeat from *.

H **Materials:** Nufashond Rick Rack Braid No. 33; Crochet Cotton No. 40; Steel Hook No. 9.
 Upper edge—1st row: Fasten in point ch. 3 and make 3 d. c. in same point * ch. 4 and d. c. to right of curve then d. c. to left of curve, ch. 4 and make 4 d. c. in next point. Repeat from * long as desired.
 2d row: 6 d. c. over 4 d. c. with ch. of 4 between.
 3d row: 4 d. c. between 6 d. c. and 4 d. c. around ch. Lower edge same as upper.

I **Materials:** Nufashond Rick Rack Braid No. 33
Crochet Cotton No. 40; Steel Hook No. 9.
Upper edge—1st row: Fasten in point, ch. 3 and make 3 d. c. in same point, * ch. 4 and d. c. to right of curve then d. c. to left of curve, ch. 4 and make 4 d. c. in next point. Repeat from * long as desired.
2d row: 6 d. c. over 4 d. c. with chs. of 4 between.
3d row: 4 d. c. between 6 d. c. and 4 d. c. around ch.
Lower edge—1st row: Make same as 1st upper row.
2d row: Fasten between 4 d. c. on point, * ch. 5 sl. st. in next loop, ch. 5 sl. st. in between 2d, ch. 5 sl. st. in next loop, ch. 5 sl. st. in between 4 d. c. Repeat from * long as desired.
3d row: Fasten in ch. over 4 d. c. * ch. 5 sl. st. in next loop, ch. 5 sl. st. in next loop, sl. st. in next loop, ch. 5 sl. st. in next loop and repeat from * to length desired.

J **Materials:** Nufashond Rick Rack Braid No. 21;
Crochet Cotton No. 50; Steel Hook No. 12.
Pull thread through 1st 4 picots on braid, make 1 sl. st., ch. 6, * pull thread through next 4 picots on other edge of braid, make 1 sl. st., ch. 6, pull thread through next 4 picots on 1st edge of braid, make 1 sl. st., ch. 6. Repeat from * until you have length desired.
Fasten thread in center picot on a point, * ch. 6, putting hook through next picot on this point and 1st picot on next point make 2 d. c. in them, ch. 6, 1 s. c. in next picot (center of next point). Repeat from * to end of row. Break thread.
3d row: 1 d. c. and ch. 3 in every 4th stitch on edge.

K **Materials:** Nufashond Rick Rack Braid No. 21;
Crochet Cotton No. 40; Steel Hook No. 12.
Fasten thread in 1st point, * ch. 9, 1 s. c. in next point, ch. 7, 1 s. c. in next point (ch. 1 and 1 s. c.), in next 5 points, ch. 3, 1 s. c. in 4th of ch. 7, ch. 3, 1 s. c. in next point, ch. 3, 1 s. c. in 6th from the beginning of ch. 9, ch. 5, 1 s. c. in next point. Repeat from * until work is length required. This forms a row of scallops.
Working on other edge put hook through point each side of one in which 1st row was begun, fasten thread, ch. 3, join next 2 corresponding points between scallops, ch. 3, join next 2 points. Fasten, break thread.


L **Materials:** Nufashond Rick Rack Braid No. 21;
Crochet Cotton No. 40; Steel Hook No. 12.
Fasten thread in 2d picot, * ch. 7, 1 d. c. each in next 7 picots, ch. 3, 1 sl. st. in 4th of ch. 7, ch. 3, 1 s. c. in next picot, ch. 6, skip 1 picot, fasten thread in next picot. Repeat from * until work is length desired. This forms a row of scallops.
2d row: Fasten thread in 1st picot, * ch. 2, 1 d. c. in next picot, (ch. 2, skip 1 ch., 1 d. c. in next ch.), 4 times, ch. 2, 1 d. c. in same picot where scallop was finished, ch. 2, 1 s. c. in next picot. Repeat from *.
Working on other edge, draw thread through 1 picot each side of the one in which 1 s. c. is made, ch. 3, 1 sl. st. through corresponding 2 picots on 2 scallops, ch. 3, 1 sl. st. through corresponding next 2, fasten, break thread.

M **Materials:** Nufashond Rick Rack Braid No. 21;
Crochet Cotton No. 30; Steel Hook No. 10.
Fasten thread in 1st picot, * ch. 7, 1 s. c. in next picot, (ch. 5 and 1 s. c.) in next 4 picots, 1 s. c. each in next 4 picots, ch. 2, 1 s. c. in 3d of last ch. 5, ch. 2, 1 s. c. in next picot, repeat this on the next 3 loops of ch. 5, ch. 3, 1 s. c. in 4th of ch. 7, ch. 3, 1 s. c. in next picot, ch. 3, 1 s. c. in next picot. Repeat from * until work is length desired. This forms a row of deep scallops.
Working on other edge put hook through 3 center picots and draw thread through all 3, ch. 3, join next 2 picots, ch. 3, join next 2, ch. 3, join next 2, fasten, break thread.


N **Materials:** Nufashond Rick Rack Braid No. 13 and 29; Crochet Cotton No. 40; Steel Hook No. 12.
Using wide braid, draw thread through 1st and 6th points on 1 edge, fasten, * ch. 5, 1 sl. st. through 2d and 5th points, ch. 3, 1 sl. st. through 3d and 4th picots, * ch. 4, fasten in braid, ch. 4, working on other edge of braid make 1 sl. st. through 5th and 10th points, ch. 5, 1 sl. st., through 6th and 9th, ch. 3, 1 sl. st. through 7th and 8th points, ch. 5, * working on 1st edge skip 2 points, join the next point, to the 5th point from it with a slip stitch, finish the scallop as before. Repeat from * until work is length desired.
When this is finished sew it to 2 rows of narrow braid sewed together as shown in the illustration and finish with an edge of wide braid. Be careful that the thread does not show on the right side.

O **Materials:** Nufashond Rick Rack Braid No. 41;
Crochet Cotton No. 50; Steel Hook No. 10.
Crochet 15 d. c. around each point of braid not running stitches entirely to the deepest part of the curve of braid, pass on to the next point without any chains between.

P **Materials:** Nufashond Rick Rack Braid No. 29;
Crochet Cotton No. 40; Steel Hook No. 12.
Fasten thread in 1 point of braid * ch., 5, 1 s. c. in next point. Repeat from * until you have length desired.
2d row: 1 d. c. and ch. 2 in every 3d stitch of 1st row.
Working on other edge, 1 s. c. and ch. 5 in each point on edge. Break thread.
2d row: 1 d. c. in 1st point, * ch. 3, 1 d. c. in same place, ch. 3, 1 d. c. in same place, ch. 4, 1 s. c. in next point, ch. 4, 1 d. c. in next point. Repeat from *, fasten, break thread.



Nufashond Rick Rack Book



Q **Materials:** Nufashond Rick Rack Braid No. 33; Crochet Cotton No. 20; Steel Hook No. 9.
On upper edge, fasten thread in 1 point, * ch. 5, 1 s. c. in next point. Repeat from * until you have length desired.

On lower edge, fasten thread in 1 point, ch. 5, * 1 d. c. in same point, 4 tr. c. separated by 3 ch. in next point, 1 d. c. in next point, ch. 2.

Repeat from * to end of row. Break thread.

2d row: Fasten thread in loop of ch. 5, * in 1st loop of ch. 3 make (1 s. c., 3 d. c., 1 s. c.); in center loop make (1 s. c., 1 d. c., 3 tr. c., 1 d. c., 1 s. c.); in next loop make a group same as 1st group, skip loop of ch. 2. Repeat from * to end of row.

R **Materials:** Nufashond Rick Rack Braid No. 41; Crochet Cotton No. 50; Steel Hook No. 10.

Top of edge—* Chain 5, one double crochet in lowest curve of braid, chain 5, slip stitch in point of braid * repeat. Turn chain 5, skip two stitches and d. c. in third stitch * chain 2, skip two stitches and d. c. in third stitch * repeat.

Bottom of edge—Crochet 15 d. c. around each point of braid, turn * chain 12 and slip stitch to next high point of braid * turn * 7 single crochets over chain, crochet 5, slip stitch in first chain thereby forming a picot, 7 single crochets in same chain * repeat.

S **Materials:** Nufashond Rick Rack Braid No. 37; Crochet Cotton No. 50; Steel Hook No. 12.

Fasten thread in a point of braid, * ch. 9, 1 s. c. in next point. Repeat from * until work is length desired, ch. 5, turn.

2d row: 1 d. c. and ch. 1 in every 2d stitch on edge. Working on other edge, 1 s. c. and ch. 9 in each point on edge. Break thread.

2d row: 1 s. c. in 7th of ch. 9, ch. 3, 1 tr. c. (wrap twice) each in next 4 ch., * ch. 5, 5 tr. c. on center 5 of next 9 ch. Repeat from * ending with 5 tr. c.

3d row: * 3 s. c. on center 3 tr. c., ch. 3, 1 d. c. in center of ch. 5, ch. 3, 1 d. c. in same place, ch. 3. Repeat from *.

T **Materials:** Nufashond Rick Rack Braid No. 25; Crochet Cotton No. 40; Steel Hook No. 12.

Pull thread through 1st 4 points on braid, make 1 sl. st., ch. 5, * pull thread through next 4 points on other edge of braid, make 1 sl. st., ch. 5, pull thread through next 4 points on 1st edge of braid, make 1 sl. st., ch. 5. Repeat from *, until you have length desired.

Fasten thread in 2d point on 2d edge, ch. 9, * 1 s. c. in next point (center of scallop) ch. 5, 1 tr. c. (wrap twice) through next point on this scallop and point directly opposite on next scallop, ch. 5.

Repeat from * to end of row. Break thread.

2d row: 1 d. c. and ch. 2 in every 2d stitch.

Working on lower edge of scallops with wrong side of work toward you, fasten thread in 1st point on scallop, * ch. 5, 1 s. c. in center point, ch. 5, 1 s. c. through next point on this scallop and 1st point on next. Repeat from *, ch. 5, turn.

2d row: * 1 d. c. in 4th ch., 1 picot (ch. 4, 1 s. c. in top of stitch just made) 1 d. c. in same place, ch. 1, 1 d. c. in s. c. in center point of scallop, 1 picot, 1 d. c. in same place, ch. 1, a group like this in 2d of next ch. 5, ch. 5, 1 s. c. in next s. c., ch. 5. Repeat from * to end of row. Break thread.

U **Materials:** Nufashond Rick Rack Braid No. 25; Crochet Cotton No. 30; Steel Hook No. 10.

Sew 2 pieces of braid together point to point, until you have length desired.

On upper edge, fasten thread in 1 point, * ch. 2, 1 d. c. in curve between points, ch. 2, 1 s. c. in next point. Repeat from *. Break thread.

2d row: Fasten thread in 1st stitch, ch. 5, * 1 d. c. in d. c., ch. 2, 1 d. c. in s. c., ch. 2. Repeat from *. Break thread.

Take another piece of braid, fasten thread through 1st and 6th points on 1 edge, ch. 4, 1 s. c. through 2d and 5th points, ch. 4, 1 s. c. through 3d and 4th points, ch. 5, 1 s. c. through 5th and 10th points on other edge, ch. 4, 1 s. c. through 6th and 9th points, ch. 4, 1 s. c. through 7th and 8th points, ch. 5, 1 s. c. through 8th and 13th points on 1st edge, finish scallop as before. Continue this way until you have length desired. Break thread.

Join 1 edge of this to lower edge of 2 pieces sewed together as follows: fasten thread through 1 point of scallop and 1st point of braid, * ch. 3, wrap, draw up a loop in curve, draw thread through 2, wrap, draw up a loop in curve directly opposite, draw thread through 2, draw thread through 3, 1 s. c. in next point on straight edge, ch. 3, 1 s. c. through next point of scallop and next point on straight edge. Repeat from *.

V **Materials:** Nufashond Wave Braid No. 41; Crochet Cotton No. 40; Steel Hook No. 10.

Fasten thread half way between curve and top of wave, ch. 8, * 1 d. c. to right of center of wave, ch. 1, 1 d. c. in center, ch. 1 1 d. c. to left of center, ch. 5, 1 d. c. half way between top of wave and curve, 1 d. c. directly opposite on next wave, ch. 5. Repeat from * until work is length desired.

2d row: Fasten thread in 6th of 8 ch. at beginning of row, ch. 3, 1 d. c. each in next 4 stitches, * 2 d. c. in center d. c., 1 d. c. each in next 5 stitches, skip 4 ch. 1 d. c. each in next 5 stitches. Repeat from * to end of row. Break thread.

3d row: 1 d. c. and ch. 1 in every 2d stitch in row.

Working on lower edge with wrong side of work toward you, fasten thread $\frac{1}{4}$ inch from center of curve, ch. 5, * make 5 d. c. with 2 ch. between evenly spaced around the wave so that the last d. c. is opposite to where thread was fastened, 1 d. c. on next wave opposite last d. c. made, ch. 2. Repeat from * to end of row, ch. 1, turn.

2d row: 1 s. c. in last d. c., * 3 d. c. in loop of 2 ch., 1 s. c. in next stitch. Repeat from * to end of row.

W **Materials:** Nufashond Wave Braid No. 43; Crochet Cotton No. 40; Steel Hook No. 10.

Make * 4 tr. c. (wrap twice) evenly spaced with 1 ch. between in top of wave, ch. 5, 1 d. c. near curve between waves, 1 d. c. on next wave opposite d. c. just made, ch. 5. Repeat from * until work is length desired.

2d row: Fasten thread in ch. between 1st 2 tr. c., ch. 4, 1 tr. c. in same ch., * ch. 1, 2 tr. c. in next ch., ch. 1, 2 tr. c. in next ch., ch. 5, 2 tr. c. between next 2 tr. c. Repeat from * to end of row.

3d row: 1 d. c. and ch. 1 in every 2d stitch in row.

Working on other edge of braid with wrong side toward you make 7 tr. c. with 1 ch. between evenly spaced around top of wave, do not make a ch. between 7th tr. c. of 1 wave and 1st tr. c. on next wave.

2d row: 1 s. c. and 1 picot (ch. 4, 1 s. c. in top of s. c. just made) around each ch. 1 in preceding row.

X **Materials:** Nufashond Wave Braid No. 45; Crochet Cotton No. 30; Steel Hook No. 11.

Fasten thread in top of 1 wave, * ch. 5, 4 tr. c. (wrap twice) evenly spaced in curve between waves, in making the 1st tr. c. work off 2 loops twice, leaving last 2 loops on hook, work the next 2 tr. c. the same way, leaving the last loop on hook, in making the 4th tr. c. work off 2 three times, then work off last 4, ch. 5, 1 s. c. in top of next wave. Repeat from * until you have length desired. Break thread.

2d row: 1 d. c. and ch. 1 in every other stitch on edge. Break thread.

3d row: Fasten thread in 1st stitch, ch. 6, * skip 5 stitches, 1 d. c. in next stitch, ch. 1, 1 d. c. in same place, ch. 3. Repeat from *.

4th row: 1 d. c. and ch. 1 in every other stitch.

Working on lower edge make 8 tr. c. with 1 picot after each, evenly spaced on top of each wave.

To make picot, ch. 4 and make 1 s. c. in top of last tr. c. made.

Y **Materials:** Nufashond Wave Braid No. 49; Crochet Cotton No. 30; Steel Hook No. 11.

Fasten thread in center of curve between waves, ch. 4, make 9 d. c. with 1 ch. between at even distances around wave, ch. 1, * 1 d. c. in center of next curve, ch. 1, 2 d. c. with 1 ch. between on next wave opposite last 2, ch. 1, 1 s. c. in 8th d. c. on 1st wave (ch. 5, 1 s. c. in last ch. 1 made), 5 times, then ch. 1 and make 7 d. c. and ch. 1 around wave. Repeat from * until you have length desired. Break thread.

2d row: Fasten thread in center d. c. on wave, ch. 3, 1 s. c. in next d. c., * ch. 5, 1 s. c. in center loop of ch. 5 between waves, ch. 5, 1 s. c. each in 3 center d. c. on top of wave with 3 ch. between. Repeat from *.

3d row: Fasten thread in 1st loop of ch. 3, * ch. 3, skip 2 ch., 1 s. c. in next ch., ch. 5, skip 5 stitches, 1 s. c. in next stitch, ch. 3, 1 s. c. in next loop of ch. 3, ch. 2, 1 s. c. in next loop of ch. 3. Repeat from *.

4th row: 1 d. c. and ch. 2 in every 3d stitch on edge.

Working on lower edge, make 5 loops of ch. 5 caught down with 1 s. c. about $\frac{1}{4}$ inch apart, * ch. 2, 1 d. c. to right of curve between waves, 1 d. c. opposite one just made, ch. 2, 1 s. c. about $\frac{1}{4}$ inch from it, ch. 2, 4 loops of ch. 5 and 1 s. c. as before. Repeat from *. Break thread.

2d row: Ch. 5 and 1 s. c. in each loop of ch. 5, making 1 s. c. between 2 d. c. in center of wave.

Z **Materials:** Nufashond Rick Rack Braid No. 49; Crochet Cotton No. 40; Steel Hook No. 12.

Fasten thread in top of a wave, ch. 3, 1 d. c. about $\frac{1}{2}$ inch from fastening, * ch. 3, wrap 3 times, draw thread up about $\frac{1}{2}$ inch from d. c., work off 2 loops twice, wrap twice, draw up a loop in center of curve, work off 2 loops twice, wrap twice, draw up a loop opposite to where 1st one was drawn up, work off 2 loops until there are none left on the hook, ch. 3, 1 d. c. one-half inch from where last loop was drawn up, ch. 3, 1 s. c. in center of wave, ch. 3, 1 d. c. one-half inch from s. c. Repeat from * until you have length desired. Break thread.

2d row: Fasten thread in same place where it was fastened in 1st row, ch. 5, * skip 1 stitch, wrap, draw up a loop in next stitch, work off 2 loops, wrap, skip 1 stitch, draw up a loop in next stitch, work off 2 loops, work off 3 loops, ch. 3. Repeat from *.


3d row: Like 2d making the groups directly above those in 2d row.

4th row: 1 s. c. in each stitch.


Working on lower edge, fasten thread half way between top of wave, and curve, * make 4 tr. c. in curve with 1 picot between (3 picots), 1 s. c. opposite fastening, ch. 3, 1 s. c. in braid $\frac{1}{4}$ inch from last s. c., ch. 3, 1 s. c. $\frac{1}{4}$ inch from last s. c., ch. 3, 1 s. c. $\frac{1}{4}$ inch from last s. c. Repeat from *.

2d row: * 3 tr. c. in each picot of 1st row, 1 s. c. in 2d s. c. on wave, ch. 3, 1 s. c. in next s. c. Repeat from *.


3d row: Fasten thread in 1st tr. c., * ch. 5, turn, skip 2 ch., 1 d. c. each in next 3 ch., skip 3 tr. c., 1 s. c. in next tr. c. Do this 3 times in all, 5 s. c. in loop of ch. 3 in center of wave, 1 s. c. in 1st tr. c. Repeat from *.




V




W



X



Y



Z

Sash, Bag, Blouse and Hat

(As illustrated on front cover)

Materials: Nufashond Rick Rack Braid No. 29; Mercerized Crochet Cotton No. 3 or 5; Crochet Hook No. 10.

Sash

Place two (2) pieces of braid the desired length over one another, point to point, take crochet needle through both points, make 4 chain and go through next 2 points, repeat to end of braid. Make 9 rows like this. Finish with tassel.

This is the way the pattern used in all three articles is made.

Blouse

Make 9 rows about 2 yards long; 9 rows 7 inches long for front, and 9 rows 12 inches long for each cuff. These measurements are arbitrary, you can make the pattern any desired width or length.

Bag

1st row: Draw 12 points together in a small circle.
2d row: 2 points in each point of 1st row with 4 chain between.
3d row: 2 points on every other point.
4th and 5th rows: 1 point on each point.
6th row: 2 points on every 5th point.
7th row: 1 point on each point.
8th row: 2 on every 6th point.
9th row: 2 on every 10th point.

Now straight around until you have 17 rows in all.

Crochet 7 medium size brass rings in single crochet, sew on 1 point, leaving 2 points between each ring. Crochet 2 rings for bottom of bag and finish with tassel.

Cord: Make 2 strings each 25 inches long, crocheting 4 chain on both ends of Nufashond Braid No. 21; finish each string with crochet ring and tassel.


Hat

Materials: Nufashond Rick Rack Braid No. 49 (about 25 yards).

Start at top of crown, sewing braid around and around, as you would straw braid; if necessary add a notch to prevent puckering, or to make points overlap one another. Face with silk or braid; and finish with large crochet ring and a few stitches, as illustrated, or any other way desired.

Luncheon Set

Materials: Nufashond Rick Rack Braid No. 25; Crochet Cotton No. 20; Steel Hook No. 10.



Fold braid over 2 points, with top point towards left.

1 s. c. in 1st double point; 4 ch., 1 s. c. in next double point, * 4 ch., 1 s. c. in next point, repeat from * until you have 11 points, on inner edge; fold braid under 2 points, with top point towards left, 4 ch., 1 s. c. through 2 points, 4 ch., 1 s. c. through 2 points (13 points), ch. 5, turn.

2d row: 1 d. c. on 4 ch., * 3 ch., 1 d. c. on next 4 ch., repeat from *, ch. 5, turn. (12 d. c.)


3d row: 2 tr. c. in 2d space, * 2 ch., 2 tr. c. in next space; repeat from * (11 tr. c.) ch. 4, turn.

4th row: Skip 1st space, 1 d. c. in next space, * 1 ch., 1 d. c. in next space, repeat from * (10 d. c.)

5th row: 3 ch., skip 1st space, 1 d. c. in each space (9 d. c.)

6th row: 1 s. c. in each stitch of row, ch. 4, turn, join to 1st s. c.; ch. 5, 1 d. c. on side of 3d row; ch. 5, 1 d. c. on side of 1st row. 3 ch., slip stitch to edge of braid, 2 ch., slip stitch to 1st point; 4 ch., 1 s. c. through the 2 points (already folded) 4 ch., 1 s. c. through next point, 4 ch., 1 s. c. through each of next 8 single points, fold under, with top point towards left, 4 ch., 1 s. c.

through double points, 4 ch., 1 s. c. through double points (13 points), ch. 5; repeat from 2d row. Sew on hemmed linen centers—sizes desired.



Daisy Pincushion

Materials: Nufashond Rick Rack Braid No. 33; Yellow Crochet Silk; Steel Hook No. 10.

16 points for a daisy.

With yellow silk make 1 s. c. in each point.

2d row: Using both loops, 1 s. c. in each s. c.

3d row: 1 s. c. each in 1st 2 s. c., * skip 1 s. c. 1 s. c. each in next 2 s. c. Repeat from *.



4th row: 1 s. c. in every other s. c.

Draw last row together with needle and thread. Use wrong side of work for right side.

With needle and fine thread, on wrong side draw petals into shape.

In joining, sew 2 points on one daisy to corresponding points on another; skip 2 points, join next two points to another daisy.

This pattern may be used for tidies, cushion covers, and many other articles.

Apron

Materials: Nufashond Rick Rack Braid No. 37, 41, or 45, depending upon the individual taste.

This attractive apron shows what can be done by simply sewing on Nufashond Rick Rack braid as an edging or insertion without crochet.




Table Cover

Materials : Nufashond Rick Rack Braid No. 21 ; Crochet Cotton No. 40 ; Steel Hook No. 12.

Insertion: 1 s. c. in 2d point on 1 edge, * ch. 1 (1 d. c. and ch. 1), each in next 5 points, 1 s. c. in next point. 1 slip stitch in 1st s. c. made, ch. 3, 1 sl. st. through next point and 1st point, ch. 4, working on other edge of braid make 1 s. c. in point between last 2 points. Repeat from * until you have length desired, join. The corners are formed by making 2 scallops in succession on the same side.

Sew a piece of braid to both edges, being careful not to let the sewing show.

The big spaces between scallops on upper edge may be filled by making 1 long stitch in them and twisting the thread back on it, as in making spider web.



Insert in linen.

Lace: Make same as insertion, but larger to fit outer edge of cover.

To finish lower edge, crochet a piece of braid to the one already sewed on, by making 1 s. c. through corresponding points ch. 3, 1 s. c. through next 2 points all around edge.

On the 4 points in each corner work as follows.

Working on wrong side, fasten thread in 1st point, ch. 7, 1 s. c. in next point, ch. 7, 1 s. c. in next point, ch. 7 1 s. c. in 4th point, turn, 9 s. c. in last loop made, 9 s. c. in next loop, 5 s. c. in next loop, ch. 7, turn, 1 s. c. in 5th s. c. in 2d loop, ch. 7, 1 s. c. in 5th s. c. in 1st loop, turn, 2 s. c. in last loop, 1 picot (ch. 4, 1 s. c. in last s. c. made), 7 s. c. in same loop, 5 s. c. in next loop, ch. 7, turn, 1 s. c. in 5th s. c. of preceding loop, turn, 2 s. c. in last loop, 1 picot, 3 s. c. in same place, 1 picot, 3 s. c. in same place, 1 picot, 1 s. c. in same place, 3 s. c. in loop on 2d row, 1 picot, 1 s. c. in same place, 4 s. c. in 3d loop on 1st row, fasten, break thread.



Wheel for Centerpiece

Materials: Nufashond Rick Rack Braid No. 17;
Crochet Cotton No. 50; Steel Hook No. 10.



For the center join a piece of braid in a circle so that there will be 14 points. Make 1 d. c. in every inner point of the circle with 1 ch. between, and fasten the last ch. to the first d. c. and break off the thread. Now make a ch. of 8 and join to form a ring. Make 2 ch. then 1 s. c. in one of the d. c., 2 ch. and 1 s. c. in the next stitch of the 8 ch., 2 ch., skip 1 d. c. and make 1 s. c. in the next double 2 ch. 1 s. c. in the next stitch of the 8 ch., repeat these points at the alternate doubles, making 7 in all; fasten the last point with a sl. st. and break the thread.

Now make 1 d. c. in every outer point of the circle, with 7 ch. between, joining the last ch. to the first d. c., make 1 ch. to bring the work up even, and then make 1 s. c. in every stitch around the circle, joining the last one to the first by a sl. st.

Now make 5 ch., skip 2 s. c. and make 1 s. c. in the next; repeat this around the circle joining the last 5 ch. in the first s. c. made; work with slip stitches to the center of the first 5 ch. and then make 1 more row of 5 ch., and s. c. in the spaces underneath around the whole circle; work to the center of the last 5 ch. in the second row with sl. st. Now make 2 ch.; take the braid, make 1 s. c. in 1 (or first) point, 1 ch. skip 1 stitch of last row of 5 ch., make 1 d. c. in the next stitch, 1 ch., skip 1, 1 d. c. in the next, 1 ch. 1 s. c. in the next point of braid, * 1 ch., skip one of the 5 ch. underneath, make 1 double in the next and repeat from * 4 times more.

Now make 3 ch. 1 half double in each of the next 5 points of the braid, 2 ch. and join to the first stitch of the 3 ch. just made; * 1 ch. skip one in the 5 ch. underneath, and make 1 double in the next stitch; repeat 4 times more from *. Repeat these movements around the circle, matching and joining the braid at the end.

To make the Picot Edge—In the hollows between the scallops, join the three outer points of the braid together by 1 s. c. as seen in the pattern; make 5 ch. and catch in the s. c. just made, make 3 ch. 1 d. c. in the next angle of the braid, 3 ch. 1 d. c. in the point with a 5 ch. caught in the top of the last double to form a picot; 3 ch. 1 double and a picot in the next angle, and so on around the scallops to the next hollow, where three points are joined and a picot made as before. Repeat all around the wheel according to these directions as seen in the pattern.



Luncheon Set

Materials: Nufashond Rick Rack Braid No. 21; Crochet Cotton No. 50; Steel Hook No. 10.

Leave nice ends, and sew in when work is finished. Allow 7 spaces for each scallop. Cloth length 42", width 13". Add sides of 15" wide x 14" long, using 1/2" to sew to the main length. Sew with machine all around edges 1/16", and baste back carefully.

- 6—Small doilies 3 1/4" diameter, 12 scallops.
- 6—Next 5" diameter, 14 scallops.
- 4—Plate doilies 7 1/2" diameter, 20 scallops.
- 1—Platter doily 8 1/2" long x 6 1/2" wide, 20 scallops.
- 1—Platter doily 11" long x 8 1/4" wide, 26 scallops.
- 2—Large round doilies 9" diameter, 26 scallops.

Cloth Edge for Each End

- 1st row: Begin s. c. 1" from inner corner, allow 1" on other corner.
- 2d row: Ch. 5 d. c. 1. * ch. 2 d. c. 1 all around. 73 on 1st side 1 corner of 5 ch. 83 and 1 corner 73 on other side, * on all four ends.
- 3d row: S. c. 1 ch. 2 sl. st. in 3d pt. of braid. Ch. 2. S. c. 1 in same space. * ch. 2 wrap 4 times, go in 3d space from beginning, take off 4 set 2, wrap 3 take off 3, set 3, wrap 2, take all off in two. Ch. 2 sl. st. in next pt. of braid ch. 3 sl. st. in next pt. Ch. 2, repeat the first puff of 4-3-2. Ch. 2 sl. st. to next pt. ch. 3 sl. st. in next pt. ch. 2 puff. Ch. 2 s. c. 1 in 3d space from center. Ch. 2 sl. st. in next pt. braid. Ch. 2 s. c. 1 in next space. Ch. 2 puff 1 and ch. 2 sl. st. in next pt. * at corners put 5 puffs.
- 4th row: S. c. 1 on point * ch. 7 s. c. 1 for 4 spaces s. c. 1 s. c. 1 * on corners s. c. 3 pt. together.
- 5th row: * s. c. 1 ch. 2 d. c. 2 in 4 ch. of previous row. P. 1 d. c. 2 ch. 2 s. c. 1 on next pt. *

Round Doily Edges

- 1st row: S. c. all around.
- 2d row: Ch. 5 d. c. 1 * ch. 2 d. 1. * all around, allowing 7 spaces for every scallop. Close.
- 3d row: Ch. 3 d. c. 1 in same space. * ch. 1 d. c. 2 in next * close.
- 4th row: Ch. 5 d. c. 1 between the clusters. * Ch. 2 d. 1 *, having as many spaces as first row.
- 5th row: S. c. ch. 5 s. c. 1 in next space ch. 2 in pt. of braid. * ch. 2 puff in 3d space ch. 2 sl. st. in next pt. ch. 3 sl. st. in next pt. ch. 2 sl. st. in next pt. ch. 2 puff ch. 2 sl. st. in next pt. ch. 2 s. c. 1 in 3d space from center ch. 5 s. c. 1 in next space. Ch. 2 sl. st. in next pt. Ch. 2 *.
- 6th row: S. c. 1 for 3 pt. * ch. 7 s. c. 1 * for 4 pt.
- 7th row: Same as on cloth.

Large Ring in Corner

- Ch. 6 close.
- Ch. 5 d. c. 1 in center ch. 2 * d. c. 1 ch. 2 till 8 sections. Close.
- D. c. 4 in each section.
- Ch. 4 wrap 2 go in next post.
- Take off 2 sets 2 wrap 1 go in next post.
- Take off 1 set 2 warp 1 go in next post.
- Take all off in 2 ch. 2 sl. st. 1 in next pt. * ch. 3 sl. st. 1 to next pt. ch. 2 wrap 3 take off 3 sets of 2; wrap 2 take off 2 sets of 2; wrap 1 take off 1 set of 2; wrap A take all off in 2 ch. 2, sl. st. in next pt. *
- 5th row: * s. c. 1 on pt. ch. 7 *.
- 6th row: * d. c. 3 tr. 2 p. 1 tr. 1 d. c. 3.

Small Ring in Corner

- Ch. 6 close. Ch. 4 wrap 2 take off 2 sets 2; wrap 1 take off 1 set 2; warp 1 take off all in 2. Ch. 2 sl. st. 1 in pt. of braid. * ch. 2 sl. st. 1 in next pt. ch. 2; wrap 3 take off 3 sets 2; wrap 2 take off 2 sets 2; wrap 1 take off 1 set; wrap 1 take off all in two's. Ch. 2 sl. st. pt. * till 6 puff close.
- 3d row: * S. c. 1 on pt. ch. 7 *.
- 4th row: Same as large scallop.

Butterfly

- Fasten thread on 3d pt. of braid s. c. 1 * ch. 1 s. c. 1 till 6 pt. are used. Close to 1st pt. * ch. 2 d. c. 1 in deep pt. Ch. 2 s. c. 1 on next pt. * for 9 pt. s. c. 1 in next. Reverse side to top using 9 pt. again and sl. st. to opposite side at each pt. to top of body. Ch. 5 on under side to 9 pt. from bottom on other side s. c. 1 for wing * ch. 4 s. c. 1 on next pt. * for 11 pt. S. c. 1 on 12 and 13 * ch. 4 s. c. 1 on next pt. * for 14 pt. sl. st. to first. Break thread cross

the braid over on right side of body at base of head leaving 2 pt. free. Fasten thread at 9th pt. from bottom s. c. 1 ch. 4 s. 1 on next pt. and reverse the 1st wing. Break thread, pass braid on wrong side of body 2 pt. join to 7 pt. from bottom and pt. of upper wing. * s. c. 1 ch. 4 * for 2 pt. using upper wing braid also. Then 6 free pt. s. c. 1 on next 2 pt. Ch. 4 s. c. 1 for 5 pt. join 5th pt with 4th from bottom of body. Ch. 5 s. c. 1 for 3 pt. on body to top, close. Pass braid on under side of body 2 pt. to 4 from bottom and reverse other side close. Outer side. Fasten on 2 pt. from bottom on left side of body. Ch. 5 or 6 so does not span s. c. 1 on each pt. at ends ch. 1 more and at inner curves s. c. 1 over to next pt.

2d row: D. c. 2 tr. 2 p. 1 tr. 1 d. c. 2 on ends d. c. 3 tr. 2 p. 1 tr. 1 d. 3. Large ring in wing. Ch. 6 close. Ch. 5 d. 1 ch. 2 * d. c. 1 ch. 2 when 8 sections close. Puff of following in each.

Ch. 4 wrap 2 take off 2 sets 2; wrap 1 take off 1 set 2; wrap 1 take off all in 2 ch. 6. till 8 sec. are full close. * s. c. 2 ch. 4 s. 1 ch. 4 s. 1 ch. 4 s. 2 * in 2 upper and lower sec. Fasten to wing as you go along by center p. Small ring in upper wing. Ch. 8 close s. c. 1 ch. 4 * s. c. 2 ch. 4 till 8 p. Close sl. st. to 1st p. Ch. 4 s. c. 1 in same place ch. 2 s. c. 1 in next p. * ch. 2 and sl. st. to ring ch. 2 s. c. 1 in same place. Ch. 2 to next space. Small ring in lower wing. Ch. 6 close make 6 puff as in other ring. Ch. 6 between. Close. * s. c. 4 ch. 4 s. c. 4 *.

Scarf

Materials: Nufashond Rick Rack Braid No. 29; Crochet Cotton No. 30; Steel Hook No. 10.

Medallion for Scarf:

Wrap thread over finger, 5 or 6 times; slip off finger and catch loop with a s. c., 3 ch.

1st row: 21 d. c., 5 ch., 22 d. c. on loop, 5 ch., slip stitch to 3d ch. at beginning of row, ch. 3.

2d row: * 1 d. c. over each d. c., 3 d. c. on 5 ch., 5 ch., 3 d. c. on 5 ch., repeat from *, slip stitch to 3d ch., ch. 3.

3d row: * 1 d. c. in every stitch, 3 d. c. on 5 ch., 5 ch., 3 d. c. on ch., repeat from *, slip stitch to 3d ch., ch. 5.

4th row: 1 d. c. in 3d stitch, * 5 ch., 1 d. c. in 3d stitch, repeat from * to middle (3 d. c., 5 ch., 3 d. c.) on loop of 5 ch. repeat from * to other end.


5th row: 5 ch., * (3 d. c., 3 ch., 3 d. c.) in 2d space, 5 ch. skip 1 space, repeat from *.

6th row: Like 5th row.

7th row: 5 ch., 3 s. c. on 3 ch., * 5 ch., 1 s. c. around 5 ch. of 5th and 6th rows, 5 ch., 3 s. c. on 3 ch. Repeat from *, making 5 s. c. in loop at each end.

Sew points of Rick Rack Braid around Medallion.


On sides, catch points of braid, with a French knot.



Candle Shade

Materials: Nufashond Rick Rack Braid No. 17; Crochet Cotton No. 50; Steel Hook No. 11.

Ch. 12, 25 d. cr. join with sl. st. ch. 5 skip 1st fasten in 3d st. with s. cr. repeat until there are 12, slip st. to center of ch. 5. Ch. 13 fasten with slip st. to 2d point of Rick Rack Braid. Crochet with s. cr. back on chain 10 times ch. 3 fasten to center of next ch. 5, chain 10 and fasten to 3d pt. of braid cr. back 7 times with s. cr., ch. 3 and fasten to center of ch. 5, ch. 10 fasten to 5th point of braid 7 s. cr. ch. 3 fasten to center of 4th ch. 5 repeat until there are 5 fastenings of 7 ch. each row cr. 13 ch. and fasten to 15th point of braid also 15th pt. of braid crossed, points even, using other end of braid, cr. 10 s. cr. back on ch. fasten to next center of ch. 5, ch. 10 fasten to 3d point of braid from crossing of braid repeat until there are 5 fastenings of ch. each as previously made and this completes one oblong. In the same way make 5 more oblongs. Make 5 ch. come




back fasten in 2d ch. to from picot ch. 2 fasten to point of braid ch. 5, repeat the round. Ch. 5 with d. cr. fasten in ch. where previous row is fastened repeat the round. Ch. 3 to form post 2 d. cr. in center of 5 ch. on previous row ch. 5 2 d. cr. in center of next 5 ch. previously row, 1 ch. 2 d. cr. center of next 5 ch. ch. 10 1 d. cr. with 1 ch. bet. in every other sl. until there are 17 d. cr. with 1 ch. bet. the last double being fastened in the 3d to last of 5 ch. on previous row. Ch. 10 2 d. cr. in center of ch., ch. 1 2 d. cr. center of next ch. 5 2 d. cr. in center of last 5 ch. 2 d. cr. in center of next 5 ch. or 1st 5 of 2d motif slip et up 3 ch. st. make 2 ch. 2 d. cr. in center of next 5 ch., ch. 3 fasten in 3d ch. of ch. 10 previously made ch. 7 1 d. cr. in chain and repeat with 1 ch. between until there are 17 d. cr. repeat the round.

4th, 5th and 6th row 1 d. cr. in every other space fastening only in ch. 5 ch. picot 2 ch. 1 double cr. in 3d space using only ch. st. repeat the round except 5th and 6th row; fastening is made top of each post instead of space.

7th ch. 7 with d. cr. fasten on top of every other post of previous row 8th ch. 3 fasten to point of Rick Rack Braid ch. 3 with s. cr. fasten to 1st st. of ch., ch. 3 fasten to braid ch. 3 with s. cr. fasten to 5th ch. st. repeat the round. 9th with 4 ch. between and picot fasten with sl. st. to every point of braid. 10th 2 d. cr. in picot, ch. 5 catch back in 2d ch. to form picot 2 double cr., picot, 2d cr. picot fasten in picot previous row with s. cr. 2 ch. repeat scallop on same manner the round. On lower edge cr. 6 ch. fasten to point of braid 6 ch. fasten to point of braid repeat the round. Fill angles same as upper edge except using single cr. to fasten ch. between instead of d 3d row 3 ch. fasten to point of braid 2 ch. fastening to every 5th st. of ch. on previous row.

Outer edge ch. 5 fasten back in 2d to form picot ch. 2 fasten to pt. of braid repeat the round.



Collar

Materials: Nufashond Rick Rack Braid No. 17; Crochet Cotton No. 50; Steel Hook No. 10.

With needle and thread sew in second point of braid, span thread to next point of braid, fasten twice, span to next or fourth point, fasten, bring 5th point of braid close to the fourth point, twist thread around line spanned from third to fourth point, four times. Bring 6th point close to 3d point, twist around line four times and bring 7th to 2d point, this completes one point of star.

Fold back braid, beginning at the 1st point of braid and proceed as before until the 5 points of star have been completed. For centre of star, fasten thread with s. c. to centre of one of five points of star, ch. 4 fasten to next centre and so on around. Sew on stud.


Nine stars are needed to form collar.

To join three stars, ch. 12 join ch. 13, fasten back in 5 stitch from hook to form picot. Ch. 4 fasten to point of braid at ends of star (that have been joined with needle and thread) ch. 9 fasten back in 5th st. to form picot, ch. 5, then three double c. in ring, ch. 9 fasten back in 5th st. to form picot, ch. 4 fasten to next two points of braid, continue until 9 spokes have been made and 27 d. ch. in ring, thus joining three stars in each cluster.

Cut off piece of braid of 21 points, another piece of 46 points. Start at 1st point of shortest piece of braid c. 5 ch. fasten to 2d point of 2d piece of braid, 5 ch. fasten back to next point of shortest piece so on until 5 points have been fastened, 5 ch. fasten down in same point of 1st row forming a ring. Five more fastenings then twice in 11th point to form ring, continue until last point of shortest piece of braid is used.

Ch. 10 fasten in angle between middle and 2d point of star previously made, ch. 9 fasten back in 5th st. of ch. to form picot, ch. 5 fasten in end of spoke (made by joining 3 stars) also in next point of longest piece of braid, c. opposite together of braid until end is reached, join to star that forms middle of back of collar, or one side of collar. In same manner add four more pieces of braid reaching from points of stars in middle cluster to cluster in ends of collar. Fourth row having 25 points, fifth row 33 points, sixth row 36 points, seventh row 43 points.

In two hollow spaces along edges of both ends of collar c. ring with spokes and d. c. as made to join three stars. Begin at middle of back of collar and finish edge all around collar with braid joining to opposite points in same manner as previously made.



B



C

Guest Towels

A

Materials: Nufashond Rick Rack Braid No. 25; Crochet Cotton No. 40; Steel Hook No. 10.

Insertion: 1 d. c. in 1st point of braid. * ch. 2, 1 d. c. in same place, ch. 2, 1 d. c. in next point. Repeat from * until work is length desired. Break thread.

Repeat this on other edge of braid.

Make the narrowest hem possible in the towel, then crochet the insertion in as follows:

1 s. c. in edge of towel, ch. 1, 1 s. c. between 1st 2 d. c. in insertion, ch. 1, 1 s. c. in edge of towel, ch. 1, 1 s. c. between 2d and 3d d. c. Continue this way on both edges until the insertion has been joined to the towel.

Lace: Cut 3 pieces of braid the length desired.

Lay two of these pieces together point to point, fasten thread in 1st point through both pieces, * ch. 4, 1 slip stitch in next point. Repeat from * to end of row.

Join the 3d piece in the same way.

On the top edge make 1 row same as 1st row of insertion and join to towel same as insertion was joined.

To make the edge, fasten thread in 1st point of braid, * ch. 5, 1 s. c. in next point. Repeat from *.

2d row: 7 s. c. in 1st loop of ch. 5, * 4 s. c. in next loop, ch. 5, turn, 1 s. c. in 4th s. c. in 1st loop, turn, 1 s. c. in loop of ch. 5 just made, 1 picot (to make a picot, ch. 4, 1 s. c. in last s. c. made), 3 s. c. in loop, 3 picots (all fastened in same s. c.), 3 s. c. in loop, 1 picot, 3 s. c. in 2d loop on edge, 7 s. c. in next loop. Repeat from *.

B

Materials: Nufashond Rick Rack Braid No. 21 and No. 13; Crochet Cotton No. 40; Steel Hook No. 10.

Using wide braid.

Insertion: 1 slip stitch through 1st and 6th points on one edge of braid, ch. 3, 1 sl. st. through 2d and 5th points, ch. 3, 1 sl. st. through 3d and 4th points, ch. 3, 1 sl. st. through 5th and 10th points on other edge, ch. 3, 1 sl. st. through 6th and 9th points, ch. 3, 1 sl. st. through 7th and 8th points, ch. 3 and work on the 1st edge again. Continue this way until you have length desired. Break thread.

Make the narrowest hem possible in the towel, lay edge of braid to edge of towel, make 1 s. c. through 1st point of braid and edge of towel, * ch. 6, 1 s. c. through next point of braid and edge of towel. Repeat from *. Do this on both edges.

Lace: Make a row of scallops same as insertion.

Make a row of s. c. and 6 ch. across the top.

Sew 2 pieces of narrow braid carefully together point to point, sew to the top of scallops and sew to towel.

To finish lower edge, * 1 s. c. where 2 points are joined, 1 picot (ch. 4, 1 s. c. in 1st ch.), 1 s. c. in curve between points, 2 picots, 1 s. c. in point of scallop, 1 picot, 1 s. c. in same place, 2 picots, 1 s. c. in curve between points, 1 picot. Repeat from *.

C

Materials: Nufashond Rick Rack Braid No. 29; Crochet Cotton No. 30; Steel Hook No. 10.


Insertion: Lay two pieces of braid the desired length together, point to point, fasten thread in 1st point through both pieces, * ch. 4, 1 s. c. in next point. Repeat from *.

Make a narrow hem in the towel, lay edge of braid to edge of towel, make 1 s. c. through 1st point of braid and edge of towel, * ch. 5, 1 s. c. through next point of braid and towel. Repeat from *. Do this on both edges.

Lace: Join the braid same as in the insertion, join to the towel with a row of 1 s. c. and ch. 5 across the top.

To finish edge, fasten thread in 1st point, * ch. 7, 1 s. c. in next point. Repeat from *. Break thread

2d row: 9 s. c. in 1st loop of ch. 7, * 9 s. c. in next loop, 5 s. c. in next loop, ch. 7, turn, 1 s. c. in 5th s. c. in 2d loop, ch. 7, 1 s. c. in 5th s. c. in 1st loop, turn, 9 s. c. in last loop made, 5 s. c. in next loop, ch. 7, turn, 1 s. c. in 5th s. c. of previous loop, turn, 2 s. c. in loop just made, 1 picot (ch. 4, 1 s. c. in last s. c. made), 2 s. c., 1 picot in same loop, 2 s. c., 1 picot, 2 s. c., 1 picot, 1 s. c., 4 s. c. to fill loop in 2d row, 4 s. c. in 3d loop in 1st row, 3 picots (all caught in same s. c.) 9 s. c. in next loop. Repeat from *.



Night Dress Yoke

Materials: Nufashond Rick Rack Braid No. 25;
Crochet Cotton No. 50; Steel Hook No. 10.

Yoke: Take braid and sew together to form designs as follows: 14 points for oblong, 14 points for center front, 12 points for corners using 3 on inside and 9 on outer side.

Oblong Medallion, center: Fasten thread to the last point of right side, ch. 5, fasten with s. c. on the first point on left side, * ch. 5 to next point. Repeat to the end of design, fasten thread sl. st. center of the next 5 ch.

2d row: Ch. 5 * wrap 3 times, draw thread through three sets of 2, wrap 2, draw thread through two sets of 2, wrap 2, draw thread through two sets of 2, one set of 3 and one set of 2, ch. 2 and repeat from * for 5 more spaces. ch. 1, 1 tr. c. in next space, ch. 1, then repeat the opposite for 6 spaces, ch. 1 and fasten to top of ch.

3d row: Ch. 3, one s. c. between the puff, repeat same to end of 6 puffs, ch. 1. s. c. in center of opposite 3 ch., ch. 1, s. c. between puff, repeat till center is closed.

Center Medallion, 1st row: * ch. 5 s. c. to next point, repeat from * to end of row, fasten.

2d row: Sl. st. to center of 5 ch., wrap three times, draw through three sets of 2, wrap twice, draw through two sets of 2, wrap twice, draw thread through two sets of 2—one set of 3 and one of 2; ch. 2 and repeat from * to end of circle, ch. 2 and fasten to first puff.

3d row: Sl. st. to center, turn work, work from center out; 1 tr. c. in each space; fasten; ch. 1; s. c. 1 in top of each post; close.

Corner Medallion, 1st row: Fasten thread on first top point with s. c., ch. 5 and s. c. in each point excepting the corners only 1 ch.

2d row: Sl. st. to center of next 5 ch., ch. 5, then * wrap three times over needle; draw through three sets of 2, wrap twice, draw through two sets of 2, wrap twice and draw through two sets of 2; one set of 3 and one of 2; ch. 2, repeat from * till all spaces are filled; ch. 2 and fasten. Turn work and work from center, 1 d. c. in each space; close with sl. st.

Outer edge of Yoke, 1st row: Begin on second medallion in the back on the third point, fasten thread * ch. 7, s. c. in next point; ch. 7 d. c. in next point; ch. 7; tr. c. in next point. Ch. 2, wrap on needle four times, fasten on braid where it is sewed, draw through two sets of 2 then wrap twice, fasten in braid just opposite side of braid and draw through 6 sets of 2; ch. 3, wrap twice and fasten in front threads of center of x, draw through 3 sets of 2 ch. 2, tr. c. in next point, ch. 7 d. c. in next, ch. 7 s. c. in next, repeat from * to end of row.

2d row: Sl. st. to center of next space. Ch. 4; tr. c. in same space, tr. c. again. Ch. 1, then tr. c. in next space; * ch. 1, 3 tr. c. in next space, repeat from * till over x where you wrap on needle 3 times, draw through 4 sets of 2; ch. 1; tr. c. 3 all around except at corners, increase 1 cl. of tr. c. at the center front, omit filling at x.


3d row: 1st x, take 10 ch., wrap on needle 2, slip through the 7th ch., wrap 2, pass to next space; draw through 6 sets of 2, ch. 3, wrap 2, take up front threads of the center in x then draw through 3 sets of 2; * ch. 3, wrap on needle four times, go in next space, draw through two sets of 2, wrap 2, draw through six sets of 2, ch. 3, wrap 2, fasten in center of x, draw through three sets of 2, repeat from * all around except at corners where you go over each cl. of tr. c.

4th row: Sl. st. to center of ch., ch. 4, tr. c. in same space 2 more, * ch. 4, pass over x to next space and tr. c. 3, repeat all around, increase one set in corner.

5th row: Sl. st. to space, ch. 3 tr., c. 1, p. 1, tr. c. 2, p. 1, tr. 1, d. c. 1, pass to next space, * d. c. 1, tr. c. 1, p. 1, tr. c. 2, p. tr. 1, d. c. 1, repeat to end, increase at corners.

Inner side same as outside with decrease at corners.

For sleeve use same as oblong pattern



Corset Cover or Camisole

Materials: Nufashond Rick Rack Braid No. 21; Crochet Cotton No. 60; Steel Hook No. 10.

Center: For the yoke fasten thread on point and * ch. 15 s. c. in next point, ch. 4 sl. st. in fifth ch., ch. 4 s. c. in next point. Ch. 4 sl. st. back in same space. Repeat in 2 more points, making 4 in all. Ch. 10 s. c. to next point. Repeat this 36 times, then s. c. in 3 points to turn back. Ch. 5, fasten with sl. st. to sixth ch. on opposite side, ch. 9 s. c., in next point ch. 4 and sl. st., in fifth ch. of the 9 * ch. 4 s. c. in next point, ch. 4 sl. st. in same space. Repeat twice again or 4 points in all. Ch. 3, go across to the other center, ch. 3 sl. st. back to same space. Ch. 4 sl. st. in 5th of opposite side, ch. 5 s. c. in next point and sl. st. to join opposite point. Repeat the entire length, close braid under arm.

1st row, outer side: Work on wrong side, fasten thread on top point of design * ch. 5 d. c. 1 in next point ch. 9 s. c. in next point and s. c. in next point, s. c. 6 over the 9 ch. to pass up. Ch. 3, d. c. 1 in next point ch., 5 s. c. in next point. Repeat the entire row.

2d row: Sl. st. to space. Ch. 4 and tr. c. 1 in same space * ch. 3 tr. c. 2 in next space. Repeat to end join.

3d row: Sl. st. to space, ch. 4, tr. c. 2 in same space * ch. 2, tr. c. 3. Repeat to end and join.

4th row: * Ch. 3 * d. c. in each post and 2 at space till you have 18, then ch. 2, d. c. 1, st. post of the next cluster of 3 ch., 2 d. c. in 3d post. Repeat 3 times, then repeat from * all around.


First and second row on upper side same as the first and second row then break thread. Make shoulder straps with centers and first outer row, then fasten to yoke. Now make 3 rows only between straps, front and back, then make the row of 2 tr. c. and 3 ch. all around the inner space. Sl. st. to center of space and ch. 8 and wrap 3 times, draw through four sets of 2 * ch. 4, wrap 3 times, draw through four sets of 2. Repeat all around at corners, make post, but no ch. Ch. 3, tr. c. 2 in every space; join.

Scallop: Ch. 4, tr. c. 2, ch. 6, go back 4 for p., ch. 2, tr. c. 3, pass to next space and * tr. c. 3, ch. 6, go back 4 for p., ch. 2, tr. c. 3. Repeat all around, for arm hole repeat 2d row on the straps only, then make ribbon and scallop 4 rows as on other side.

Platter Doilies

Materials: Nufashond Rick Rack Braid Nos. 25, 29 or 33; Crochet Cotton No. 30.

Sew the Nufashond Rick Rack Braid on the edge of the doily, and finish with French knots in any color of cotton desired.



Morning Cap

Materials: Nufashond Rick Rack Braid No. 29; Crochet Cotton No. 20; $\frac{1}{2}$ Yard Silk for Lining; $1\frac{1}{2}$ Yards Narrow Ribbon; and Two $1\frac{1}{2}$ -inch Button Molds.

Crown—1st row: Wind thread around pencil 6 times, make 26 s. c. over loop.

2d row: * ch. 4 sk. 1 st. s. c. in next *. Repeat from star around 12 times more.

3d row: Sl. st. to center of loop ch. 3, 1 s. c. in point of braid, ch. 3, s. c. in next loop 1 tr. c. between points ch. 31 s. c. in next point *. Repeat from star 12 times more.

4th row: * ch. 10, 1 s. c. in point *. Repeat from star around.

5th row: Ch. 12, 1 s. c. in next loop always sl. st. to center of loop. Repeat from star around.

6th row: * ch. 14, s. c. in next loop *. Repeat from star around.

7th row: * ch. 9 s. c. in point of braid, ch. 9 s. c. in 5th st. of loop ch. 8, s. c. in next point ch. 8 s. c. in center of loop ch. 8, s. c. in next point, ch. 8 s. c. in center of loop ch. 8 s. c. in next point, ch. 8 s. c. in center loop, ch. 8 s. c. in point ch. 8 s. c. in loop *. Repeat from star around.

8th row: * ch. 16, join in next loop *. Repeat from star around.

9th row: * ch. 18 s. c. in center loop s. c. in center next loop *. Repeat from star around.

10th row: Repeat the 7th row.

11th row: Repeat on other side of braid reversing.

12th row: * ch. 20 join where loops are brought together *. Repeat around.

13th row: * chain 20 sl. et. to center of loop. Repeat from around *.

14th row: * ch. 8 join in loop *. Repeat around.

15th row: 1 s. c. in each stitch.

Brim—1st row: Ch. 8 s. c. in next point ch. 8 s. c. in next point. Repeat until there are 6 loops, ch. 1, s. c. in next point, ch. 1 s. c. in next point, ch. 1, s. c. in next point, *, ch. 4, s. c. over 8 ch. Repeat until all 6 loops are joined ch. 5 pass back of braid and join 3 loops together with s. c. ch. 4 join next two loops together with s. c. Repeat until 6 points are joined and break off thread. Repeat until there are 13 sections.

2d row: Ch. 8 s. c. in next point ch. 8 s. c. in next point. Continue along edge of band to be joined to crown.

3d row: 8 s. c. in each space.

4th row: Hold band and crown together and sl. st. together. There will be about 7 in. left at back.

5th row: On ends of band shell of 6 trebles separated by 1 ch., s. c. in next point. On top of band 6 tr. c. separated by 2 ch. on top point, s. c. in next point, 5 ch. s. c. between 2 points between sections 5 ch. s. c. in next point, repeat.

6th row: Ch. 4, s. c. in 1st loop, ch. 4 s. c. in next loop. Repeat all around band. To finish back of neck piece of braid having 24 loops finish ends * tr. c. in point, 2 ch. tr. c. in next point *, repeat.

7th row: * 6 tr. c. in point separated by 2 ch., s. c. in next point *. Repeat to end of piece.

8th row: 5 ch., s. c. in 1st loop 5 ch. s. c. in next loop. Repeat to end of braid. Trim with buttons and balls as illustrated.



Boudoir Slippers

Materials: Nufashond Rick Rack Braid No. 29; Mercerized Crochet Cotton No. 15; 1 Yard Ribbon, 4 Inches Wide; 1 Yard Half-inch, $1\frac{1}{2}$ Yards Two-inch, Four $\frac{3}{4}$ -inch Button Molds; 2 Snap Fasteners. Size, No. 3 Sole.

Make 8 wheels.

1st row: Ch. 8 join with slip stitch.

2d row: 12 s. c. in ring.

3d row: Chain 4 * 1 d. c. in first st., chain one d. c. in next st. *, repeat from star 11 times more and join with sl. st. to 3d chain, having 12 d. c. in ring.

4th row: Ch. 2 join with sl. st. in 1st point of braid ch. 2 join with s. c. in space between d. c. ch. 2 into 2d point of braid. Repeat until there are 12 points of the braid used. Join the braid neatly with fine thread.

5th row: Join thread into point of wheel chain 5, join with s. c. into next point. Repeat all around 6th row: 9 singles over each 4 chain.

Join the 8 wheels together between two points with a sl. st. in each st. Join last wheel to side of 1st one, leaving two points at top. This forms toe of slippers.

1st: Cut a piece of braid and neatly join having 48 points chain 7 after joining thread in point one s. c. c. in next point. Continue around, join with sl. st. into 3d st.

2d row: 5 s. c. c. into each space. This edge sews to sole. Hold lower edge of wheels and this strip together and join as follows: Join thread into point of band, start at space where wheels are joined *, thread 3 times over needle, join into center stitch of last space on wheel, work off two stitches, then next two thread over twice needle through 5th st. of 1st space in next wheel work off all the stitches two at a time ch. 4 s. c. c. into next point, thread over needle twice, put needle into cross and work off two st. at a time, ch. 4 join next point and 5 st. of next space together, ch.

4 join next point and st. at next point of wheel together, ch. 4 join next point and st. where next point of wheel is, ch. 4, join next point into 5th st. of next space *. Repeat from star all around until toe is reached where there are six points joined with point of braid joined in 5th st. of space every time.


Make a strip for top of slipper the same, but do not work singles in it. Join to upper part of slipper. It will require 38 points each side of the front wheel. Leave out the crosses and make one double treble in fifth st. of center space. Line slippers, sewing evenly to ribbon at each edge. Cut another piece of braid having 36 points. Join threads in point ch. 4, join with single the next two points together ch. 4, join back in first point ch. 4 a tr. c. in next point ch. 4 a tr. c. in next point. Repeat until 3 points are left and finish as started. Leave space of 1 inch in front place braid to top of slipper arch, cro-



chet 5 singles in each space through the lining and over the two edges together. On lower edge ch. 5 between each point. On these spaces crochet 4 s. c. one picot, 4 s. c. Run narrow ribbon through the beading at top. Make a bow of the 2-in. ribbon.

Take 5 points of Nufashond Rick Rack for strap, crochet on each side, same as lower edge of turn over buttons.

Hold thread around finger and make 8 s. c. over it, draw up tightly, 16 s. c. in next row, 24 s. c. in next row 3 rows without increasing. Narrow by skipping every other stitch until back of button is covered.



Motif of Cover, Centerpiece and Pillow

Materials: Nufashond Rick Rack Braid No. 49; Crochet Cotton No. 10; Steel Hook No. 7.


Ch. 5, join.

1st row: Ch. 4, * 1 d. c. in ring, ch. 1. Repeat from * until there are 11 d. c., ch. 1, join in 3d ch.

2d row: Ch. 6, 1 d. c. and ch. 3 in each space around row, join. (12 spaces.)

3d row: Ch. 3, 1 d. c. in 1st space, ch. 2, 1 s. c. in 1 point of braid, * ch. 2, wrap, draw up a loop in same space, wrap, draw thread through 2, wrap, draw up a loop in same place, draw thread through 2, wrap, draw up a loop in next space, draw thread through 2, wrap, draw up a loop in same place, draw thread through 2 three times, draw through last 2, ch. 2, 1 s. c. in next point of braid. Repeat from * until you have joined 12 points of braid, join.

Sew to linen as illustrated.



Misses' Dress Yoke Set

Materials : Nufashond Blue Rick Rack Braid No. 21; Crochet Cotton No. 70; Steel Hook No. 13. Size, 14-16 years.

Fasten white thread in point of braid, * ch. 2, t. in side of point, leave 2 loops on hook; t. in side of next point, take off all but 3 loops; take the 3 loops off together, ch. 2, s. c. in next point. * Repeat from * to * ten times. In the next 4 spaces ch. 5, instead of 2, to form corner. Repeat from * to * 29 times. Form another corner; repeat from * to * 24 times for front of yoke. Form the remaining side and back of yoke as before. Make 2 s. c. over every 2 ch., 1 s. c. on t., 5 s. c. in corner spaces. Fasten off.

Inside—1st row: Like 1st row on outside except at corner make s. c. in 2 points of braid at once.

2d row: Ch. 5, * d. c. on t.; ch. 2, d. c. on s. c. over point; ch. 2, repeat from *.

Form another square of braid for inside of neck having 9 points on each side of back, 24 points on sides, 19 points in front, besides the corner points. Make a row of filet on the

Fasten off white thread. Take blue

thread, tie on inside edge of outside square, at the end. Ch. 7, make 3 t., taken off together (cluster) in the 1st d. c. * ch. 7, sk. a d. c. cluster in next d. c. Repeat from *. On each side of the corner cluster ch. 3, instead of 7. Fasten off. Take the inside square, holding right side towards you, tie in blue thread; ch. 4, take hook out, insert in top st. at the end of outside square, draw thru, ch. 3, make a cluster on inside square, ch. 3, take hook out, insert in center of 7 ch. on outside square, draw thru ch. 3, sk. d. c. on inside square, cluster in next d. c. Continue joining in this manner. At corner after joining to last 7 ch., make cluster on the inside square as usual, then ch. 3, insert in corner and draw thru, ch. 3, and proceed as before.

On neck edge make 3 s. c. in each space, with a cluster of 3 p. on every other t.

Make a strip for sleeve of one-half width of yoke.

Make a square to run sash under, consisting of 2 points of braid at ends, 7 on sides, besides corner points. Finish outside like neck edge. Join center with blue thread same as yoke.

Button: Take blue thread, ch. 7, join, make 5 cluster with 7 ch. between in ring. Fasten off blue thread. Fasten white thread in center of 7 ch. * ch. 6, sl. st. in 4th st. from hook *; repeat from * once, ch. 2, sl. st. to cluster. Make 10 of these picot loops around the blue center, joining on clusters and in center of 7 ch. Sl. st. to center of first loop and make another row like last. Make two rows of loops consisting of 7 ch. Fasten off at back. This yoke made larger would be dainty for a house dress for an adult.

Hand Bag

Materials : Nufashond Rick Rack Braid No. 29; Crochet Cotton No. 20; 1/2 Yard Silk for Lining; 14 Beads; 3 Skeins Rope Silk for Cord; One 1 1/2-inch Button Mold.

Make 14 wheels, one for center of bag and 13 to join in circle; join wheels having 4 points to inside of circle and 5 to outside wheel.

1st row: Ch. 6 st., join with a slip st.

2d row: Ch. 4, make 13 d. c. separated by 1 ch. over the 6 ch.

3d row: Ch. * 2, join in point of braid ch. 2, s. c. over ch. between d. c., ch. 2 join in next point, repeat 12 times more, joining last into 3d st. of 4 ch. Have 13 d. c. in wheel and 13 points. Join wheels with single thru two opposite points ch. 4 single in next 2 opposite points, fasten off.

Take wheels for center, join thread in a point.

1st row: Ch. 9 one single in next point, repeat around wheel.

2d row: Sl. st. to center of 9 ch., ch. 10, 2 singles over next 9 ch., ch. 10 and repeat around.

3d row: Sl. st. to center of 10 ch., ch. 12, 2 singles over next 10 ch., ch. 12 and repeat around.

4th row: Sl. st. to center of 12 ch., ch. 14, 2 singles over next 12 ch., repeat around.

5th row: Sl. st. to center of 14 ch., ch. 16, 2 singles over next 14 ch. and repeat around.

6th row: Sl. st. to center 16 ch., ch. 20, 2 singles over next 16 ch., repeat around.

7th row: Sl. st. to 5th st., * ch. 5, join with s. c. in 1st point ch. 5, s. c. in 10 st. ch. 5 s. c. in next point, ch. 5 s. c. in 15th st. ch. 9 s. c. in 1st point of opposite wheel ch. 4. Join s. c. back into last point of previous wheel ch. 4 s. c. in 5 st. of 9 ch., ch. 4 join in 5th st. of next ch. 20 *, repeat. Break off thread and join into point of braid in lower side of wheels.

1st row: Ch. 10, 2 s. c. in next point repeat around.

2d row: Same as 1st, always sl. st. to center of previous ch.

3d row: Ch. 12, 2 s. c. over next ch. 10, repeat around.

4th row: Ch. 14, 2 s. c. over next ch. 12, repeat around.

5th row: Ch. 16, 2 s. c. over next 14 ch., repeat around.

6th row: Ch. 18, 2 s. c. over next 16 ch., repeat around.


7th row: Ch. 20, 2 s. c. over next 18 ch., repeat around.

8th row: Ch. 4, 2 s. c. over next ch. 20, repeat around. This draws cap into head size.


9th row: 4 s. c. over each 4 ch., repeat around.

10th row: Ch. 6 d. c. in 4th s. c. chain 4, sk. 4 d. c. in next s. c., repeat around for beading.

11th row: 4 s. c. over each 4 h. Take piece of braid 65 points, join and hold to last row, crochet, 3 s. c. then 1 s. c. through point of braid and next s. c., 3 s. c., then s. c. through next point and s. c., repeat around.



12th row: Join in point of braids 3 ch., join in next point 3 ch., join in next point, repeat around.
 13th row: 3 s. c. over each ch. 3.
 14th row: Ch. 6 d. c. in 4th st. ch. 3 d. c. in 4th st. from last, repeat around for 2d row of beading.
 15th row: Same as 14th row, only hold piece of braid 65 points long in which you have, crochet double ch. separated by 3 ch. to edge and s. c. over both together.
 16th row: One treble one ch., one treble one ch., one treble one ch., one treble one ch. in each point of braid.
 17th row: One s. c. between shells, one s. c. in 1st space ch. 4, 1 s. c. in next sp. ch. 4, 1 s. c. in next sp., 1 s. c. between shells, 1 s. c. in 1st sp. of next shell *, repeat from star around.
 18th row: Ch. 7, s. c. in 1st loop, ch. 7 s. c. in next loop, repeat all around. This finishes bag.
 Make three tassels by winding 75 times around a card 3½ in. long; tie through top and again ¼ in. down. Take rope silk and crochet ch. 1½ yds. long. One s. c. in each ch. Draw through both beadings and tie in bow, join on tassels. Crochet same to cover where tassels are tied.
 For rosette: Cut 3 pieces of braid having 21 points. Join ends of each piece together.
 In one crochet d. b. r. separated by 1 ch.
 In one crochet tr. c. separated by 1 ch.
 In one crochet d. c. separated by 1 ch.
 Cover button mold with piece of silk and cr. over. Wind cotton over finger 6 times, crochet 28 times over loop.
 2d: 1 single in each s. c.
 3d: Same as second.
 4th: 3 ch., d. c. ch. 2 skip 1 s. c. d. c., in next have 14 d. c.
 5th: On d. c. on d. c. one d. c. between d. c. Draw in around button with s. c. Sew 3 rows of Nufashond Rick Rack to button and sew to band.



Motif of Luncheon Set

Materials: Nufashond Rick Rack Braid No. 25; Crochet Cotton No. 20; Steel Hook No. 10.

Tumbler Doily: Ch. 6, join to a ring; 7 ch.

1st row: 11 tr. c. with 2 ch. between each, in ring.

2d row: 2 s. c. over 2 ch., * catch point of braid with 1 s. c., 2 s. c. over 2 ch., repeat from *. This gives you 12 points. Care should be taken to join points of braid neatly. 4 ch. pass thread back of braid and with needle in point of braid, work 1 s. c.

3d row: Ch. 6, * 1 s. c. in next point, ch. 6, repeat from *.

4th row: 5 ch., catch point of another row of braid, wrap thread on needle twice, draw up a loop (on ch. 6), slip off 2, wrap thread twice, draw up a loop, slip off 3, slip off 2, ch. 4, catch next point of braid; 3 tr. c. over same 6 ch., * ch. 4, catch next point; 3 tr. c. over next 6 ch., 4 ch., catch next point, 3 tr. c. over same 6 ch., repeat from *.

This completes tumbler size.

For 6-inch Doily: Repeat same center as just described; join another row of braid, with 5 ch. between points and repeat 3d and 4th rows.

For 9-inch Doily: Make 6-inch center; repeat the 3 rows described above, skipping every 3d or 4th point in braid to keep work flat.

For 12-inch Doily: Repeat the additional rows, until desired size and skip point when necessary to keep work flat.

Centerpiece: Make 25 tumbler doilies and sew together as shown in illustration.

Pincushion

Materials: Nufashond Rick Rack Braid No. 21; Crochet Cotton No. 40; Steel Hook No. 12; Round Cushion 4 inches across.

Fasten thread in 4th point on edge, ch. 4 (1 tr. c. and ch. 1), in next 9 points, ch. 2, turn.

2d row: 1 s. c. between every 2 tr. c., ch. 1, turn.

3d row: Insert hook through back loop of each s. c., draw thread through all loops on hook, to draw stitches together, ch. 7, 1 s. c. through 3d point and next point on edge, ch. 5, working on other edge of braid make 1 slip stitch through point between the last 2 used on 1st edge and the 2 points following it, ch. 7, skip 2 points on 1st edge, 1 s. c. in 3d point, ch. 4 (1 tr. c. and ch. 1), in next 9 points, ch. 2, turn.

Repeat from 2d row until there are 7 scallops.



Join, break thread.

Make 1 d. c. in 1st of 5 center points on outer edge of scallop, *ch. 2, 1 d. c. in same point, ch. 4, 1 d. c. in next point. Repeat from * on 5 points, ch. 7, 1 s. c. through next point and corresponding point on next scallop, 1 tr. c. through next point and corresponding point on next scallop, ch. 7. Repeat from beginning of row around edge.

To finish edge make 5 d. c. separated by 2 ch. around 2 ch. between 1 d. c. on each point, 1 s. c. around ch. 4, 1 s. c. through 4th ch. in both ch. 7 between scallops, all around edge. Fasten, break thread.

To fill center, make a long stitch (wrap 3 times and work off 2 loops 4 times) in center point of small scallop, * make 2 more long stitches in same point, in making 2d stitch work off 2 loops 3 times leaving last 2 on hook, in making 3d long stitch, work off 2 loops 3 times, then draw thread through last 4 loops, make a long stitch in point of next scallop. Repeat from * on each point in center, join.

Put a puff of ribbon around edge of cushion and tack motif on it.



Handkerchief

Materials: Nufashond Rick Rack Braid No. 17, Crochet Cotton No. 80; Steel Hook No. 14.

Sew braid to edge of handkerchief.

Fasten thread in 1 point on edge, * 6 d. c. separated by a picot (ch. 4, 1 s. c. in last s. c. made) in next point, 1 s. c. in next point. Repeat from * around edge, being careful to have a scallop in each corner of handkerchief.

Rick Rack and Tatting

The doily and other rick rack and tatting work shown here simply suggest possibilities for luncheon sets, tumbler doilies, medallions for pillows and centerpieces, trimmings for table, bureau, and porch sets, lingerie, etc.

EXPLANATORY

Double stitch (d. s.): Two half stitches made with the shuttle, forming one stitch.

Ring (r.): The required number of double stitches made with the shuttle thread only, and drawn up into a ring.

Chain (ch.): A scallop or cord made with the ball thread, on the shuttle thread, not drawn up into a ring.

Picot (p.): A loop left between stitches: (l. p.) a long picot: (sm. p.) a very small picot.

Join: A loop drawn through a picot, shuttle passed through it, and thread drawn tightly. Or with the ball thread: or threads tied around.


Continuous thread: Thread unbroken between shuttle and ball.

Set of stiches: 4-4, or other number, are single stitches of the stated number, like "1st half d. st., then the same number of single sts., like the last half of d. st." This is one set of stitches.

(*) Repeat all within as many times as following number indicates.

Reverse: Turn the work and continue as before, but in an opposite direction.

- | | | | |
|--------|-----------------|--------|-------------------|
| r. | for ring | p. | for picot |
| l. r. | for large ring | j. | for join |
| s. r. | for small ring | st. | for stitch |
| c. r. | for center ring | d. st. | for double stitch |
| d. r. | for double ring | c. l. | for clover leaf |
| ch. | for chain | t. c. | for tatted cord |
| l. ch. | for long chain | * | for repeat |
| s. ch. | for short chain | | |



A Materials: Nufashond Rick Rack Braid No. 37; Crochet Cotton Blue No. 30; White No. 30.

Insertion: R., 3 d., p., 3 d., j. side of point, 3 d., p., 3 d., j. side of next point, d., 3 p., 3 d., turn; ch. 3 d., (p., 3 d.), 5 times; repeat from beginning for required length, then make same on the other side of braid.

B Materials: Nufashond Rick Rack Braid No. 37; Crochet Cotton Pink No. 30; White No. 30.

Heading: R., 4 d., (p., 2 d.), 2 times, j. 1st point of braid, 2 d., (p., 2 d.), twice, p., 4 d.; r., 4 d., j. last p. of 1st r., 2 d., (p., 2 d.), 3 times, j. between points, 2 d., (p., 2 d.), twice, p., 4 d.; r., 4 d., j. last p. of 2d r., 2 d., (p., 2 d.) twice, j. next p. of braid, (2 d., p.), 2 times, p., 4 d.; turn; ch. 4 d., p., 2 d., l. p., 4 d., p., 2 d., p., 2 d., p., 4 d., l. p., 2 d., p., 4 d., turn, repeat from beginning.

Edge: Join threads between first two points of braid, ch. 3 d., p., 3 d., p., 3 d., j. point, s. r., 7 d., p., 7 d.; d. r., inside r., 9 d., p., 9 d., turn; ch. (2 d., p.), 5 times, 2 d., j. p. of inside r., ch. 4 d., p., 4 d., draw up closely and j. same p., ch. 2 d., (p., 2 d.), 5 times, j. at base of same r., s. r., 7 d., p., 7 d., j. thread to same p., ch. 3 d., p., 3 d., p. 3 d., j. between points. Repeat from beginning.

C Materials: Nufashond Rick Rack Braid No. 37; Crochet Cotton Blue No. 30; White No. 30.

Edging: Join threads between points of braid. Ch. 4 sets of 4-4 sts., turn; s. r., 4 d., j. point of braid, 4 d., turn; l. r., 4 d., (p., 2 d.), 6 times, p., 4 d., turn; ch. 4 sets of 4-4 sts., j. 4th p. of l. r., ch. 4 sets of 4-4 sts., j. between s. r. and l. r., ch. 4 sets of 4-4 sts., j. between points of braid; repeat ch., turn; s. r., 4 d., j. next point, 4 d., turn; l. r., 4 d., (p., 2 d.), 6 times, p., 4 d., turn; ch. 4 sets of 4-4 sts., j. 1st p. of l. r., ch. 3 sets of 4-4 sts., turn; s. r., 2 d., (p., 2 d.), 2 times, j. over 4th p., 1st l. r., 2 d., (p., 2 d.), 3 times, turn; ch. 3 sets of 4-4 sts., j. 2d p. of 2d l. r., turn; ch. 3 sets of 4-4 sts., turn; s. r., 2 d., p., 2 d., j. 6th p. of last s. r., 2 d., (p., 2 d.), 5 times, turn; ch. 3 sets of 4-4 sts., j. 3rd p. of same l. r., turn; * ch. 4 sets of 4-4 sts., turn; s. r., 2 d., p., 2 d., j. 6th p. of last s. r., 2 d., (p., 2 d.), 5 times, turn; ch. 4 sets of 4-4 sts., j. next p. of l. r., turn; repeat from * once, then * ch. 3 sets of 4-4 sts., s. r., 2 d., p., 2 d., j. 6th p. of last s. r., 2 d., (p., 2 d.), 5 times, turn; ch. 3 sets of 4-4 sts., j. next p. of l. r. Repeat from * ch. 4 sets of 4-4 sts., j. between l. r. and s. r., ch. 4 sets of 4-4 sts., j. between points, repeat from beginning.

Heading: Join threads to 1st point of braid, * ch., 3 d., (p., 3 d.) 3 times, j. inside of braid half way from point, ch., 3 d., j. side of next point, ch., 3 d., j. last p. of ch., 3 d., p., 3 d., p., 3 d., j. next point of braid. Repeat from *.


D Materials: Nufashond Rick Rack Braid No. 37; Crochet Cotton White No. 30.

Join threads between first two points of braid, ch., 2 d., (p., 2 d.) 6 times, j. point of braid, ch., 2 d., (p., 2 d.) 6 times, turn; d. r., inside r., 10 d., p., 10 d., turn; ch., 2 d., p., 2 d., p., 2 d., j. next point of braid, 2 d., p., 2 d., p., 2 d., j. p. of inside r., s. ch., 4 d., d. r., same as last d. r., turn; ch., 2 d., p., 2 d., j. next point, 2 d., j. next point, 2 d., j. next point, 2 d., p., 2 d., j. p. of

last inside r., ch., 2 d., p., 2 d., p., 2 d., j. next point of braid, 2 d., p., 2 d., p., 2 d., j. at base of same r., s. ch., 4 d., j. p. of next inside r., ch., 2 d., p., 2 d., p., 2 d., j. next point of braid, 2 d., p., 2 d., p., 2 d., j. base of same r. reverse; ch., 2 d., (p., 2 d.) 6 times, j. next point of braid, ch., 2 d., (p., 2 d.) 6 times, j. between points of braid, 2 d., (p., 2 d.) 6 times, j. next point of braid, 2 d., (p., 2 d.) 6 times, repeat from beginning of row.

Heading: Join threads in 4th p. of 1st ch., ch., 2 d., (p., 2 d.) 6 times, j. 3d p. of corresponding ch. of opposite side of scallop, ch., 2 d., (p., 2 d.) 6 times, j. 4th p. of next ch., ch., 2 d., (p., 2 d.) 6 times, j. 3d p. of next ch. Repeat from beginning.

Edge: Join threads to 1st point of outside of scallop, ch., 2 d., (p., 2 d.) 5 times, j. next point, ch., 2 d., (p., 2 d.) 5 times, j. next point, ch., 2 d., (p., 2 d.) 5 times, j. next point, ch., 2 d., (p., 2 d.) 7 times, *, j. between next two points, ch., 2 d., (p., 2 d.) 7 times, j. next point, turn; r., 2 d., (p., 2 d.) 3 times, ch., 2 d., (p., 2 d.) 7 times, *, repeat from * to * twice, ch., 2 d., (p., 2 d.) 7 times, j. next point, repeat ch., j. next point, repeat ch., j. next point, (ch., 2 d., j. next point) 3 times, * ch., 2 d., (p., 2 d.) 3 times, j. 4th p. of last ch., 2 d., (p., 2 d.) 3 times, j. next p., repeat from *. Then repeat chains and rings around bottom of scallop, and continue entire length.



Round Medallion or Doily

Materials: Nufashond Rick Rack Braid No. 41; Crochet Cotton Blue No. 30; White No. 30.

Center wheel: Wind shuttle, do not break from ball. Make r., 4 d., p., 4 d., p., 4 d., p., 4 d., draw up, turn. ch. 3 d., turn; r., 4 d. j., 3d., p. of 1st. r., (4 d., p.) 4 times, 4 d., draw up; * turn; ch. 3 d., turn; r., 4 d., j. 5th p. of last r., 4 d., p., 4 d., p., 4 d., draw up, turn; ch. 3 d., (p., 3 d.), 5 times, j., 2d p., of last r., ch. 3 d., (p., 3 d.), 5 times turn; r., 4 d., p., 4 d., j. 2d p. of last r., 4 d., p., 4 d., draw up, turn; ch. 3d., turn; r., 4 d., j. last p. of last r., 4 d. j. 4th p. of next to the last r., 4 d., p., 4 d., p., 4 d., p., 4 d., draw up, repeat from * until there are 5 trefoils. Join last ch. to base of 1st r., cut threads and tie; lay aside till needed.

Now count twenty points of rick-rack braid with one more to lap for joining. Fill one shuttle with blue thread and one with white; tie ends of thread together. With the blue thread make * r., 4 d., p., (2 d., p.), 6 times, 4 d., draw up. Close up, make 2d r. like 1st, joining 1st p. to last p. of previous r., also make 3d the same, turn; wind white thread around fingers of left hand and with blue shuttle ch. 5 d., join 1st point of braid, continue ch. 5 d., turn; with white shuttle make r. of 7 d., j. braid, 7 d., draw up, turn; ch. 5 d., j. next point of braid, ch. 5 d., turn; with blue shuttle make r., 4 d., j. 4th p. of last r., (2d., p.), 4 times, 4 d., draw up. Ch. 5 d., j. same p. of braid, 5 d., turn; r., (with white thread), 7 d., j. braid, 7 d., draw up. Ch. 5 d., j. next point of braid, 5 d. Repeat from * all around. Cut threads but do not tie until the connecting ch. is made.

Connecting ch. is made thus: with a continuous thread of blue between shuttle and ball, j. thread to middle r. of clover leaf in row last made. * ch. first half of double stitch 4 times, then last half 4 times, repeat 3 times, * draw up closely, j. to wheel at 3d p. of ch., turn; repeat from * to *, j. 3rd p. of single r., turn; repeat ch., j. same p. of wheel turn; repeat ch., j. top p. of next clover leaf, continue all around, j. last ch. where 1st ch. began. Tie and cut threads then join the ends of braid neatly; j. end of previous row, tie and cut threads.

Outside row: With white thread continuous between shuttle and ball, j. thread to point of braid, *. Ch. (p., 2 d.), 6 times, j. braid, ch. 2 d., (p., 2 d.), 5 times, j. next point of braid. Repeat from * all around and fasten off.

Mufashond
TRADE MARK REG.

Cordonnet N. F. C.

Mercerized Crochet Cotton



WHITE IN SIZES 3 to 70

COLORS

SIZES 5—30—50

	SKY BLUE		LAVENDER				LIGHT PINK			
	COPENHAGEN						ROSE			
SIZE	3	5	10	20	30	40	50	60	70	
YDS. TO BALL	75	90	100	130	150	160	175	185	200	

