

CHADWICK'S
RED ♥ HEART
HAND KNITS
FOR EVERYBODY

NYLON

RED HEART

RED HEART

RED HEART



TANGLE-
PROOF

READY
TO
KNIT

RED HEART

RED HEART

RED HEART



PULL
OUT
SKEINS

SHRINK
PROOF

TANGLE - PROOF

www.antiquepatternlibrary.org 2023.08

PULL-OUT SKEINS

Newsmaking Nylon . . .



CHADWICK'S RED HEART  NYLON

in fashion right colors is News for Knitters . . . and the smartly-styled garments in this book are welcome tidings for the whole family, Baby and all!

Classic Cardigan . . . C-104 Sizes 14-16-18

Illustrated on Page 3—at right

MATERIALS:

Chadwick's RED HEART NYLON, 3 Ply, Shrink-and-Moth Proof, Art. E.260: 8 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 802 Baby Blue for Size 14; 9 skeins for Size 16; 10 skeins for Size 18.

Milwards "Phantom" Aluminum Knitting Pins or Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 1 (2½ mm. size) and 1 pair No. 2 (2¾ mm. size).

8 buttons.

GAUGE: 8 sts make 1 inch; 11 rows make 1 inch.

BLOCKING MEASUREMENTS:

Sizes	14	16	18
Bust (Cardigan buttoned)	34"	36"	38"
Width across back at underarm	17"	18"	19"
Width across each front at underarm (including facing)	9½"	10"	10½"
Width across back above armhole shaping	13"	14"	14½"
Length from shoulder to lower edge	19"	20"	21"
Length of side seam	12"	12½"	13"
Length of sleeve seam	17"	17½"	18"
Width across sleeve at upperarm	12"	12"	12½"

Directions are given for Size 14; changes for Sizes 16 and 18 are in parentheses.

BACK . . . Starting at lower edge with No. 1 knitting pins, cast on 112 (120, 128) sts. Work in ribbing of k 2, p 2 for 3 inches. Change to No. 2 knitting pins and work in stockinette st (k 1 row, p 1 row), increasing 1 st at both ends of every 7th (7th, 8th) row thereafter until there are on needle 136 (144, 152) sts. Work without increasing until piece measures in all 12 (12½, 13) inches.

To Shape Armholes: Bind off 8 sts at beginning of the next 2 rows. Dec 1 st at both ends of every other row until there remain 104 (112, 116) sts. Work without increasing until piece measures from first row of armhole shaping 7 (7½, 8) inches.

To Shape Shoulders: Bind off 15 (17, 17) sts at beginning of the next 4 rows. Bind off, for back of neck, the remaining 44 (44, 48) sts.

LEFT FRONT . . . Starting at lower edge with No. 1 knitting pins, cast on 56 (60, 64) sts. Work in ribbing of k 2, p 2 for 3 inches. Change to No. 2 knitting pins and work as follows: **1st row:** K across, then cast on 8 sts (buttonband). There are on needle 64 (68, 72) sts. **2nd row:** P across. Continue in stockinette st, increasing 1 st at side edge on every 7th (7th, 8th) row thereafter until there are on needle 76 (80, 84) sts. Work without increasing until piece measures in all, ending at side edge 12 (12½, 13) inches.

To Shape Armhole: Bind off 8 sts at beginning of next row. Dec 1 st at same edge on every other row until there remain 60 (64, 66) sts. Work without increasing until piece measures from first row of armhole shaping, ending at front edge 5½ (6, 6) inches.

To Shape Neck: Bind off 24 sts at beginning of the next row. Dec 1 st at same edge on every other row thereafter until there remain 30 (34, 34) sts. Work without decreasing until piece measures from first row of armhole shaping, ending at side edge 7 (7½, 8) inches.

To Shape Shoulder: Bind off 15 (17, 17) sts at beginning of next row and at same edge twice in all.

With pins, mark the position of 8 buttons on Left Front, having the first button ½ inch up from lower edge and the last button ½ inch down from neck edge.

RIGHT FRONT . . . Work as for Left Front, reversing shapings. Make a buttonhole 3 sts in from front edge

opposite each pinmark in ribbing—to make a buttonhole, on one row bind off 3 sts and on the next row cast on 3 sts to replace those bound off. Make a set of buttonholes opposite each remaining pinmark as follows: **1st row:** K 2, bind off the next 3 sts, k 6. **bind off the next 3 sts, k across. 2nd row:** P across, casting on 3 sts over each set of bound-off sts.

SLEEVES . . . Starting at cuff with No. 1 knitting pins, cast on 72 (72, 76) sts. Work in ribbing of k 2, p 2 for 3 inches. Change to No. 2 knitting pins and work in stockinette st, increasing 1 st at both ends of every 11th row until there are on needle 96 (96, 100) sts. Work without increasing until piece measures in all 17 (17½, 18) inches.

To Shape Top: Bind off 8 sts at beginning of the next 2 rows. Dec 1 st at both ends of every other row until there remain 28 (24, 24) sts. Dec 1 st at both ends of every row until 20 sts remain. Bind off.

COLLAR . . . Starting at neck edge with No. 2 knitting pins, cast on 100 (104, 108) sts. Work in stockinette st for 2 inches, ending with a p row. Break off. With right side facing, pick up and k 22 sts along short end of collar, in next st (k in front and back) twice, k the next 98 (102, 106) sts, in next st (k in front and back) twice, pick up and k 22 sts along short end of collar. There are on needle 150 (154, 158) sts. Work in ribbing as follows: **1st row:** * P 2, k 2. Repeat from * across, ending with p 2. **2nd row:** * K 2, p 2. Repeat from * across, ending with k 2. Repeat the last 2 rows until ribbing measures ½ inch. Bind off in ribbing.

Block to measurements. Sew side, shoulder and sleeve seams. Sew in sleeves. Turn under 8 sts along each front edge and sl st in place on wrong side, being careful to match buttonholes. Work buttonhole st around buttonholes. Sew collar in place, leaving ½ inch free at each front edge. Sew on buttons to correspond with buttonholes.



← **Spencer . . . C-102**
Directions on page 6



C-104 above . . . directions on page 2



← **Polka Dot Pullover . . . C-103**
Directions on page 6

CHADWICK'S RED HEART NYLON *it's TANGLE-PROOF*

Man's Pullover . . . C-106 Sizes 40-42-44

Illustrated on opposite page

MATERIALS:

Chadwick's RED HEART NYLON, 3 Ply, Shrink-and-Moth Proof, Art. E.260: 12 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 261 Maize for Size 40; 13 skeins for Size 42; 14 skeins for Size 44.

Milwards "Phantom" Aluminum Knitting Pins or Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 1 (2½ mm. size) and 1 pair No. 2 (2¾ mm. size).

GAUGE: 8 sts make 1 inch; 11 rows make 1 inch.

BLOCKING MEASUREMENTS:

Sizes	40	42	44
Chest	40"	42"	44"
Width across back or front at underarm	20"	21"	22"
Width across back above armhole shaping	16¼"	17¼"	17¾"
Length from shoulder to lower edge	23½"	23½"	24½"
Length of side seam	15"	15"	15½"
Length of sleeve seam	19½"	20"	20½"
Width across sleeve at upperarm	14¼"	15"	15½"

Directions are given for Size 40; changes for Sizes 42 and 44 are in parentheses.

BACK . . . Starting at lower edge with No. 1 knitting pins, cast on 158 (166, 174) sts.

Work in ribbing as follows: **1st row:** * K 2, p 2. Repeat from * across, ending with k 2. **2nd row:** * P 2, k 2. Repeat from * across, ending with p 2. Repeat last 2 rows for 4½ inches.

Change to No. 2 knitting pins and work in pattern as follows: **1st row:** **On Size 44:** K 6, p 2; **On Size 42:** K 2, p 2; **On all Sizes:** * K 2, p 2, k 6, p 2. Repeat from * across, ending—**On Size 40** with k 2; **On Size 42** with k 2, p 2, k 2; **On Size 44** with k 2, p 2, k 6. **2nd row:** **On Size 44:** P 6, k 2; **On Size 42:** P 2, k 2; **On all Sizes:** * P 2, k 2, p 6, k 2. Repeat from * across, ending—**On Size 40** with p 2; **On Size 42** with p 2, k 2, p 2; **On Size 44** with p 2, k 2, p 6. **3rd and 4th rows:** Repeat first and 2nd rows. **5th row:** **On Size 44:** Slip the first 3 sts on double-pointed needle and place in front of work,

k the next 3 sts, k the 3 sts from double-pointed needle, p 2; **On Size 42:** K 2, p 2; **On all Sizes:** * K 2, p 2, k 6, p 2, k 2, p 2, slip the next 3 sts on double-pointed needle and place in front of work, knit the next 3 sts, knit the 3 sts from double-pointed needle (cable made), p 2. Repeat from * across, ending—**On Size 40** with k 2, p 2, k 6, p 2, k 2; **On Size 42** with k 2, p 2, k 6, p 2, k 2, p 2, k 2; **On Size 44** with k 2, p 2, k 6, p 2, k 2, p 2, make a cable over the next 6 sts. **6th to 10th rows incl:** Repeat 2nd and 1st rows alternately. **11th row:** Repeat 5th row. **12th, 13th and 14th rows:** Repeat 2nd, 1st and 2nd rows. **15th row:** **On Size 44:** K 6, p 2; **On Size 42:** K 2, p 2; **On all Sizes:** * K 2, p 2, make a cable over the next 6 sts, p 2, k 2, p 2, k 6, p 2. Repeat from * across, ending on Size 40 with k 2, p 2, k 2; **On Size 42:** K 2, p 2, make a cable over the next 6 sts, p 2, k 2, p 2, k 2; **On Size 44:** K 2, p 2, make a cable over the next 6 sts, p 2, k 2, p 2, k 6. **16th to 20th rows incl:** Repeat 2nd and 1st rows alternately. **21st row:** Repeat 15th row. The last 20 rows (2nd to 21st rows incl) constitute pattern. Work in pattern until piece measures in all 15 (15, 15½) inches.

To Shape Armholes: Bind off 10 (10, 12) sts at beginning of the next 2 rows. Keeping continuity of pattern, dec 1 st at both ends of every other row until there remain 130 (138, 142) sts. Work without decreasing until piece measures from first row of armhole shaping 8½ (8½, 9) inches.

To Shape Shoulders: Bind off 21 (22, 22) sts at beginning of the next 4 rows.

BACK NECKBAND . . . Change to No. 1 knitting pins and work in ribbing of k 2, p 2 as before over the remaining 46 (50, 54) sts for 1 inch. Bind off loosely in ribbing.

FRONT . . . Work exactly as for Back until piece measures in all 15 (15, 15½) inches, ending with an even row of pattern.

To Shape Armholes: Bind off 10 (10, 12) sts at beginning of the next 2 rows.

To Shape Neck: Next row: Work in pattern across the first 67 (71, 73) sts, k 2 tog. Turn and work over the last set of sts only, decreasing 1 st at

armhole edge on every other row 4 times

At the same time

keeping continuity of pattern, dec 1 st at neck edge on every 4th (3rd, 3rd) row until there remain 42 (44, 44) sts. Work without decreasing until piece measures from first row of armhole shaping, ending at armhole edge 8½ (8½, 9) inches.

To Shape Shoulder: Bind off 21 (22, 22) sts at beginning of next row and every other row twice in all.

Attach yarn where sts were divided and work other side to correspond, reversing shapings.

SLEEVES . . . Starting at cuff with No. 1 knitting pins, cast on 76 (80, 84) sts. Work in ribbing of k 2, p 2 for 4 inches, increasing 34 (38, 42) sts evenly spaced on last row. There are on needle 110 (118, 126) sts.

Change to No. 2 knitting pins and work in pattern as for Back until piece measures in all 19½ (20, 20½) inches.

To Shape Top: Bind off 10 (10, 12) sts at beginning of the next 2 rows. Keeping continuity of pattern, dec 1 st at both ends of every 3rd row until there remain 70 (94, 94) sts. Dec 1 st at both ends of every row until 24 sts remain. Bind off.

FRONT NECKBAND . . . Attach yarn at left shoulder. With right side facing and No. 1 knitting pins, pick up and k 93 (97, 101) sts to where sts were divided. Place a marker. Pick up and knit 93 (97, 101) sts to right shoulder.

Work as follows: **1st row:** * P 2, k 2. Repeat from * across to 1 st before marker, p 1, slip marker, p 1, ** k 2, p 2. Repeat from ** across. **2nd row:** * K 2, p 2. Repeat from * across to last 5 sts before marker, k 2, p 1, k 2 tog, slip marker, k 2 tog, p 1, ** k 2, p 2. Repeat from ** across to last 2 sts, k 2. **3rd row:** * P 2, k 2. Repeat from * across to last 4 sts before marker, p 2, k 1, p 1, slip marker, p 1, k 1, ** p 2, k 2. Repeat from ** across to last 2 sts, p 2. Work in this manner, decreasing 1 st before and after marker on every other row until neckband measures 1 inch. Bind off loosely in ribbing.

Block to measurements. Sew sides, shoulder and sleeve seams. Sew in sleeves.



Polka Dot Pullover

C-103

Illustrated on Page 3

MATERIALS:

Chadwick's RED HEART NYLON, 3 Ply, Shrink-and-Moth Proof, Art. E.260: 4 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 789 Bittersweet for Sizes 6 and 8; 5 skeins for Size 10; 1 skein of No. 261 Maize for all Sizes.

Milwards "Phantom" Aluminum Knitting Pins or Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 1 (2½ mm. size) and 1 pair No. 2 (2¾ mm. size).

GAUGE: 8 sts make 1 inch; 11 rows make 1 inch.

BLOCKING MEASUREMENTS:

Sizes	6	8	10
Chest	26"	28"	30"
Width across back or front at underarm	13"	14"	15"
Width across back or front above armhole shaping	10"	10½"	11½"
Length from shoulder to lower edge	13½"	15"	16"
Length of side seam	9"	9½"	10"
Length of sleeve seam	2½"	3"	4"
Width across sleeve at upperarm	10"	10"	11"

Directions are given for Size 6; changes for Sizes 8 and 10 are in parentheses.

BACK . . . Starting at lower edge with Bittersweet and No. 1 knitting pins, cast on 104 (112, 120) sts. Work in ribbing of k 1, p 1 for 2 (2, 2½) inches.

Change to No. 2 knitting pins and work in stockinette st (k 1 row, p 1 row) until piece measures in all 9 (9½, 10) inches.

To Shape Armholes: Bind off 8 sts at beginning of the next 2 rows. Dec 1 st at both ends of every other row until there remain 80 (84, 92) sts. Work without decreasing until piece measures from first row of armhole shaping 4½ (5½, 6) inches.

To Shape Shoulders: Bind off 5 sts at beginning of the next 10 (10, 8) rows. **On Size 10 only:** Bind off 6 sts at the beginning of next 2 rows. Place on a stitch holder, to be worked later for neckband, the remaining 30 (34, 40) sts.

FRONT . . . Work exactly as for Back until piece measures from first

row of armhole shaping, ending with a p row 3¼ (4, 4½) inches.

To Shape Neck: Next row: K the first 49 (52, 59) sts, place the last 18 (20, 26) sts just worked onto a stitch holder to be worked later for neckband, k the last 31 (32, 33) sts. Turn and work over the last set of sts only, decreasing 1 st at neck edge on every other row until there remain 25 (25, 26) sts. Work without decreasing until piece measures from first row of armhole shaping, ending at side edge 4½ (5½, 6) inches.

To Shape Shoulder: Bind off 5 sts at beginning of next row and every other row thereafter 5 (5, 4) times. **On Size 10 only:** Work one more row. Bind off remaining 6 sts.

Attach yarn at opposite side of neck edge and work other side to correspond, reversing shapings.

SLEEVES . . . Starting at cuff with Bittersweet and No. 1 knitting pins, cast on 72 (72, 74) sts. Work in ribbing of k 1, p 1 for 1 inch.

Change to No. 2 knitting pins and work in stockinette st, increasing 1 st at both ends of every 3rd (4th, 4th) row, until there are on needle 80 (80, 88) sts. Work without increasing until piece measures in all 2½ (3, 4) inches.

To Shape Top: Bind off 8 sts at beginning of the next 2 rows. Dec 1 st at both ends of every other row until there remain 48 (28, 32) sts. Dec 1 st at both ends of every row until 16 sts remain. Bind off.

Block to measurements. Sew left shoulder seam.

NECKBAND . . . With right side facing, Bittersweet and No. 1 knitting pins, attach yarn at back of neck, pick up and k around entire neck edge, including sts on stitch holders 96 (116, 126) sts. Work in ribbing of k 1, p 1 for 1 inch. Bind off loosely in ribbing.

Sew side, right shoulder and sleeve seams. Sew in sleeves. Thread a double strand of Maize into a needle. **1st row:** With right side facing, starting ½ inch in from right side edge and ½ inch up from top of ribbing (make a vertical stitch covering 4 rows) 4 times (polka dot made). * Make a polka dot 1 inch to the left of previous polka dot. Repeat from * across. **2nd row:** Starting 1 inch in from side edge and ½ inch up from first row of polka dots, make a polka dot. * Make a polka dot 1 inch to the left of previous polka dot. Repeat from * across. Make rows of polka dots in this manner all over sweater.



Spencer

C-102

Illustrated on Page 3

MATERIALS:

Chadwick's RED HEART NYLON, 3 Ply, Shrink-and-Moth Proof, Art. E.260: 9 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 848 Skipper Blue for Sizes 12 and 14; 10 skeins for Size 16.

Clark's O.N.T. Plastic Crochet Hook No. 3.

3 snap fasteners.

A blue button.

GAUGE: 7 sts (4 sc and 3 ch-1 sps) make 1 inch; 6 rows make 1 inch.

BLOCKING MEASUREMENTS:

Sizes	12	14	16
Bust	32"	34"	36"
Length from shoulder to lower edge	13"	13"	13½"

Directions are given for Size 12; changes for Sizes 14 and 16 are in parentheses.

BACK . . . Starting at lower edge, ch 115 (122, 129) to measure 16 (17, 18) inches.

1st row: Sc in 3rd ch from hook, * ch 1, skip 1 ch, sc in next ch. Repeat from * across. Ch 2, turn. **2nd row:** * Sc in next ch-1 sp, ch 1. Repeat from * across, ending with sc in sp formed by turning chain. Ch 2, turn. Repeat 2nd row until piece measures 3 inches. Inc 1 sp at both ends of every other row until 6 rows have been completed (3 inc rows)—to inc 1 sp, make sc, ch 1 and sc in same sp.

To Shape Sleeve: 1st row: Ch 19 (21, 23) for Sleeve. Turn. Work in pattern over ch and remaining sts. Repeat last row 7 more times. At end of last row ch 2, turn. Work in pattern over these sts until piece measures in all 11 (11, 11½) inches.

To Shape Shoulders: 1st to 6th rows incl: Sl st across first 6 sts (sp or sc). Work in pattern across to within last 6 sts. Ch 1, turn. 7th, 8th and 9th rows: Sl st across first 7 sts, work in pattern across to within last 7 sts. Ch 1, turn. 10th and 11th rows: Sl st across first 11 sts, work in pattern across to within last 11 sts. Ch 1, turn. 12th row: Sl st across next 30 sts, work in pattern across to within last 30 sts. Ch 2, turn. 13th row: Work in pattern over remaining sts. Break off.

FRONT . . . Starting at lower edge, ch 17 (19, 21). 1st row: Work in pattern as for Back. Ch 16 (18, 20),
Continued on page 7

C-102 Continued from page 6

turn. **2nd row:** Work in pattern across ch and sts as before, ending with sc in turning chain. Ch 2, turn. **3rd row:** Skip first sp, sc in next sp (1 sp decreased at front edge), work in pattern across. Ch 16 (18, 20), turn. **4th row:** Repeat 2nd row. **5th row:** Dec 1 sp, work in pattern across. Ch 51 (53, 55), turn. **6th row:** Work in pattern across ch and sts as before. Ch 2, turn. Continue to work in pattern, decreasing 1 st on every other row at front edge until piece measures 3 inches at armhole edge. Still making decreases at front edge, inc 1 st on every other row at armhole edge for 6 rows (3 inc rows). Continue decreasing Front as before and at the same time work sleeve as for Back until piece measures in all 11 (11, 11½) inches from bottom at underarm. Still decreasing at front edge shape shoulder as for Back. Break off. Make another piece the same way.

Sew up shoulder, sleeve and side seams. Sc closely around bottom. Break off.

BIAS TRIM . . . Starting at narrow edge, ch 11. **1st row:** 2 sc in 2nd ch from hook, sc in each ch across to within last 2 ch, work off 2 sc as 1 sc (1 sc decreased). Ch 1, turn. Hereafter pick up back loop only. **2nd row:** Dec 1 sc, sc in each sc across, 2 sc in last sc. Ch 1, turn. **3rd row:** 2 sc in first sc, sc in each sc across to within last 2 sc, dec 1 sc. Ch 1, turn. Repeat 2nd and 3rd rows alternately until piece is long enough to reach from lower edge to within ½ inch from center back. Now dec 1 sc at both ends of next row and each row thereafter until 1 sc remains. Break off. Make another piece the same way. Sew in place. Make a piece of Bias Trim, omitting decreases at end for each Sleeve and sew in place for Cuffs.

Block to measurements. Overlap bottom to fit and sew 2 snap fasteners at point of top piece and one at point of under piece. Sew button in place.

Boy's Pullover

C-105

Illustrated on Page 5

MATERIALS:

Chadwick's RED HEART NYLON, 3 Ply, Shrink-and-Moth Proof, Art. E.260: 3 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 686 Paddy Green for Sizes 6 and 8; 4 skeins for Size 10; and 1 skein each of No. 230 Yellow and No. 929 Dk. Red for all sizes.

Milwards "Phantom" Aluminum Knitting Pins or Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 1 (2½ mm. size) and 1 pair No. 2 (2¾ mm. size).

GAUGE: 8 sts make 1 inch; 11 rows make 1 inch.

BLOCKING MEASUREMENTS:

Sizes	6	8	10
Chest	26"	28"	30"
Width across back or front at underarm	13"	14"	15"
Width across back above armhole shaping (excluding armbands)	10"	10½"	11"
Length from shoulder to lower edge	14½"	16"	17"
Length of side seam	9"	9½"	10"

Directions are given for Size 6; changes for Sizes 8 and 10 are in parentheses.

NOTE: When changing from one color to another, always twist the unused color around the other to prevent making holes. When carrying unused colors across, do not pull yarn up tightly.

BACK . . . Starting at lower edge with Paddy Green and No. 1 knitting pins, cast on 104 (112, 120) sts. Work in

ribbing of k 1, p 1 for 2 (2½, 3) inches.

Change to No. 2 knitting pins and work in stockinette st (k 1 row, p 1 row), following chart for pattern. Follow chart across to center, then repeat from "A" back to beginning of row. Work in this manner to "C." Then repeat from "B" to "C" until the 77th row has been completed.

To Shape Armholes: Bind off 8 sts at beginning of the next 2 rows. Dec 1 st at both ends of every other row until there remain 80 (84, 88) sts. Continue in pattern until piece measures 5½ (6½, 7) inches from first row of armhole shaping.

To Shape Shoulders: Bind off 8 sts at beginning of the next 4 rows. Bind off 10 sts at the beginning of following 2 rows. Change to No. 1 knitting pins and, with Paddy Green, work in ribbing of k 1, p 1 for 1 inch over the remaining 28 (32, 36) sts for back neckband. Bind off loosely in ribbing.

FRONT . . . Work exactly as for Back until the 70th row has been completed.


To Shape Neck: Next row: Work in pattern across the first 52 (56, 60) sts. Turn and work over the last set of sts only, decreasing 1 st at neck edge on next row and every 4th row thereafter 14 (16, 18) times in all,

At the same time

when the 78th row has been completed, bind off 8 sts at beginning of the next row. Dec 1 st at same edge on every other row thereafter 4 (6, 8) times. There are 26 sts on needle. Work without decreasing until piece measures 5½ (6½, 7 inches) from first row of armhole shaping, ending at armhole edge.

To Shape Shoulder: Bind off 8 sts at beginning of next row and every other row once more. Work one more row. Bind off remaining sts. Attach yarn where sts were divided and work other side to correspond, reversing shapings.

FRONT NECKBAND . . . With right side facing and No. 1 knitting pins, attach Paddy Green to left shoulder, pick up and k 67 (77, 87) sts to where sts were divided. Place a marker. Pick up and k 67 (77, 87) sts to right shoulder. Work as follows: **1st row:** * P 1, k 1. Repeat from * across to last st before marker, p 1, slip marker, p 1, ** k 1, p 1. Repeat from ** across. **2nd row:** * K 1, p 1.
Continued on page 14



← Chart for Boy's Sleeveless Pullover C-105

CHADWICK'S RED HEART  NYLON *it's MOTH-PROOF*

Clothes for the Cradle Crew . . .

Green Sacque and Cap C-107

Infant Sizes 1 and 2

MATERIALS:

Chadwick's RED HEART NYLON, 3 Ply, Shrink-and-Moth Proof, Art. E.260: 4 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 679 Nile Green for Sizes 1 and 2.

Clark's O.N.T. Plastic Crochet Hook No. 4.

1½ yards of white satin ribbon, ⅝ inch wide.

GAUGE: 6 half dc make 1 inch; 4 rows make 1 inch.

Directions are given for Size 1; changes for Size 2 are in parentheses.

SACQUE—Right Half . . . Starting at wrist edge of sleeve, ch 44. **1st row:** Half dc in 3rd ch from hook and in each ch across (42 half dc). Ch 2, turn. **2nd row:** Half dc in back loop of each half dc across. Ch 2, turn. Work in pattern as for 2nd row until piece measures 6½ inches in all. Ch 44 (for front), turn. **Next row:** Half dc in 3rd ch from hook, half dc in each ch and in back loop of each half dc across. Attach a separate piece of yarn at end of row, ch 42 (for back) and break off. Pick up main yarn and make half dc in each ch across. Ch 2, turn. Continue in pattern until piece measures 3 inches from front or back chain, ending at lower front edge. Ch 2, turn. **Next row:** Work in pattern across until 58 half dc have been made. Work off next 2 half dc as 1 half dc (dec made). Ch 2, turn (this is front neck edge). Continue working in pattern across front only, decreasing 1 st at neck edge until 5 rows have been completed. Ch 2, turn. Now work in pattern without decreasing until piece measures from front chain 5 (5½) inches. Break off.

BACK . . . With right side facing, attach yarn to 3rd free st on last complete row at neck shaping, ch 2, work off next 2 sts as 1 st and complete row as before. Ch 2, turn. Continue to work in pattern, decreasing 1 st at neck edge for 2 more rows. Ch 2, turn. Now work without decreasing until piece measures same as front. Break off.

LEFT HALF . . . Work exactly as for Right Half. Break off. Sew Left



and Right Halves together at center back. Sew up side and sleeve seams.

EDGING . . . Attach yarn to lower right front corner, sc in each st along front edge to neck edge. Work neck beading as follows: Ch 5, * skip side of next half dc, dc in next half dc, ch 2. Repeat from * along neck edge, ending with ch 5, sc in first half dc, on left front edge, sc in each st across to lower corner. Now work scallops around bottom as follows: Sc in side of next half dc, * ch 3, dc in side of last sc made, skip next half dc, sc in next half dc (scallop made). Repeat from * across bottom. Join and break off.

NECK EDGE . . . Attach yarn to 3rd ch of ch-5 of beading, sc in same place, * make a scallop as before, sc in next dc. Repeat from * across beading. Break off.

Cut 1 yard of ribbon, pass through sps on beading and tie into a bow.

CAP . . . Starting at narrow end, ch 42 to measure 7 inches. **1st row:** Half dc in 3rd ch from hook and in each ch across. Ch 2, turn. **2nd row:** Half dc in back loop of first 8 half dc, ch 2, skip 2 half dc, half dc in back loop of each remaining half dc. Ch 2, turn. **3rd row:** Half dc in back loop of each half dc across, making 2 half dc in ch-2 sp. Ch 2, turn. Repeat 2nd and 3rd rows alternately until piece measures 17 (18) inches. Break off. Sew narrow ends together. Work scallop pattern around both ends. Join and break off.

Lace remaining ribbon through ch-2 sps, draw top of cap in tightly and tie into bow.



Helmet C-110

Illustrated in Aqua and White

Infant Size

MATERIALS:

Chadwick's RED HEART NYLON, 3 Ply, Shrink-and-Moth Proof, Art. E.260: 1 skein (1 oz. "Tangle-Proof" Pull-Out Skein) each of No. 1 White and No. 508 Aqua.

Clark's O.N.T. Plastic Crochet Hook No. 4.

A small white button.

SIDE (Make 2) . . . Starting at center with 2 strands of White, ch 3. **1st rnd:** 10 half dc in 3rd ch from hook, insert hook in first half dc, thread over and draw a loop through. Drop White, pick up 2 strands of Aqua and draw through the 2 loops on hook. **2nd rnd:** Ch 2, 2 half dc in each half dc around, insert hook in first half dc, draw a loop through. Drop Aqua, pick up White and draw through the 2 loops on hook, thus changing color (always change color in this manner). **3rd rnd:** Ch 2, 2 half dc in first half dc (1 half dc increased), * half dc in next half dc, 2 half dc in next half dc. Repeat from * around. Join, changing color as before. **4th and 5th rnds:** Work in pattern, increasing 10 half dc on each rnd. Break off White. **6th rnd:** With Aqua, make half dc in each half dc around. Join and break off.

CENTER PIECE . . . Starting at front with single strand of Aqua, make a chain 5½ inches long. **1st row:** Half dc in 3rd ch from hook and in each ch across until row measures 4½ inches. Cut off remaining chain. Ch 2, turn. **2nd row:** Half dc in each half dc across. Ch 2, turn. Repeat 2nd row until piece measures 12 inches. Turn. Sl st in each st across. Break off. Attach Aqua to opposite side of starting chain and sl st in each st across. Break off. Sew side pieces in place, leaving 5 inches free on each side.

STRAP . . . Starting at long side with White make a chain 3¾ inches long. **1st row:** Sc in 2nd ch from hook and in each ch across. **2nd row:** Sc in first sc, ch 2 (for buttonhole), skip next 2 sc, sc in each sc across. Ch 1, turn. **3rd row:** Sc in each sc and in each ch of buttonhole, sc in end st of each row, sl st at base of last sc. Break off. Make another piece the same way, omitting buttonhole. Sew straps in place. Sew button to Strap.



Orchid Jacket

C-108

Illustrated on Page 9

MATERIALS:

Chadwick's RED HEART NYLON, 3 Ply, Shrink-and-Moth Proof, Art. E.260: 4 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 570 Orchid for Size 1 and 5 skeins for Size 2; a few yards each of No. 1 White and No. 261 Maize.

Milwards "Phantom" Aluminum Knitting Pins or Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 2 (2¾ mm. size).

Buttons. Snap fastener.

GAUGE: 8 sts make 1 inch; 11 rows make 1 inch.

BLOCKING MEASUREMENTS:

Sizes	1	2
Chest	18"	20"
Length from shoulder to lower edge	9½"	10½"
Length of side seam	6"	6½"
Length of sleeve seam (excluding cuff)	6"	6½"

Directions are given for Size 1; changes for Size 2 are in parentheses.

NOTE: Garment is worked in one piece to underarm.

Starting at lower edge, cast on 312 (328) sts. Work in pattern as follows: **1st row:** K 29, sl 1, k 16, sl 1, k 8, sl 1, k 16, sl 1, k 18 (26) sts, sl 1, k 16, sl 1, k 8, sl 1, k 16, sl 1, k 42, sl 1, k 16, sl 1, k 8, sl 1, k 16, sl 1, k 18 (26) sts, sl 1, k 16, sl 1, k 8, sl 1, k 16, sl 1, k 29. **2nd row:** P across. Repeat the 1st and 2nd rows alternately until piece measures in all, ending with the 2nd row 6 (6½) inches.

To Shape Armholes: Work in pattern across the first 78 (82) sts, bind off the next 8 sts (armhole), work in pattern across the next 140 (148) sts, bind off the next 8 sts (armhole), work in pattern across the last 78 (82) sts. Turn and work over the last set of sts only for Left Front, decreasing 1 st at armhole edge on every other row until there remain 76 (80) sts. Work without decreasing until piece measures ½ inch from first row of armhole shaping, ending with a p row.

Next row: K the first 4 (8) sts, bind off the next 16 sts, k the next 10 sts, bind off the next 16 sts, k the last 30 sts. There are on needle 44 (48) sts. **Next row:** P across. Work in stockinette st (k 1 row, p 1 row) until piece measures 2½ (3) inches from first row of armhole shaping, ending at front edge.

To Shape Neck: Bind off 16 sts at beginning of the next row. Dec 1 st at same edge on every other row until there remain 24 (28) sts. Work without decreasing until piece measures 3½ (4) inches from first row of armhole shaping, ending at armhole edge.

To Shape Shoulder: Bind off 12 (14) sts at beginning of next row. Work one more row. Bind off remaining sts.

BACK . . . Attach yarn to the 140 (148) sts for Back and work in pattern, decreasing 1 st at both ends of every other row until there remain 136 (144) sts. Work without decreasing until piece measures ½ inch from first row of armhole shaping, ending with a p row.

Next row: K the first 4 (8) sts, bind off the next 16 sts, k the next 10 sts, bind off the next 16 sts, k the next 10 sts, bind off the next 16 sts, k the last 4 (8) sts. There are on needle 72 (80) sts. Work in stockinette st without decreasing until piece measures 3½ (4) inches from first row of armhole shaping.

To Shape Shoulders: Bind off 12 (14) sts at beginning of the next 4 rows. Bind off for back of neck the remaining 24 sts.

Attach yarn to the 78 (82) sts for Right Front and work to correspond with Left Front, reversing shapings and making a set of buttonholes when piece measures ¾ (1¼) inches from first row of armhole shaping and every ¾ inch thereafter until 3 sets of buttonholes in all have been made. Make a set of buttonholes as follows: **1st row:** With right side facing, k 2, bind off next 3 sts, k 6, bind off next 3 sts, complete row. **2nd row:** P across, casting on 3 sts over each set of bound-off sts.

SLEEVES . . . Starting at cuff, cast on 40 (48) sts. Work in stockinette st for ¼ inch. Inc 8 sts evenly across next row, then continue without increasing until piece measures 6 (6½) inches.

To Shape Top: Bind off 4 sts at beginning of the next 2 rows. Dec 1 st at both ends of every other row until 16 sts remain. Bind off.

CUFFS . . . Cast on 40 (48) sts. Work in stockinette st for 1 inch, ending with a p row. **Next row:** P across (hemline). P 1 more row, then continue in stockinette st for 1 inch. Bind off.

COLLAR . . . Starting at neck edge, cast on 70 sts. Work in stockinette st for 1¼ inches, ending with a p row. **Next row:** P across (hemline), p 1 more row, then continue in stockinette st for 1¼ inches. Bind off.

Block to measurements. Sew shoulder and sleeve seams. Sew in sleeves. With White, embroider flowers with French knots on Collar and Cuffs. Embroider centers with Maize. Fold Collar and Cuffs in half and sew short ends

together on wrong side. Turn under 8 sts along each front edge and sl st in place on wrong side, being careful that buttonholes fall over each other. Work buttonhole st around buttonholes. Sew on buttons. Slip stitch bound-off edges at top of pleats in place on wrong side. Sew Collar to neck edge ½ inch from front edges. Sew snap fastener at right neck edge. Sew Cuffs in place.

Dolman Sleeve Cardigan C-109

Illustrated on Page 9

MATERIALS:

Chadwick's RED HEART NYLON, 3 Ply, Shrink-and-Moth Proof, Art. E.260: 3 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 802 Baby Blue for Size 1; 4 skeins for Size 2; a few yards each of No. 1 White and No. 261 Maize.

Milwards "Phantom" Aluminum Knitting Pins or Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 1 (2½ mm. size) and 1 pair No. 2 (2¾ mm. size).

Clark's O.N.T. Plastic Crochet Hook No. 2.

Buttons.

GAUGE: 8 sts make 1 inch; 11 rows make 1 inch.

BLOCKING MEASUREMENTS:

Toddler Sizes	1	2
Chest	20"	22"
Width across back at underarm	10"	11"
Width across each front at underarm	5½"	6"
Length of side seam	7"	7¾"
Length of sleeve seam	7"	7½"
Width across sleeve at upperarm	8½"	9"

Directions are given for Size 1; changes for Size 2 are in parentheses.

NOTE: Buttonholes are made on Left Front for Boys and on Right Front for Girls. Make a buttonhole 3 sts in from front edge when piece measures ½ inch and every 2 (2¼) inches thereafter until 7 buttonholes in all have been made—to make a buttonhole, on one row bind off 2 sts and on the next row cast on 2 sts to replace those bound off.

Starting at neck edge with Baby Blue and No. 1 knitting pins, cast on 65 (73) sts. **1st row:** K 8 (Right Front buttonband), * k 1, p 1. Repeat from * across to last 9 sts, k 9. **2nd row:** K 8 (Left Front buttonband), * p 1, k 1. Repeat from * across to last 9 sts, p 1, k 8. Repeat the last 2 rows until piece measures 1 inch, ending with 2nd row.

Change to No. 2 knitting pins and work as follows: **1st row:** K the first 14 (16) sts for Left Front, sl 1, k the

Continued on page 11

C-109 Continued from page 10

next 6 sts for Left Sleeve, sl 1, k the next 21 (25) sts for Back, sl 1, k the next 6 sts for Right Sleeve, sl 1, k the last 14 (16) sts for Right Front. **2nd row:** K 8, p across to last 8 sts, k 8. **3rd row:** * K across to last st before next sl st, inc 1 st in next st, sl 1, inc 1 st in next st. Repeat from * 3 more times, k across (8 sts increased). **4th row:** Repeat 2nd row. Repeat the 3rd and 4th rows alternately until there are on needle 305 (329) sts, ending with the 4th row (making a buttonhole as previously indicated).

To Shape Sleeves: Next row: K the first 44 (48) sts and place these sts on a stitch holder to be worked later. Attach another ball of yarn, cast on 2 sts and k the next 68 (72) sts, then cast on 2 sts. Place the last 193 (209) sts on a stitchholder. Turn and work over these 72 (76) sts for Left Sleeve in stockinette st, decreasing 1 st at both ends of every 4th row until there remain 44 (48) sts. Work without decreasing until piece measures from armhole 6 (6 $\frac{1}{4}$) inches, ending with a p row.

Change to No. 1 knitting pins and work in ribbing of k 1, p 1 for 1 (1 $\frac{1}{4}$) inches. Bind off loosely in ribbing.

Pick up first ball of yarn, cast on 4 sts, then k across the next 81 (89) sts for Back and place these sts on a stitchholder to be worked later. Attach another ball of yarn, cast on 2 sts, k the next 68 (72) sts, then cast on 2 sts. Turn and work over these 72 (76) sts for Right Sleeve as for Left Sleeve. Pick up first ball of yarn, cast on 4 sts and k across the last 44 (48) sts.

Next row: K the first 8 sts, p across, including sts from stitchholders, then k the last 8 sts. There are on needle 177 (193) sts. Continue in stockinette st, keeping the front buttonbands in garter st (k each row) until piece measures from armhole 6 (6 $\frac{1}{2}$) inches, ending with a p row.

Change to No. 1 knitting pins and work in ribbing as for Neckband, keeping the continuity of the garter st bands until piece measures from armhole 7 (7 $\frac{3}{4}$) inches. Bind off loosely in ribbing.

Block to measurements. Sew sleeve seams and underarm seams. Sew on buttons to correspond with buttonholes.

CHICKEN (Make 2)—Body . . . Starting at center with crochet hook and White, ch 2. **1st rnd:** 6 sc in 2nd ch from hook. **2nd rnd:** 2 sc in each sc around. **3rd rnd:** * Sc in next sc, 2 sc in next sc (1 sc increased). Repeat from * around. **4th rnd:** Sc in each sc around, increasing 6 sc evenly around. Repeat 4th rnd until piece measures 1 $\frac{1}{2}$ inches in diameter. Join and break off.

HEAD . . . Work exactly as for Body, until piece measures $\frac{3}{4}$ inch in diameter. Join and break off.

Sew Head and Body together to form Chicken. Sew Chicken 1 inch above last row of ribbing on sweater, leaving top of body free to form pocket. Embroider eye with Blue; embroider beak, wing, legs and feet with Maize. Sew other Chicken in place to correspond.

Eyelet Cardigan

C-111

Illustrated on Page 9

MATERIALS:

Chadwick's RED HEART NYLON, 3 Ply, Shrink-and-Moth Proof, Art. E.260: 3 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 261 Maize for Sizes 1 and 2; and 1 skein each of No. 802 Baby Blue and No. 723 Baby Pink.

Milwards "Phantom" Aluminum Knitting Pins or Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 1 (2 $\frac{1}{2}$ mm. size) and 1 pair No. 2 (2 $\frac{3}{4}$ mm. size).

Buttons.

GAUGE: 8 sts make 1 inch; 11 rows make 1 inch.

BLOCKING MEASUREMENTS:

Sizes	1	2
Chest	20"	22"
Width across back at underarm	10"	11"
Width across each front at underarm	5 $\frac{1}{2}$ "	6"
Width across back above armhole shaping	8"	8 $\frac{1}{2}$ "
Length from shoulder to lower edge	10"	11"
Length of side seam	7"	7 $\frac{1}{2}$ "
Length of sleeve seam	7"	7 $\frac{1}{2}$ "
Width across sleeve at upperarm	7"	7 $\frac{1}{2}$ "

Directions are given for Size 1; changes for Size 2 are in parentheses.

BACK . . . Starting at lower edge with Maize and No. 1 knitting pins, cast on 80 (88) sts. Work in ribbing of k 2, p 2 for 1 (1 $\frac{1}{4}$) inches.

Change to No. 2 knitting pins and work in stockinette st (k 1 row, p 1 row) until piece measures in all 7 (7 $\frac{1}{2}$) inches.

To Shape Armholes: Bind off 6 (8) sts at beginning of the next 2 rows. Dec 1 st at both ends of every other row until there remain 64 (68) sts. Work without decreasing until piece measures from first row of armhole shaping 3 (3 $\frac{1}{2}$) inches.

To Shape Shoulders: Bind off 10 (11) sts at beginning of the next 4 rows. Bind off, for back of neck, the remaining 24 sts.

NOTE: Buttonholes are made on Left Front for Boys and on Right Front for Girls. Make a buttonhole 3 sts in from front edge when piece measures $\frac{1}{2}$

($\frac{1}{4}$) inch and every 1 $\frac{1}{2}$ (1 $\frac{3}{4}$) inches thereafter until 7 buttonholes in all have been made (the last buttonhole is made later in neckband)—to make a buttonhole, on one row bind off 2 sts and on the next row cast on 2 sts to replace those bound off.

RIGHT FRONT . . . Starting at lower edge with Maize and No. 1 knitting pins, cast on 44 (48) sts. **1st row:** K 10, * p 2, k 2. Repeat from * across, ending with p 2. **2nd row:** * K 2, p 2. Repeat from * across, ending with k 8 (buttonband). Repeat the last 2 rows until piece measures 1 (1 $\frac{1}{4}$) inches, ending with the 2nd row.

Change to No. 2 knitting pins and work in pattern as follows: **1st row:** K across. **2nd row:** P across to last 8 sts, k 8. **3rd to 6th rows incl:** Repeat 1st and 2nd rows alternately. **7th row:** K the first 14 sts, * k 2 tog, O, k 6. Repeat from * across, ending with k 2 tog, O, k the last 4 (8) sts. **8th row:** Repeat 2nd row. **9th to 12th rows incl:** Repeat 1st and 2nd rows alternately. **13th row:** K the first 10 sts, * k 2 tog, O, k 6. Repeat from * across, ending with k 2 tog, O, k the last 8 (4) sts. **14th row:** Repeat 2nd row. The last 12 rows (3rd to 14th rows incl) constitute pattern. Work in pattern until piece measures in all 7 (7 $\frac{1}{2}$) inches, ending at side edge.

To Shape Armhole: Keeping continuity of pattern, bind off 6 (8) sts at beginning of the next row. Dec 1 st at same edge on every other row until there remain 36 (38) sts. Work in pattern without decreasing until piece measures from first row of armhole shaping, ending at armhole edge 2 (2 $\frac{1}{2}$) inches.

To Shape Neck: Next row: Purl across to last 11 sts. Place these 11 sts on a stitchholder. Turn and work in pattern over the remaining 25 (27) sts, decreasing 1 st at neck edge on every other row until there remain 20 (22) sts. Work in pattern without decreasing until piece measures from first row of armhole shaping, ending at side edge 3 (3 $\frac{1}{2}$) inches.

To Shape Shoulder: Bind off 10 (11) sts at beginning of the next row. Work one more row. Bind off remaining sts.

LEFT FRONT . . . Work as for Right Front, reversing shapings, pattern and position of buttonband.

SLEEVES . . . Starting at cuff with Maize and No. 1 knitting pins, cast on 44 (48) sts. Work in ribbing of k 2, p 2 for 1 (1 $\frac{1}{4}$) inches.

Change to No. 2 knitting pins and work in stockinette st, increasing 1 st at both ends of every 6th row until there are on needle 56 (60) sts. Work without increasing until piece measures in all 7 (7 $\frac{1}{2}$) inches.

To Shape Top: Bind off 6 (8) sts at beginning of the next 2 rows. Dec

Continued on page 14

CHADWICK'S RED HEART NYLON *it's SHRINK-PROOF*

Socks for Men and Women

Ribbed Socks C-113

Blue . . . Regulation Length

Sizes 8-12½

MATERIALS:

Chadwick's RED HEART NYLON, 3 Ply, Shrink-and-Moth Proof, Art. E.260: 3 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) for each size.

Milwards "Phantom" Aluminum Double-pointed Sock Needles or Clark's O.N.T. Plastic Double-pointed Sock Needles, 1 set No. 2 (2¾ mm. size) and 1 set No. 3 (3 mm. size).

GAUGE: 7½ sts make 1 inch; 10 rnds make 1 inch.

CUFF . . . With No. 2 needles, cast on 72 sts loosely. Divide sts on 3 needles and join, being careful not to twist sts. Work in ribbing of k 1, p 1 for 3½ inches. Change to No. 3 needles and work in ribbing of k 3, p 3 until piece measures 11 inches in all.

Divide sts for Heel as follows: With 4th needle, knit across first 13 sts on first needle, cast on 1 st, slip 22 sts from 3rd needle onto other end of 4th needle (there are 36 heel sts on 4th needle). Divide remaining 37 sts on 2 needles for Instep.

See page 15 for Completion of Socks.

Striped Socks C-115

Red and White—Regulation Length

Sizes 8-12½

MATERIALS:

Chadwick's RED HEART NYLON, 3 Ply, Shrink-and-Moth Proof, Art. E.260: 3 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 929 Dk. Red and 1 skein of No. 1 White.

Milwards "Phantom" Aluminum Double-pointed Sock Needles or Clark's O.N.T. Plastic Double-pointed Sock Needles, 1 set No. 2 (2¾ mm. size).

GAUGE: 8 sts make 1 inch; 11 rnds make 1 inch.

Starting at top with Dk. Red, cast on 70 sts loosely. Divide sts among 3

needles and join, being careful not to twist sts. Work in pattern as follows: **1st rnd:** * K 1, p 1, k 1, p 2. Repeat from * around. Repeat first rnd for pattern until piece measures 9½ inches.

Divide sts for Heel as follows: With 4th needle k across 16 sts on first needle, cast on 1 st, slip 18 sts from 3rd needle onto other end of 4th needle. **Next row:** Sl 1, p across, increasing 1 st in last st (there are 36 heel sts on 4th needle). Divide remaining sts on 2 needles for Instep.

See page 15 for Completion of Socks, starting with 2nd row of Heel.

Weave 2 strands of White through each p-2 rib as illustrated.

Classic Socks C-116

Green . . . Regulation Length

Yellow . . . Slack Length

Sizes 8-12½

MATERIALS:

Chadwick's RED HEART NYLON, 3 Ply, Shrink-and-Moth Proof, Art. E.260: 3 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) for Slack Length; 4 skeins for Regulation Length.

Milwards "Phantom" Aluminum Double-pointed Sock Needles or Clark's O.N.T. Plastic Double-pointed Sock Needles, 1 set No. 1 (2½ mm. size) and 1 set No. 2 (2¾ mm. size).

GAUGE: 8 sts make 1 inch; 11 rnds make 1 inch.

CUFF . . . With No. 1 needles, cast on 72 sts loosely. Divide sts on 3 needles and join, being careful not to twist sts. Work in ribbing of k 2, p 2 for 2¼ inches for women; for 3½ inches for men. Change to No. 2 needles and work in stockinette st (k each rnd) until piece measures 6 inches in all for women; 11 inches in all for men.

Divide sts for Heel as follows: With 4th needle k across 18 sts on first needle. Slip 18 sts from 3rd needle onto other end of 4th needle (there are 36 heel sts on 4th needle). Divide remaining sts on 2 needles for Instep.

See page 15 for Completion of Socks.

Pattern Socks C-114

Yellow . . . Regulation Length
and Slack Length

Sizes 8-12½

MATERIALS:

Chadwick's RED HEART NYLON, 3 Ply, Shrink-and-Moth Proof, Art. E.260: 2 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) for Slack Length; 3 skeins for Regulation Length.

Milwards "Phantom" Aluminum Double-pointed Sock Needles or Clark's O.N.T. Plastic Double-pointed Sock Needles, 1 set No. 1 (2½ mm. size) and 1 set No. 2 (2¾ mm. size).

GAUGE: 9 sts make 1 inch; 12 rnds make 1 inch.

CUFF . . . With No. 1 needles, cast on 72 sts loosely. Divide sts among 3 needles and join, being careful not to twist sts. Work in ribbing of k 2, p 2 for 2¼ inches for women; 3½ inches for men.

Change to No. 2 needles and work in pattern as follows: **1st rnd:** * K 2, p 2, (k 2nd st of left-hand needle, then k first st of same needle and slip both sts off needle) 3 times; p 2. Repeat from * around. **2nd rnd:** * K 2, p 2, k 6, p 2. Repeat from * around. The last 2 rnds constitute the pattern. Work in pattern until piece measures in all, ending with 2nd rnd of pattern—6 inches for women; 11 inches for men.

Divide sts for Heel as follows: With 4th needle k across 25 sts from first 2 needles. Slip 11 sts from 3rd needle onto other end of 4th needle (there are 36 heel sts on 4th needle). Divide remaining sts on 2 needles for Instep.

See page 15 for Completion of Socks.

NOTE: Directions for Completion of Socks and for Weaving of Toe on Page 15.



Bonnet, Bootees and Mittens C-112

Illustrated on Page 9

Infant Size

MATERIALS:

Chadwick's RED HEART NYLON, 3 Ply, Shrink-and-Moth Proof, Art. E.260: 2 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 723 Baby Pink and a few yards each of No. 818 Blue Jewel and No. 261 Maize.

Milwards "Phantom" Aluminum Knitting Pins or Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 2 (2 $\frac{3}{4}$ mm. size).

Milwards "Phantom" Aluminum or Clark's O.N.T. Plastic Double-pointed Sock Needles, 1 set No. 2 (2 $\frac{3}{4}$ mm. size).

Clark's O.N.T. Plastic Crochet Hook No. 2.

1 $\frac{1}{2}$ yards pink satin ribbon, $\frac{5}{8}$ inch wide.

1 $\frac{1}{2}$ yards pink satin ribbon, $\frac{1}{8}$ inch wide.

GAUGE: 8 sts make 1 inch; 11 rows make 1 inch.

BONNET . . . Starting at front edge of cuff with Baby Pink and straight knitting pins, cast on 90 sts. Work in stockinette st (k 1 row, p 1 row) for $\frac{3}{4}$ inch, ending with a p row. **Next row:** P across (hemline). Cuff has now been reversed. Continue in stockinette st (k 1 row, p 1 row) until piece measures 3 $\frac{3}{4}$ inches from hemline. Bind off 30 sts at beginning of the next 2 rows. Continue in stockinette st until piece measures same as bound-off edge. Bind off. Sew back seams. With Baby Pink, pick up and k 56 sts along neck edge from hemline to hemline. Work in garter st (k each row) for 6 rows. Bind off.

BORDER . . . With wrong side facing, attach Baby Pink to first st at cuff edge. **1st row:** With crochet hook, sc in same place where thread was attached, sc in each st across. Ch 1, turn. **2nd row:** * Skip 2 sc, 5 dc in next sc, skip 2 sc, sc in next sc. Repeat from * across. Break off.

With Blue Jewel, embroider a flower on cuff with 5 French knots. With Maize, embroider a French knot in center of flower. Embroider flowers all along border to correspond. Cut two 13-inch lengths of wide ribbon and sew in place for ties. Make 2 rosettes as illustrated with remaining wide ribbon and sew in place over ties.

MITTENS—Right Mitten . . . Starting at cuff with straight knitting pins, cast on 54 sts. Work in stockinette for $\frac{3}{4}$ inch, ending with a p row and decreasing 10 sts evenly across last row. **Next row:** * K 2, O, k 2 tog. Repeat

from * across (beading). Now continue in stockinette st for $\frac{3}{4}$ inch, ending with a p row.

To Shape Thumb: Next row: K the first 24 sts, place the next 5 sts on a safety pin to be worked later, cast on 5 sts, k the last 15 sts. Continue in stockinette st until piece measures 3 inches in all, ending with a p row.

To Shape Tip: 1st row: * K 2, k 2 tog. Repeat from * across (33 sts). **2nd row:** P across. **3rd row:** * K 1, k 2 tog. Repeat from * across (22 sts). **4th row:** P across. **5th row:** * K 2 tog. Repeat from * across (11 sts). Break off, leaving a 12-inch length of yarn. Thread this length into a needle and draw through remaining sts. Pull up tightly and fasten off securely on wrong side.

THUMB . . . With a double-pointed needle, pick up and k 5 sts over the 5 cast-on sts, with another needle k the 5 sts from safety pin, pick up and k 1 st between needles on either side. Divide sts among 3 needles and work in stockinette st (k each rnd) for 1 inch. **Next rnd:** * K 2 tog. Repeat from * around. Break off, leaving a 6-inch length of yarn. Finish as for tip of Mitten.

BORDER . . . Work as for Border on Bonnet. Embroider flowers on cuff as for Bonnet.

Sew side seam. Cut a 13-inch length of ribbon and lace through beading.

LEFT MITTEN . . . Work as for Right Mitten to thumb shaping.

To Shape Thumb: Next row: K 15, place next 5 sts on a safety pin to be worked later, cast on 5 sts, knit the last 24 sts. Complete as for Right Mitten.

CORD . . . With Baby Pink and crochet hook, make a chain to measure 20 inches. **1st row:** Sl st in each ch across. Break off. Sew one end of Cord to each mitten.

BOOTEES . . . Starting at cuff with straight knitting pins, cast on 43 sts. Work in stockinette st for $\frac{3}{4}$ inch, ending with a p row, decreasing 3 sts across last row. **Next row:** * K 2, O, k 2 tog. Repeat from * across (beading). Continue in stockinette st for 1 $\frac{3}{4}$ inches in all, ending with a p row.

INSTEP . . . K the first 27 sts. Turn and work in stockinette st over the last 14 sts just worked for 2 inches, ending with a p row. Break off.

FOOT . . . With right side facing, using right-hand needle (with 13 sts), attach yarn, pick up and knit 16 sts along side of Instep, k the 14 sts of Instep, pick up and k 16 sts along other side of Instep, k the remaining 13 sts (72 sts). Work in garter st (k each row) for 14 rows.

To Shape Toe: 1st row: K 2 tog, k next 32 sts, (k 2 tog) twice; k next 32 sts, k 2 tog. **2nd row:** K across. **3rd row:** K 2 tog, k next 30 sts, (k 2 tog) twice; k next 30 sts, k 2 tog. **4th row:** K across. **5th row:** K 2 tog, k next 28 sts, (k 2 tog) twice; k next 28 sts, k 2 tog. **6th row:** K across. Bind off.

BORDER . . . Work as for Border on Bonnet. Embroider flowers on cuff as for Bonnet. Sew back and sole seams. Cut a 13-inch length of ribbon and lace through beading.

Boy's Pullover C-105

Continued from page 7

Repeat from * across to last 3 sts before marker, k 1, k 2 tog, slip marker, k 2 tog, ** k 1, p 1. Repeat from ** across, ending with k 1. **3rd row:** * P 1, k 1. Repeat from * across to last 2 sts before marker, p 2, slip marker, p 2, ** k 1, p 1. Repeat from ** across. Work in this manner, decreasing 1 st before and after marker on every other row, until piece measures 1 inch. Bind off loosely in ribbing.

Sew shoulder seams, including neckbands.

ARMBANDS . . . With right side facing, Paddy Green and No. 1 knitting pins, pick up and k 124 (146, 168) sts along entire armhole edge, including bound-off sts. Work in ribbing of k 1, p 1 for 1 inch. Bind off loosely in ribbing.

Block to measurements. Sew all ends neatly on wrong side. Sew side seams, including armbands.

Eyelet Cardigan C-111

Continued from page 11

1 st at both ends of every row until 14 sts remain. Bind off.

Sew shoulder seams.

NECKBAND . . . With No. 1 knitting pins and left side facing, attach Maize to neck edge of Right Front and p 3, k 8. With same needle, pick up and k around entire neck edge, including sts from left stitchholder 70 (74) sts. Work in garter st (k each row) for 1 inch, making a buttonhole in line with previous buttonholes when piece measures $\frac{1}{2}$ inch. Bind off.

Block to measurements. Sew side and sleeve seams. Sew in sleeves. Overcast the first row of eyelet holes with Baby Pink. Overcast the second row of eyelet holes with Baby Blue. Continue to overcast eyelet holes, alternating rows of Baby Pink and Baby Blue. Sew on buttons to correspond with buttonholes.

If desired, Chadwick's Red Heart Sock and Sweater Yarn may be used instead of Chadwick's Red Heart Nylon for any garment in this book.

Directions for COMPLETION OF SOCKS

Illustrated on page 13 . . . directions on page 12

Work back and forth over the heel sts only as follows:

HEEL . . . 1st row: Sl 1, p across. **2nd row:** * Sl 1, k 1. Repeat from * across. Repeat the last 2 rows alternately until piece measures 2¼ inches, ending with a p row (Fig. 1).

To Turn Heel: 1st row: K 20, k 2 tog, k 1. Turn. **2nd row:** Sl 1, p 5, p 2 tog, p 1. Turn. **3rd row:** Sl 1, k 6, k 2 tog, k 1. Turn. **4th row:** Sl 1, p 7, p 2 tog, p 1. Turn. **5th row:** Sl 1, k 8, k 2 tog, k 1. Turn. **6th row:** Sl 1, p 9, p 2 tog, p 1. Turn. **7th row:** Sl 1, k 10, k 2 tog, k 1. Turn. **8th row:** Sl 1, p 11, p 2 tog, p 1. Turn. **9th row:** Sl 1, k 12, k 2 tog, k 1. Turn. **10th row:** Sl 1, p 13, p 2 tog, p 1. Turn. **11th row:** Sl 1, k 14, k 2 tog, k 1. Turn. **12th row:** Sl 1, p 15, p 2 tog, p 1. Turn. **13th row:** Sl 1, k 16, k 2 tog, k 1. Turn. **14th row:** Sl 1, p 17, p 2 tog, p 1. Turn. **15th row:** Sl 1, k 18, k 2 tog. Turn. **16th row:** Sl 1, p 18, p 2 tog. Turn. **17th row:** K across (20 sts on heel needle).

INSTEP . . . With same needle—first needle—pick up and k 18 sts along edge of heel (Fig. 2). With 2nd needle, k across or work in pattern across 2 instep needles. With 3rd needle, pick up and k 18 sts along other edge of heel; k 10 sts from heel needle. There are now 28 sts on first and 3rd needles and 36 sts on 2nd needle (Fig. 3); on No. C-113 there are 37 sts on 2nd needle.

To Shape Instep: 1st rnd: K to last 3 sts on first needle, k 2 tog, k 1. K across or work in pattern across 2nd needle. On 3rd needle k 1, sl 1, k 1, p.s.s.o., k to end of rnd. **2nd rnd:** K around, keeping in pattern across 2nd needle if necessary. Repeat the last 2 rnds alternately until 18 sts remain on each of the first and 3rd needles.

Work without decreasing until piece measures 5½ inches for Size 8; 6 inches for Size 8½; 6½ inches for Size 9; 7 inches for Size 9½; 7½ inches for Size 10; 8 inches for Size 10½; 8½ inches for Size 11; 9 inches for Size 11½; 9½ inches for Size 12;

10 inches for Size 12½; or 2¼ inches less than length desired.

To Shape Toe: 1st rnd: K to last 3 sts on first needle, k 2 tog, k 1; on 2nd needle, k 1, sl 1, k 1, p.s.s.o., k across to last 3 sts, k 2 tog, k 1; on 3rd needle, k 1, sl 1, k 1, p.s.s.o., k to end of rnd. **2nd rnd:** K around. Repeat the last 2 rnds alternately until 20 sts remain; on No. C-113 there remain 21 sts. With 3rd needle k across sts of first needle (10 sts on each of 2 needles—on No. C-113, there remain 10-11 sts on each of 2 needles). Break yarn, leaving 20 inches of yarn at end of needle. Weave sts together.

HOW TO WEAVE THE TOE

WEAVING . . . Step 1—Thread the 20 inches of yarn into a wool needle (Fig. 4).

Step 2—Hold the two needles with the stitches even and parallel, having the end of yarn at the right of back needle.

Step 3—Insert wool needle as if to purl in first stitch of front needle. Draw yarn through, leaving the stitch on needle.

Step 4—Insert wool needle as if to knit into the first stitch of back needle. Draw yarn through, leaving the stitch on needle.

Step 5—Insert wool needle as if to knit into first stitch of front needle (same stitch as before), and slip this stitch off the needle. Insert needle in next stitch of front needle as if to purl. Draw yarn through, leaving the stitch on needle.

Step 6—Insert wool needle as if to purl into the stitch of back needle and slip this stitch off. Insert wool needle into next stitch of back needle as if to knit. Draw yarn through, leaving stitch on needle.

Repeat Steps 5 and 6 until all sts are worked off. Darn in end of yarn securely.




Fig. 1




Fig. 2




Fig. 3




Fig. 4

Abbreviations in Knitting and Crochet

ch chain	k knit	rnd round
sc single crochet	p purl	incl inclusive
half dc . . . half double crochet	O yarn over	inc increase
dc double crochet	tog together	dec decrease
sl st slip stitch	sp space	p.s.s.o. . . pass slipped stitch over knit stitch

* (asterisk) . . . Repeat the instructions following the asterisk as many times as specified. Repeat instructions in parentheses as many times as specified. For example: "(K 1, O, p 3) 4 times" means to make whatever is in parentheses 4 times in all.

Washing Instructions: Dissolve a good soap or soap flakes in lukewarm water, wash quickly by squeezing in and out of water. Do not rub or wring. Rinse thoroughly and squeeze between towels. Ease the garment to its original size and shape, and dry flat, away from excessive heat.

CHADWICK'S
RED ♥ HEART
HAND KNITS
FOR EVERYBODY

NYLON

20 SUPERB COLORS
INCLUDING PASTELS AND DEEP TONES

SHRINK-PROOF — MOTH-PROOF

DU PONT'S
100% PERMANENT
"CRIMP-SET" NYLON

